

ICPSR 4537

**Monitoring the Future: A  
Continuing Study of American  
Youth (8th- and 10th-Grade  
Surveys), 2005**

Lloyd D. Johnston

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social  
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Codebook for 10th-Grade Form 1 Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



# TABLE OF CONTENTS

<b>INTRODUCTION.....</b>	<b>i</b>
DATA COLLECTION DESCRIPTION .....	i
DATA COLLECTION PROCEDURES .....	i
SAMPLING INFORMATION .....	ii
CONTENT AREAS AND QUESTIONNAIRE DESIGN .....	iv
MEASUREMENT CONTENT AREAS .....	v
REPRESENTATIVENESS AND VALIDITY.....	vi
WEIGHTING INFORMATION.....	x
FILE STRUCTURE.....	x
CODEBOOK INFORMATION .....	xi
PROCESSING INFORMATION .....	xiii
CITATIONS .....	xvi
<b>FREQUENCIES.....</b>	<b>17</b>
<b>APPENDICES.....</b>	<b>213</b>
APPENDIX A: PUBLICATIONS .....	213
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES .....	214



## INTRODUCTION

### DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF THE LIFESTYLES AND VALUES OF YOUTH, 2005, GRADES 8 AND 10, is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is an unusually comprehensive one in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; results may be compared with those from other age groups also surveyed annually by the project; and the subject matter is very broad, encompassing altogether more than 450 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate description of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the explanation of the relationships and trends observed to exist.

### DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from eighth, tenth, and twelfth graders during the spring of each year. Procedures for the twelfth grade data collection are explained in detail elsewhere (1,2); the eighth and tenth grade samples were added in 1991 after 16 years of annual twelfth grade surveys and closely parallel those used for the high school seniors. Approximately 150 schools are sampled for the eighth grade survey, and approximately 17,000 to 19,000 students are surveyed. For the tenth graders, approximately 130 high schools are sampled, and approximately 15,000 to 17,000 students are surveyed.

A major exception to the similarities with the 12<sup>th</sup> grade surveys is that in the 8<sup>th</sup>/10<sup>th</sup> grade surveys only two different questionnaire forms were used in 1991-1996 (this expanded to four forms beginning in 1997) rather than the six used with seniors. Identical forms are used for both eighth and tenth grades, and for the most part, questionnaire content is drawn from the twelfth-grade questionnaires. Thus, key demographic variables and measures of drug use and related attitudes and beliefs are generally identical for all three grades. However, many fewer questions about lifestyles and values are included in the 8<sup>th</sup>/10<sup>th</sup> grade forms, in part because the authors believe that many of these attitudes are likely to be more fully formed by twelfth grade and, therefore, are best monitored there.

A limitation to the study design is that two segments of the entire age-cohort are missing: those who are enrolled in school, but are absent on the day of data collection ("absentees"), and those who have dropped out of school ("dropouts").

Dropout rates are relatively low for 8<sup>th</sup> and 10<sup>th</sup> graders: dropouts are probably less than 1% in 8<sup>th</sup> grade, and less than 5% by 10<sup>th</sup> grade (1). Absentees comprise 10% of eighth graders and about 12% of tenth graders in 2005. Although absentees are likely to be somewhat different from non-absentees on a variety of dimensions, adjusting for their relatively small proportions would have only very modest

effects on population estimates. See the latest annual report for a more extended discussion of this issue (1).

## SAMPLING INFORMATION

The procedure for securing nationally representative samples of eighth and tenth graders in public and private schools is a multistage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more schools in each area, and Stage 3 is the selection of students within each school.

**Stage 1: Geographic Areas.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**Stage 2: Schools.** In the major metropolitan areas more than one school is often included in the sampling design; in most other sampling areas a single school is sampled. In all cases, the selections of schools are made such that the probability of drawing a school is proportionate to the size of its eighth or tenth grade class. The larger the class (according to recent records), the higher the selection probability assigned to the school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**Stage 3: Students.** Within each selected school, up to about 350 students may be included in the data collection. In schools with fewer than 350 students, the usual procedure is to include all of them in the data collection. In larger schools, a subset of students is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1991 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one class to the next is observed, it is possible to check whether that shift may be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**School Recruiting Procedures.** Early during the fall semester an initial contact is made with each sampled school. First a letter is sent to the principal describing the study and requesting permission to survey students. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek the permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

**Advance Contact with Teachers and Students.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to that fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

**Questionnaire Administration.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**Procedures for Protecting Confidentiality.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." From 1991 to 1998, the instructions pointed out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The

cover message explained that these are the reasons for asking that name and address be written on a special form which was removed from the questionnaire and handed in separately. The message also pointed out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

The research design originally called for mail-out follow-up surveys of samples of the eighth and tenth graders participating in the study, carried out at two-year intervals similar to the twelfth grade follow-up samples. In 1997, it was decided to discontinue follow-up surveys; consequently, the original "confidential" procedures (in which names and addresses were obtained from all respondents) were changed to anonymous procedures (in which no names or addresses were obtained). To allow an assessment of the potential effect of the different procedures, half the schools (all those participating for a second year) were assigned to the confidential procedure in 1998, and half (all those participating in their first year) to the anonymous condition. Beginning in 1999, all eighth and tenth grade surveys were anonymous. Analyses showed that this change in procedure had no effect on the reporting of sensitive information (i.e. drug use) by tenth graders, and little or no effect on eighth graders (3).

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## **CONTENT AREAS AND QUESTIONNAIRE DESIGN**

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the 8<sup>th</sup>/10<sup>th</sup> grade questionnaires also deal with a wide range of other subject areas, including educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors. These are listed below, along with their associated code letters by which all questions are organized in a cross-time index provided in the User Guide for this collection. The same code letters have been assigned to each area as were used in the twelfth grade content index. Because not all of the areas covered in twelfth grade are included in grades 8/10, some letters in the sequence are missing here.



**MEASUREMENT CONTENT AREAS**

A.	<i>Drugs. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.</i>
B.	<i>Education. Educational lifestyle, values, experiences, and environments. Media usage.</i>
C.	<i>Work and Leisure. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.</i>
D.	<i>Gender Roles and Family. Values, attitudes, and expectations about marriage, family structure, sex roles, and gender discrimination.</i>
E.	<i>Population Concerns. Values, attitudes, and expectations about personal family plans. Concerns about overpopulation. Educational opportunities offered concerning family planning.</i>
F.	<i>Conservation, Materialism, Equity, etc. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.</i>
G.	<i>Religion. Religious affiliation, practices, and views.</i>
I.	<i>Social Change. Values, attitudes, and expectations about social change.</i>
L.	<i>Military. Personal plans for military service. Views about the armed services and the use of military force.</i>
M.	<i>Interpersonal Relationships. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.</i>
O.	<i>Concern for Others. Radius of concern for others; voluntary and charitable activities.</i>
P.	<i>Happiness. Happiness and life satisfaction, overall and in specific life domains.</i>
Q.	<i>Other Personality Variables. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, optimism, trust in others, importance placed on various life goals.</i>
R.	<i>Background and School. Demographic and family background characteristics, curriculum and grades in school, victimization in school.</i>
S.	<i>Deviant Behavior and Victimization. Delinquent behaviors, seatbelt use, victimization experiences.</i>
T.	<i>Health habits and symptoms.</i>

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into two (1991-1996) to four (1997 on) different questionnaire forms. *In 1997, the third and fourth questionnaire forms were added to allow for new questions to be included in the survey.* The questionnaires are distributed to participants in an ordered sequence. In 1991-1996, this produced two equivalent half-samples. Beginning in 1997, four forms were used: forms 1 and 2 were distributed to a random 33.3% (1/3) of students, and forms 3 and 4 were distributed to a random 16.7% (1/6) of students. Thus, a question could be answered by 1/6, 1/3, 1/2, 2/3, 5/6, or all of the sample, depending on which forms included that question.

About one-third of each questionnaire form consists of key or “core” variables which are common to all forms. All demographic variables and some measures of drug use are included in this “core” set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

## REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of eighth and tenth grade students attending private or public schools throughout the 48 contiguous states. It is useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all eighth and tenth graders, and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully accurate. First, some sample schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**School Participation.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. (With very few exceptions, each school which has participated for one data collection has agreed to participate for a second.) When an invited school declines to participate, a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with “drug problems” refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools’ refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel confident that school refusals have not seriously biased the surveys.

**Student Participation.** Completed questionnaires are obtained from between 85% and 90% of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of the data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be less than one percent.

**Validity of Self-Report Data.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history – as scholars of the relevant literature will recognize – though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination.

**Accuracy of the Sample.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total samples of both grades have confidence intervals of 2.0% -- sometimes considerably smaller. This means that, had the project been able to invite all schools and all eighth or tenth graders in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 2.0 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project provide information which allows the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes (1).

**Consistency and the Measurement of Trends.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9 to 15% percent of each year's sample -- are represented by only 700 respondents per year on any single questionnaire form. After 1996 when two more forms were added, the number of Hispanic or Black respondents available in the dataset drops to about 250. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number

of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small *N*s for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**Differential Representation.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of blacks than white remain in school through the end of the twelfth grade.<sup>1</sup> Therefore, a slightly different segment of the black population than of the white population resides in the target population of high school seniors. It is less clear to what extent there may be differential representation at the 8<sup>th</sup> and 10<sup>th</sup> grade levels. It may be that there is very little underrepresentation in 8<sup>th</sup> grade, because very few students drop out of school before the end of 8<sup>th</sup> grade; somewhat more, though still relatively few, may drop out by near the end of 10<sup>th</sup> grade, and that could be differential by race.

**Differential Response Tendencies.** In examining the full range of variables, racial differences in response tendencies among high school seniors have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among blacks than among whites. For example, blacks tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall “agreement bias” should be self-canceling when the index is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for black respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of blacks as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent’s willingness to answer particular questions. The missing data rate may be an indication of that unwillingness. If a particular question or set of questions has a missing data rate higher than is true for the prior set of questions, then

---

<sup>1</sup> The Hispanic group has considerably higher dropout rates than either whites or blacks, which means that student samples become increasingly less representative of the entire age group at higher grades.

presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate has been found for black male seniors on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for black males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of black seniors than white seniors reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**Covariance with Other Factors.** Some characteristics such as race are highly confounded (correlated) with other variables – variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socioeconomic level or region of the country – that is, once we compare the black respondents with white who come from similar backgrounds – there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of blacks live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of blacks are Baptists, and blacks tend to attribute more importance to religion than do whites.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

## WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (8<sup>TH</sup>-AND 10<sup>TH</sup>-GRADE SURVEYS), 2005 is available from ICPSR as eight logical record length datasets. Each dataset consists of SAS, SPSS, and Stata data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

<i>Part #</i>	<i>Form</i>	<i>#Variables</i>	<i>Logical record length</i>	<i>Unweighted N</i>
<i>Part 1</i>	8 <sup>th</sup> Grade, Form 1	288	589	5762
<i>Part 2</i>	8 <sup>th</sup> Grade, Form 2	291	594	5738
<i>Part 3</i>	8 <sup>th</sup> Grade, Form 3	288	588	2877
<i>Part 4</i>	8 <sup>th</sup> Grade, Form 4	279	570	2881
<i>Part 5</i>	10 <sup>th</sup> Grade, Form 1	289	591	5571
<i>Part 6</i>	10 <sup>th</sup> Grade, Form 2	292	596	5574
<i>Part 7</i>	10 <sup>th</sup> Grade, Form 3	289	590	2766
<i>Part 8</i>	10 <sup>th</sup> Grade, Form 4	280	572	2800

The SAS, SPSS, and Stata data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

**CODEBOOK INFORMATION**

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] **V1134**                      [2] **991A13**    **KIND OF PAID JOB**

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING

-----      -----      -----  
 [10]      [11]      [12]  
 100.0    100.0    5,745 cases    (Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99

- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.



## PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases (Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA (This variable is labeled "SELF-REP=1/NOT=0" to be consistent with earlier versions). Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each eighth and tenth grade dataset.

### Omitted Variables:

Forms 1 to 4	C01. R'S BIRTH YEAR
Forms 1 to 4	C02. R'S BIRTH MONTH
Forms 1 to 4	C05. FIRST LANGUAGE
Forms 1 to 4	C07e-h. R'S HSHLD (other than mother/father/sibling)
Forms 1 to 4	C12a. R'S RELGS PRFNC
Form 1	A12. CURRENT HEIGHT
Form 1	A13. CURRENT WEIGHT
Form 2	E03. CURRENT HEIGHT
Form 2	E04. CURRENT WEIGHT
Form 2	E07. ZIP CODE (5 DIGIT)
Form 4	E02. CURRENT HEIGHT
Form 4	E03. CURRENT WEIGHT
Form 4	E05. ZIP CODE (5 DIGIT)

The variables that have been retained but altered to insure confidentiality follow.

Forms 1-4 R'S ID - SERIAL #

5 digit code exclusive to each grade; modified to protect respondent confidentiality

Forms 1-4 Sampling Weight

Originally varied by school but modified to protect respondent confidentiality; use for all analyses, results of which will differ slightly from published data tables using original data

**AGE <> 16 DICHOTOMY (10th grade only):**

1=younger than 16 years old,

2=16 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 16, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 16.

**C03. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy**

1=BLACK, 2=WHITE, 3=HISPANIC -9=All Other Codes and missing data or multiple responses on Q. C03

For 2005, two of the questionnaire forms, Form 1 and Form 3, have a new version of the race question. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected more than one response option, the value for the recoded variable was deleted and defined as missing.

**C07a-c. R'S HSHLD FATHER, MOTHER, SIBLING**

0=marked, 1=not marked, -9=none of the three items marked

Sibling combines responses to originally separate questions about brother and sister, then after these and the remaining "HSHLD" items were deleted, missing data on C07a, b, and new c was redetermined.

**C22. EVER HELD BACK**

Dichotomized to 0=NO, 1=YES, -9=missing

**C23. NEED SUMMER SCHL**

Dichotomized to 0=NO, 1=YES, -9=missing

**C24. EVER SUSPENDED**

Dichotomized to 0=NO, 1=YES, -9=missing

Beginning in 1997, a select group of questions were excluded from some schools in the Western region, rendering those schools potentially identifiable. Thus, these variables were intentionally changed to missing data (coded -9) from all schools in the Western region of the contiguous United States:

<b>Item Reference Number</b>	<b>Question Name</b>	<b>2005 Form 1 Q#</b>	<b>2005 Form 2 Q#</b>	<b>2005 Form 3 Q#</b>	<b>2005 Form 4 Q#</b>
07970	MN=ACHV/WMN=HOME	1A19C	2A15C	x	x
07990	WK MO AS WRM REL	1A19D	2A15D	x	x
00370	R'ATTND REL SVC	1C12B	2C12B	3C12B	4C12B
00380	RLGN IMP R'S LF	1C13	2C13	3C13	4C13
25180	#X PRNT CHK HMWK	1C28A	2C28A	x	x
25190	#X PRNT HLP HMWK	1C28B	2C28B	x	x
25200	#X PRNT GV CHORE	1C28C	2C28C	x	x
25210	#X PRNT LIMIT TV	1C28D	2C28D	x	x
25225	#X PRNT ALW OUT	1C28E	2C28E	x	x
25860	TALK PROB W/PRNT	1C29	2C29	3C29	4C29
25870	TALK PROB W/ADLT	1C30	2C30	3C30	4C30
10530	MO SH B W CHL>TM	1E13A	x	3E08A	x
12180	FTHR>TIME W CHLD	1E13B	x	3E08B	x
30760	PRN KNW AFT SCHL	x	x	3C28A	4C28A
30770	PRN KNW WHO@NITE	x	x	3C28B	4C28B
30780	PRN KNW WHER@NGT	x	x	3C28C	4C28C
30790	R'S WKND CURFEW	x	x	3C28D	4C28D

An x in a column indicates that the question was not included in the questionnaire form to which the column refers.

## CITATIONS

- <sup>1</sup>National survey results on drug use from the Monitoring the Future study, 1975-2004, Volume I: Secondary school students (2005). (NIH Pub. No. 05-5727). Vol II: College students and adults ages 19-45 (2005). (NIH Pub. No. 05-5728). L.D. Johnston, P.M. O'Malley, J.G. Bachman, and J.E. Schulenberg, 545 pp. and 267 pp. respectively.
- <sup>2</sup>The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- <sup>3</sup>O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J.E. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30, 35-54.

**FREQUENCIES**

**10TH GRADE, FORM 1**

<b>CASEID</b>	<b>CASE IDENTIFICATION NUMBER</b>
---------------	-----------------------------------

5,577 cases (Range of valid codes: 1-5571)

Data type: numeric

Columns: 1-4

<b>V1</b>	<b>051 YEAR OF ADMINISTRATION</b>
-----------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	5,577	2005	
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Columns: 5-8

<b>V3</b>	<b>051 FORM ID</b>
-----------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	5,577	1	
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Columns: 9-10

<b>V4</b>	<b>051 R'S ID - SERIAL #</b>
-----------	------------------------------

5,577 cases (Range of valid codes: 10001-15571)

Data type: numeric

Columns: 11-15

<b>V5</b>	<b>051 SAMPLING WEIGHT</b>
-----------	----------------------------

5,577 cases (Range of valid codes: 0.1413-4.8684)

Data type: numeric

Decimals: 4

Columns: 16-21

<b>V507</b>	<b>051 SCHOOL REGION</b>
-------------	--------------------------

Item Number:

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast    2=North Central    3=South    4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	21.6	1,205	1	NE
27.2	27.2	1,517	2	NCENTRL
31.2	31.2	1,741	3	SOUTH
20.0	20.0	1,115	4	WEST
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Columns: 22-23

<b>V508</b>	<b>051 SELF-REP=1/NOT=0</b>
-------------	-----------------------------

Item Number:

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

0=Not Self-Representing MSA    1=Self-Representing MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	69.5	3,877	0	NOSLFREP
30.5	30.5	1,700	1	SELF REP
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Columns: 24-25

**V509****051 SMSA=1/NON-SMSA=0**

Item Number:

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.)

0=Not MSA 1=MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	22.4	1,251	0	NON
77.6	77.6	4,327	1	MSA
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Columns: 26-27

**V1101****051A01 WHAT GRADE LEVEL**

Item Number: 24770

What is your grade level in school?

1="7th Grade" 2="8th grade" 3="9th grade" 4="10th grade"  
5="11th grade" 6="12th grade"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	7TH
0.0	0.0	0	2	8TH
0.0	0.0	0	3	9TH
100.0	99.0	5,523	4	10TH
0.0	0.0	0	5	11TH
0.0	0.0	0	6	12TH
	1.0	54	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 28-29



<b>V1102</b>	<b>051A02 VRY HPY THS DAY</b>
--------------	-------------------------------

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.4	805	1	NT HAPPY
66.9	66.1	3,685	2	PRTY HPY
18.5	18.3	1,021	3	VRY HPY
	1.2	66	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 30-31

<b>V1103</b>	<b>051A03A DALY GO TO MOVIE</b>
--------------	---------------------------------

Item Number: 05830

The next questions ask about the kinds of things you might do. How often do you do each of the following? A: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	114	1	NEVER
33.8	33.5	1,869	2	FEW /YR
53.1	52.7	2,938	3	1-2 /MO
10.8	10.7	595	4	1 /WK
0.3	0.3	18	5	NR DAILY
	0.8	43	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 32-33

V1104

051A03B DALY ROCK CONCRT

Item Number: 05845

How often do you do each of the following? B: Go to rock concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	64.1	3,577	1	NEVER
29.1	28.8	1,608	2	FEW /YR
4.0	4.0	220	3	1-2 /MO
1.6	1.6	90	4	1 /WK
0.5	0.5	27	5	NR DAILY
	1.0	56	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 34-35

V1105

051A03C DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following? C: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.9	663	1	NEVER
10.4	10.3	576	2	FEW /YR
15.4	15.3	852	3	1-2 /MO
28.4	28.1	1,569	4	1 /WK
33.7	33.4	1,862	5	NR DAILY
	1.0	55	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 36-37

**V1106 051A03D DALY CMNTY AFFRS**

Item Number: 05860

How often do you do each of the following? D: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	28.0	1,563	1	NEVER
43.0	42.5	2,369	2	FEW /YR
18.4	18.2	1,015	3	1-2 /MO
8.3	8.2	460	4	1 /WK
1.9	1.9	106	5	NR DAILY
	1.2	65	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 38-39

**V1107 051A03E DALY ACTV SPORTS**

Item Number: 05890

How often do you do each of the following? E: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.9	496	1	NEVER
9.7	9.6	533	2	FEW /YR
9.3	9.2	515	3	1-2 /MO
19.3	19.1	1,067	4	1 /WK
52.7	52.2	2,911	5	NR DAILY
	1.0	55	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 40-41

V1108

051A03F DALY VIS FRDS FR

Item Number: 05920

How often do you do each of the following? F: Get together with friends informally (in your free time)

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	92	1	NEVER
4.0	3.9	218	2	FEW /YR
11.4	11.3	630	3	1-2 /MO
40.6	40.1	2,238	4	1 /WK
42.4	42.0	2,340	5	NR DAILY
	1.1	59	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 42-43

V1109

051A03G DALY GO TO MALL

Item Number: 05930

How often do you do each of the following? G: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.1	226	1	NEVER
18.9	18.7	1,043	2	FEW /YR
51.6	50.9	2,839	3	1-2 /MO
22.9	22.7	1,264	4	1 /WK
2.5	2.4	135	5	NR DAILY
	1.3	70	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 44-45

**V1110 051A03H DALY ALONE LS/FR**

Item Number: 05940

How often do you do each of the following? H: Spend at least an hour of leisure time (free time) alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.5	253	1	NEVER
4.9	4.8	270	2	FEW /YR
10.4	10.3	573	3	1-2 /MO
30.1	29.8	1,660	4	1 /WK
50.1	49.6	2,764	5	NR DAILY
	1.0	57	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 46-47

**V1111 051A03I DALY READ MAGZNS**

Item Number: 23070

How often do you do each of the following? I: Read magazines

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	502	1	NEVER
14.7	14.5	810	2	FEW /YR
33.4	33.0	1,842	3	1-2 /MO
31.6	31.3	1,745	4	1 /WK
11.2	11.1	621	5	NR DAILY
	1.0	57	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 48-49

<b>V1112</b>	<b>051A03J DALY READ NWSPPR</b>
--------------	---------------------------------

Item Number: 23080

How often do you do each of the following? J: Read newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	15.2	848	1	NEVER
20.1	19.8	1,106	2	FEW /YR
24.9	24.6	1,374	3	1-2 /MO
25.5	25.2	1,404	4	1 /WK
14.1	13.9	776	5	NR DAILY
	1.2	69	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 50-51

<b>V1113</b>	<b>051A03K DALY GO TO PARTY</b>
--------------	---------------------------------

Item Number: 05970

How often do you do each of the following? K: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	317	1	NEVER
20.8	20.7	1,152	2	FEW /YR
36.5	36.2	2,019	3	1-2 /MO
32.1	31.9	1,777	4	1 /WK
4.8	4.7	263	5	NR DAILY
	0.9	49	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 52-53

**V1114**                      **051A03L DALY GO VID ARC**

Item Number: 29620

How often do you do each of the following? L: Go to video arcades

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	50.6	2,823	1	NEVER
31.9	31.6	1,764	2	FEW /YR
12.2	12.1	673	3	1-2 /MO
3.4	3.4	190	4	1 /WK
1.4	1.4	80	5	NR DAILY
	0.8	46	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 54-55

**V1115**                      **051A04A #XUSE RADIO4NEWS**

Item Number: 24780

How often do you use each of the following to get information about news and current events? A: Radio

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.3	575	1	NEVER
8.4	8.3	464	2	FEW /YR
10.1	10.0	559	3	1-2 /MO
18.6	18.4	1,024	4	1 /WK
52.5	51.9	2,893	5	NR DAILY
	1.1	62	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 56-57

V1116

051A04B #XUSE TV 4 NEWS

Item Number: 24790

How often do you use each of the following to get information about news and current events? B: TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	118	1	NEVER
2.2	2.2	121	2	FEW /YR
7.2	7.2	399	3	1-2 /MO
19.8	19.6	1,094	4	1 /WK
68.6	67.9	3,786	5	NR DAILY
	1.1	59	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 58-59

V1117

051A04C #X USE PPR 4NEWS

Item Number: 24800

How often do you use each of the following to get information about news and current events? C: Newspaper

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	14.9	832	1	NEVER
17.6	17.3	966	2	FEW /YR
23.4	23.1	1,288	3	1-2 /MO
28.5	28.1	1,564	4	1 /WK
15.4	15.1	844	5	NR DAILY
	1.5	83	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 60-61



V1118

051A04D #X USE MAG 4NEWS

Item Number: 24810

How often do you use each of the following to get information about news and current events? D: Magazines

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	16.3	907	1	NEVER
17.1	16.9	943	2	FEW /YR
32.0	31.6	1,760	3	1-2 /MO
24.8	24.5	1,366	4	1 /WK
9.5	9.4	523	5	NR DAILY
	1.4	78	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 62-63

V1119

051A04E #X INTERNET NEWS

Item Number: 24815

How often do you use each of the following to get information about news and current events? E: The Internet

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.2	348	1	NEVER
6.6	6.5	363	2	FEW /YR
14.3	14.1	788	3	1-2 /MO
24.9	24.7	1,376	4	1 /WK
47.9	47.4	2,641	5	NR DAILY
	1.1	61	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 64-65

V1120                      051A05 # HRS RADIO/DAY

Item Number: 24820

How many hours do you estimate that you spend listening to the radio on an average DAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	316	1	NONE
26.1	25.8	1,441	2	1/2 HOUR
23.5	23.2	1,295	3	ONE HOUR
16.7	16.5	923	4	2 HOURS
12.1	12.0	669	5	3 HOURS
6.0	5.9	329	6	4 HOURS
9.9	9.8	545	7	5+ HRS
	1.1	60	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 66-67

V1121                      051A06 #HRS TV/DAY/5+

Item Number: 10550

How much TV do you estimate you watch on an average WEEKDAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	163	1	NONE
11.6	11.5	642	2	1/2 HOUR
19.7	19.6	1,091	3	ONE HOUR
23.6	23.3	1,302	4	2 HOURS
17.7	17.6	979	5	3 HOURS
10.8	10.7	594	6	4 HOURS
13.7	13.5	755	7	5+ HRS
	0.9	52	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 68-69

V1122	051A07 # HRS TV/WKEND
-------	-----------------------

Item Number: 24830

How much TV do you estimate you watch on an average WEEKEND  
(both Saturday and Sunday combined)?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours"  
5="5-6 hours" 6="7-8 hours" 7="9 hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	130	1	NONE
7.4	7.3	406	2	< 1 HR
18.0	17.8	992	3	1-2 HRS
27.0	26.7	1,491	4	3-4 HRS
21.5	21.2	1,185	5	5-6 HRS
10.9	10.8	602	6	7-8 HRS
12.9	12.8	714	7	9+ HRS
	1.0	58	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 70-71

V1123	051A08A LSTYR/ENJOY SCHL
-------	--------------------------

Item Number: 23090

Now thinking back over the past year in school, how often did  
you. . . A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.1	395	1	NEVER
15.4	15.3	853	2	SELDOM
40.3	39.9	2,228	3	SOMETIME
27.8	27.6	1,538	4	OFTEN
9.3	9.3	517	5	ALWAYS
	0.8	46	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 72-73

**V1124**                      **051A08B LSTYR/HATE SCHL**

Item Number: 23100

Now thinking back over the past year in school, how often did you. . . B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.2	346	1	NEVER
24.6	24.4	1,360	2	SELDOM
35.0	34.7	1,936	3	SOMETIME
21.2	21.0	1,170	4	OFTEN
12.9	12.8	713	5	ALWAYS
	0.9	51	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 74-75

**V1125**                      **051A08C LSTYR/DO BEST WK**

Item Number: 23110

Now thinking back over the past year in school, how often did you. . . C: Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	70	1	NEVER
5.1	5.1	283	2	SELDOM
21.1	20.9	1,165	3	SOMETIME
34.4	34.1	1,901	4	OFTEN
38.1	37.7	2,104	5	ALWAYS
	1.0	55	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 76-77

<b>V1126</b>	<b>051A08D LSTYR/SCH 2 HARD</b>
--------------	---------------------------------

Item Number: 23120

Now thinking back over the past year in school, how often did you. . . D: Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.4	578	1	NEVER
35.3	34.9	1,948	2	SELDOM
36.8	36.4	2,032	3	SOMETIME
12.9	12.7	709	4	OFTEN
4.5	4.5	250	5	ALWAYS
	1.1	60	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 78-79

<b>V1127</b>	<b>051A08E LSTYR/WK INTRSTG</b>
--------------	---------------------------------

Item Number: 24840

Now thinking back over the past year in school, how often did you. . . E: Find your school work interesting?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.0	612	1	NEVER
27.2	26.9	1,500	2	SELDOM
42.2	41.6	2,321	3	SOMETIME
16.1	15.9	885	4	OFTEN
3.4	3.3	186	5	ALWAYS
	1.3	73	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 80-81

<b>V1128</b>	<b>051A08F LSTYR/WK NT DONE</b>
--------------	---------------------------------

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	20.7	1,156	1	NEVER
35.1	34.7	1,937	2	SELDOM
27.3	26.9	1,503	3	SOMETIME
12.6	12.4	694	4	OFTEN
4.1	4.0	223	5	ALWAYS
	1.2	65	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric

Missing-data code: -9

Columns: 82-83

<b>V1129</b>	<b>051A08G LSTYR/U MISBEHAV</b>
--------------	---------------------------------

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .G: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	65.2	3,634	1	NEVER
21.2	21.0	1,170	2	SELDOM
8.2	8.1	451	3	SOMETIME
3.0	3.0	165	4	OFTEN
1.9	1.9	103	5	ALWAYS
	1.0	54	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric

Missing-data code: -9

Columns: 84-85

V1130	051A09 HRS/WK PAID JOB
-------	------------------------

Item Number: 25150

On the average over the school year, how many hours per week do you work in a paid job?

1="None" 2="5 or less hours per week" 3="6 to 10 hours per week" 4="11 to 15 hours per week" 5="16 to 20 hours per week" 6="21 to 25 hours per week" 7="26-30 hours per week" 8="More than 30 hours per week"

PCT VALID	PCT ALL	N	VALUE	LABEL
63.3	62.3	3,476	1	NONE
12.2	12.0	670	2	5 OR <
8.3	8.1	454	3	6-10 HRS
5.0	4.9	275	4	11-15 HR
5.0	4.9	276	5	16-20 HR
3.0	2.9	162	6	21-25 HR
1.8	1.8	101	7	26-30 HR
1.5	1.5	81	8	30+ HRS
	1.5	82	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 86-87



V1131                      051A10A R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from. . . A:  
A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	49.7	2,770	1	NONE
2.4	2.2	123	2	\$1-5
4.1	3.8	210	3	\$6-10
6.3	5.7	321	4	\$11-20
6.0	5.5	308	5	\$21-35
6.1	5.6	315	6	\$36-50
6.6	6.1	338	7	\$51-75
7.9	7.3	407	8	\$76-125
6.5	6.0	334	9	\$126+
	8.1	452	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 88-89

V1132	051A10B R\$/AVG WEEK OTH
-------	--------------------------

Item Number: 00610

During an average week, how much money do you get from. . . B:  
Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

VALID	PCT	PCT	N	VALUE	LABEL
	24.5	23.4	1,307	1	NONE
	9.5	9.1	508	2	\$1-5
	14.3	13.7	764	3	\$6-10
	24.7	23.6	1,318	4	\$11-20
	12.9	12.3	688	5	\$21-35
	7.1	6.8	381	6	\$36-50
	2.9	2.8	154	7	\$51-75
	1.8	1.8	98	8	\$76-125
	2.3	2.2	124	9	\$126+
		4.2	235	-9	MISSING
-----					
100.0	100.0		5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 90-91

V1133                      051A11    KIND OF PAID JOB

Item Number: 25160

Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

01="Have not worked for pay" 02="Lawn or yard work" 03="Fast food worker" 04="Waiter or waitress" 05="Other restaurant worker" 06="Newspaper route" 07="Babysitting or childcare" 08="Farm or agricultural work" 09="Store clerk or salesperson" 10="Office or clerical" 11="Odd jobs" 12="Other"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	19.4	1,080	1	NO WORK
12.0	11.0	615	2	LAWN WK
5.0	4.6	257	3	FASTFOOD
2.1	1.9	106	4	WAITER
4.2	3.9	216	5	OTH REST
0.8	0.8	43	6	PAPER RT
20.9	19.3	1,075	7	BABYSIT
3.9	3.6	203	8	FARM WK
4.4	4.1	228	9	SALES WK
2.7	2.5	138	10	OFFICE
3.5	3.2	178	11	ODD JOBS
19.5	18.0	1,004	12	OTHER
	7.8	434	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 92-94

V1136	051A14 FEEL UNSAFE@SCHL
-------	-------------------------

Item Number: 25770

The next questions are about feeling unsafe -- that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.4	49.7	2,771	1	NEVER
36.2	35.7	1,993	2	RARELY
9.3	9.2	512	3	SOMEDAYS
2.0	2.0	111	4	MOSTDAYS
2.1	2.0	113	5	EVERYDAY
	1.4	78	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 95-96

V1137	051A15 UNSAF TO/FRM SCH
-------	-------------------------

Item Number: 25780

How often do you feel unsafe going to or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	58.2	3,244	1	NEVER
29.5	29.1	1,621	2	RARELY
8.3	8.2	455	3	SOMEDAYS
1.7	1.7	95	4	MOSTDAYS
1.6	1.6	87	5	EVERYDAY
	1.4	75	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 97-98

**V1138                      051A16   4WK/UNSAF AVDSCH**

Item Number: 25790

During the LAST FOUR WEEKS, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	94.0	5,245	1	0 DAYS
2.1	2.0	113	2	1 DAY
1.4	1.4	77	3	2 OR 3
1.1	1.0	58	4	4+ DAYS
	1.5	84	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 99-100

**V1139                      051A17   SCHL RULES FAIR**

Item Number: 25760

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.2	679	1	NO
10.6	10.4	581	2	NO MSTLY
20.1	19.7	1,101	3	DK
38.5	37.9	2,113	4	YES MSTL
18.5	18.2	1,014	5	YES
	1.6	90	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 101-102

V1140	051A18 #DA GUN SCHL/4WK
-------	-------------------------

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	95.6	5,330	1	NONE
0.5	0.5	28	2	1 DAY
0.3	0.3	17	3	2 DAYS
0.5	0.5	27	4	3-5 DAYS
0.2	0.2	11	5	6-9 DAYS
1.6	1.5	86	6	10+ DAYS
	1.4	79	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 103-104

**V1141**                      **051A19A MEN&WOMN/=,\$,=WRK**

Item Number: 07930

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below? A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	199	1	DISAGREE
1.4	1.3	75	2	MOST DIS
3.3	3.3	182	3	NEITHER
11.8	11.6	650	4	MOST AGR
79.9	78.6	4,385	5	AGREE
	1.6	87	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 105-106

**V1142**                      **051A19B WMN SHD =JOB OPP**

Item Number: 07950

How much do you agree or disagree with each statement below? B: A woman should have the same job opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	196	1	DISAGREE
2.9	2.9	162	2	MOST DIS
3.9	3.9	216	3	NEITHER
17.8	17.5	978	4	MOST AGR
71.7	70.4	3,927	5	AGREE
	1.8	99	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 107-108

V1143

051A19C MN=ACHV/WMN=HOME

Item Number: 07970

How much do you agree or disagree with each statement below?  
 C: It is usually better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	24.8	1,384	1	DISAGREE
16.8	13.2	738	2	MOST DIS
20.7	16.3	908	3	NEITHER
18.5	14.6	812	4	MOST AGR
12.3	9.6	538	5	AGREE
	21.5	1,198	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 109-110



V1144

051A19D WK MO AS WRM REL

Item Number: 07990

How much do you agree or disagree with each statement below?

D: A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.2	344	1	DISAGREE
11.4	9.0	500	2	MOST DIS
11.7	9.2	511	3	NEITHER
27.6	21.7	1,208	4	MOST AGR
41.5	32.6	1,818	5	AGREE
	21.4	1,196	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 111-112

V1145	051A20A DISAP 1+PK CIGS
-------	-------------------------

Item Number: 24850

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.2	682	1	DONT DIS
30.6	30.1	1,679	2	DISAPPRV
54.7	53.8	3,000	3	STRG DIS
2.3	2.3	126	8	CANT SAY
	1.6	90	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 113-114

V1146	051A20B DISAP SMOKELESS
-------	-------------------------

Item Number: 24860

Do YOU disapprove of people doing each of the following? B: Using smokeless tobacco regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.4	803	1	DONT DIS
32.1	31.5	1,757	2	DISAPPRV
48.1	47.2	2,632	3	STRG DIS
5.1	5.0	278	8	CANT SAY
	1.9	108	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 115-116

<b>V1147</b>	<b>051A20C DISAP MJ 1-2 X</b>
--------------	-------------------------------

Item Number: 24870

Do YOU disapprove of people doing each of the following? C:  
Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	35.9	2,005	1	DONT DIS
25.8	25.4	1,414	2	DISAPPRV
34.9	34.3	1,914	3	STRG DIS
2.7	2.7	149	8	CANT SAY
	1.7	95	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 117-118

<b>V1148</b>	<b>051A20D DISAP MJ OCCAS</b>
--------------	-------------------------------

Item Number: 24880

Do YOU disapprove of people doing each of the following? D:  
Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	25.5	1,423	1	DONT DIS
24.2	23.8	1,326	2	DISAPPRV
47.1	46.2	2,578	3	STRG DIS
2.6	2.6	145	8	CANT SAY
	1.9	105	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 119-120

V1149

051A20E DISAP MJ REG

Item Number: 24890

Do YOU disapprove of people doing each of the following? E:  
Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	15.1	840	1	DONT DIS
21.7	21.2	1,184	2	DISAPPRV
60.3	59.0	3,290	3	STRG DIS
2.5	2.5	138	8	CANT SAY
	2.2	125	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 121-122

V1150

051A20F DISAP COKP 1-2 X

Item Number: 24900

Do YOU disapprove of people doing each of the following? F:  
Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.7	485	1	DONT DIS
19.5	19.2	1,069	2	DISAPPRV
67.5	66.2	3,695	3	STRG DIS
4.1	4.1	227	8	CANT SAY
	1.8	102	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 123-124

**V1151 051A20G DISAP COKP OCCAS**

Item Number: 24910

Do YOU disapprove of people doing each of the following? G:  
Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	280	1	DONT DIS
16.0	15.7	876	2	DISAPPRV
75.0	73.5	4,101	3	STRG DIS
3.9	3.8	214	8	CANT SAY
	1.9	107	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 125-126

**V1152 051A20H DISAP CRK 1-2 X**

Item Number: 24920

Do YOU disapprove of people doing each of the following? H:  
Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.1	397	1	DONT DIS
18.3	18.0	1,004	2	DISAPPRV
70.6	69.3	3,867	3	STRG DIS
3.9	3.8	211	8	CANT SAY
	1.7	97	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 127-128

<b>V1153</b>	<b>051A20I DISAP CRK OCCAS</b>
--------------	--------------------------------

Item Number: 24930

Do YOU disapprove of people doing each of the following? I:  
Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.5	250	1	DONT DIS
14.5	14.2	790	2	DISAPPRV
77.1	75.2	4,192	3	STRG DIS
3.7	3.6	201	8	CANT SAY
	2.6	144	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 129-130

<b>V1154</b>	<b>051A20J DISAP ALC 1-2 X</b>
--------------	--------------------------------

Item Number: 24940

Do YOU disapprove of people doing each of the following? J:  
Trying one or two drinks of an alcoholic beverage (beer,  
wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	60.5	3,373	1	DONT DIS
21.1	20.7	1,154	2	DISAPPRV
15.2	14.9	830	3	STRG DIS
2.1	2.0	113	8	CANT SAY
	1.9	107	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 131-132

**V1155**                      **051A20K DISAP ALC EVRYDA**

Item Number: 24950

Do YOU disapprove of people doing each of the following? K:  
Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	20.7	1,152	1	DONT DIS
38.2	37.4	2,087	2	DISAPPRV
38.7	37.9	2,112	3	STRG DIS
2.0	2.0	110	8	CANT SAY
	2.1	117	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 133-134

**V1156**                      **051A20L DISAP 5+ALC WKND**

Item Number: 24960

Do YOU disapprove of people doing each of the following? L:  
Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	26.6	1,484	1	DONT DIS
26.4	25.9	1,443	2	DISAPPRV
44.5	43.6	2,433	3	STRG DIS
2.0	2.0	112	8	CANT SAY
	1.9	106	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 135-136

<b>V1157</b>	<b>051A20M DISAP INHAL 1-2X</b>
--------------	---------------------------------

Item Number: 24970

Do YOU disapprove of people doing each of the following? M:  
Sniffing glue, gases, or sprays once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	379	1	DONT DIS
23.8	23.3	1,301	2	DISAPPRV
65.9	64.6	3,603	3	STRG DIS
3.4	3.4	187	8	CANT SAY
	1.9	108	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 137-138

<b>V1158</b>	<b>051A20N DISAP INHAL REG</b>
--------------	--------------------------------

Item Number: 24980

Do YOU disapprove of people doing each of the following? N:  
Sniffing glue, gases, or sprays regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	217	1	DONT DIS
17.6	17.2	961	2	DISAPPRV
75.0	73.4	4,092	3	STRG DIS
3.4	3.3	184	8	CANT SAY
	2.2	124	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 139-140



**V1159**                      **051A200 DAP H -NDL 1-2X**

Item Number: 29690

Do YOU disapprove of people doing each of the following? O:  
 Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
 8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	294	1	DONT DIS
15.0	14.7	822	2	DISAPPRV
75.5	74.0	4,130	3	STRG DIS
4.1	4.1	227	8	CANT SAY
	1.9	105	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 141-142

**V1160**                      **051A20P DAP H -NDL OCC**

Item Number: 29700

Do YOU disapprove of people doing each of the following? P:  
 Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"  
 8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	202	1	DONT DIS
12.8	12.6	702	2	DISAPPRV
79.4	77.9	4,343	3	STRG DIS
4.1	4.0	222	8	CANT SAY
	1.9	108	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 143-144

V1161

051A21A RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	115	1	NO RISK
6.0	5.8	325	2	SLIGHT
24.8	24.3	1,353	3	MOD RISK
65.5	64.1	3,574	4	GRT RISK
1.6	1.6	90	8	CANT SAY
	2.2	121	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 145-146

**V1162 051A21B RSK SMKLESS REG**

Item Number: 12365

How much do you think people risk harming themselves (physically or in other ways), if they. . . B: Use smokeless tobacco regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	133	1	NO RISK
11.5	11.2	626	2	SLIGHT
35.1	34.3	1,912	3	MOD RISK
46.1	45.0	2,507	4	GRT RISK
4.8	4.7	263	8	CANT SAY
	2.4	137	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 147-148

**V1163 051A21C RSK OF MJ 1-2 X**

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . . C: Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	18.8	1,049	1	NO RISK
33.6	32.8	1,830	2	SLIGHT
21.3	20.8	1,158	3	MOD RISK
23.9	23.3	1,299	4	GRT RISK
1.9	1.9	106	8	CANT SAY
	2.4	135	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 149-150

V1164

051A21D RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . D: Smoke  
marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.5	472	1	NO RISK
19.6	19.1	1,064	2	SLIGHT
30.6	29.8	1,662	3	MOD RISK
39.2	38.3	2,134	4	GRT RISK
2.0	1.9	106	8	CANT SAY
	2.5	139	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 151-152

V1165

051A21E RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . E: Smoke  
marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	269	1	NO RISK
9.2	8.9	499	2	SLIGHT
19.1	18.6	1,038	3	MOD RISK
64.7	63.1	3,518	4	GRT RISK
2.1	2.1	116	8	CANT SAY
	2.5	137	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 153-154

V1166

051A21F RSK COK PWDR 1-2

Item Number: 12501

How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	169	1	NO RISK
12.6	12.3	685	2	SLIGHT
23.6	23.1	1,288	3	MOD RISK
57.2	55.9	3,118	4	GRT RISK
3.5	3.4	191	8	CANT SAY
	2.3	127	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 155-156

V1167

051A21G RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	97	1	NO RISK
3.0	2.9	162	2	SLIGHT
14.7	14.4	801	3	MOD RISK
77.2	75.4	4,207	4	GRT RISK
3.3	3.2	181	8	CANT SAY
	2.3	130	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 157-158

V1168	051A21H RSK CRACK 1-2X
-------	------------------------

Item Number: 12504

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . H: Try "crack"  
cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	134	1	NO RISK
9.5	9.3	516	2	SLIGHT
20.9	20.4	1,136	3	MOD RISK
63.8	62.3	3,475	4	GRT RISK
3.4	3.3	186	8	CANT SAY
	2.3	130	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 159-160

V1169	051A21I RSK CRACK OCC
-------	-----------------------

Item Number: 12505

How much do you think people risk harming themselves  
(physically or in other ways), if they. . . I: Take "crack"  
cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	95	1	NO RISK
2.2	2.1	120	2	SLIGHT
12.0	11.7	651	3	MOD RISK
80.6	78.6	4,384	4	GRT RISK
3.4	3.3	186	8	CANT SAY
	2.5	141	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 161-162

<b>V1170</b>	<b>051A21J RSK OF 1-2 DRINK</b>
--------------	---------------------------------

Item Number: 12510

How much do you think people risk harming themselves (physically or in other ways), if they . . . J: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
33.6	32.8	1,827	1	NO RISK
39.3	38.3	2,138	2	SLIGHT
12.3	12.0	668	3	MOD RISK
13.2	12.9	721	4	GRT RISK
1.6	1.6	89	8	CANT SAY
	2.4	134	-9	MISSING
-----				
100.0	100.0	5,577 cases		

Data type: numeric  
Missing-data code: -9  
Columns: 163-164

<b>V1171</b>	<b>051A21K RSK OF 1-2 DR/DA</b>
--------------	---------------------------------

Item Number: 12520

How much do you think people risk harming themselves (physically or in other ways), if they . . . K: Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.5	7.3	408	1	NO RISK
24.3	23.7	1,323	2	SLIGHT
34.1	33.2	1,853	3	MOD RISK
32.5	31.6	1,764	4	GRT RISK
1.6	1.5	86	8	CANT SAY
	2.6	143	-9	MISSING
-----				
100.0	100.0	5,577 cases		

Data type: numeric  
Missing-data code: -9  
Columns: 165-166

V1172

051A21L RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they. . . L: Have five or  
more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	351	1	NO RISK
14.6	14.3	795	2	SLIGHT
26.3	25.7	1,432	3	MOD RISK
50.9	49.7	2,773	4	GRT RISK
1.7	1.7	94	8	CANT SAY
	2.4	132	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 167-168

V1173

051A21M RSK INHALANT 1-2

Item Number: 25000

How much do you think people risk harming themselves  
(physically or in other ways), if they. . . M: Sniff glue,  
gases, or sprays once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	265	1	NO RISK
16.2	15.8	884	2	SLIGHT
23.7	23.1	1,291	3	MOD RISK
51.3	50.0	2,788	4	GRT RISK
3.9	3.8	211	8	CANT SAY
	2.5	138	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 169-170



**V1174 051A21N RSK INHALANT REG**

Item Number: 25010

How much do you think people risk harming themselves (physically or in other ways), if they. . . N: Sniff glue, gases, or sprays regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	104	1	NO RISK
5.2	5.1	285	2	SLIGHT
16.9	16.5	920	3	MOD RISK
72.1	70.4	3,924	4	GRT RISK
3.8	3.8	209	8	CANT SAY
	2.4	135	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 171-172

**V1175 051A21O RSK H -NDL 1-2X**

Item Number: 29600

How much do you think people risk harming themselves (physically or in other ways), if they. . . 0: Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	108	1	NO RISK
5.1	5.0	280	2	SLIGHT
16.6	16.2	903	3	MOD RISK
72.4	70.6	3,937	4	GRT RISK
3.9	3.8	212	8	CANT SAY
	2.5	138	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 173-174

V1176	051A21P RSK H -NDL OCC
-------	------------------------

Item Number: 29610

How much do you think people risk harming themselves (physically or in other ways), if they. . . P: Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	94	1	NO RISK
1.4	1.4	78	2	SLIGHT
7.8	7.6	425	3	MOD RISK
85.2	83.1	4,636	4	GRT RISK
3.8	3.7	207	8	CANT SAY
	2.5	137	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 175-176

V1177	051B01 EVR SMK CIG,REGL
-------	-------------------------

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 4" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	59.6	3,322	1	NEVER
19.2	18.8	1,048	2	1-2X
9.6	9.3	520	3	OCCASNLY
4.5	4.4	244	4	REG PAST
5.7	5.5	309	5	REG NOW
	2.4	134	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 177-178

**V1178**                      **051B02A #CIGS SMKD/30DAY**

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. B01]  
 2="Less than one cigarette per day" 3="One to five cigarettes per day"  
 4="About one-half pack per day" 5="About one pack per day"  
 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	82.4	4,598	1	NONE
7.8	7.6	426	2	<1 CIG/D
4.6	4.5	252	3	1-5/DAY
1.7	1.6	91	4	1/2PK/D
0.8	0.8	45	5	1 PK/DA
0.2	0.2	12	6	1 1/2PK/D
0.2	0.2	11	7	2+ PKS/D
	2.5	142	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 179-180

**V1179**                      **051B02B \*TRY STP SMK&FL**

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	4.3	241	1	YES
88.3	32.6	1,821	2	NO
	63.0	3,515	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 181-182

V1180                      051B03    USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

- 1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"  
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"  
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"  
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"  
 20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"  
 24="Other" 25="No Usual Brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	15	1	BASIC
0.3	0.1	5	2	B & H
0.7	0.2	14	3	B & W
0.1	0.0	2	4	CAMBRIDGE
7.2	2.4	135	5	CAMEL
0.3	0.1	6	6	CAPRI
0.0	0.0	0	7	CARLTON
0.3	0.1	5	8	DORAL
0.2	0.1	3	9	GPC
0.2	0.1	3	10	KENT
2.0	0.7	38	11	KOOL
34.6	11.6	646	12	MARLBORO
0.1	0.0	1	13	MERIT
0.3	0.1	6	14	MISTY
0.0	0.0	1	15	MONARCH
0.0	0.0	0	16	MORE
16.9	5.7	316	17	NEWPORT
0.3	0.1	6	18	PALLMALL
0.9	0.3	17	19	PARLIAMENT
1.0	0.4	20	20	SALEM
0.0	0.0	0	21	VANTAGE
0.4	0.1	8	22	VA SLIMS
0.8	0.3	15	23	WINSTON
3.5	1.2	65	24	OTHER
28.9	9.7	540	25	NO USUAL
	66.5	3,711	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 183-185

V1181	051B04	EVER DRINK
-------	--------	------------

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips . . .

1="No--GO TO QUESTION 8" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	34.1	1,901	1	NO
64.2	61.2	3,412	2	YES
	4.7	265	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 186-187

V1182	051B05A	#X DRNK/LIFETIME
-------	---------	------------------

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions" [includes respondents who marked '1' on Q. B04] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	34.1	1,901	1	0 OCCAS
10.6	10.0	559	2	1-2X
12.5	11.8	660	3	3-5X
10.5	10.0	556	4	6-9X
10.7	10.1	564	5	10-19X
7.4	7.0	390	6	20-39X
12.5	11.8	660	7	40+OCCAS
	5.2	288	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 188-189

V1183	051B05B #X DRNK/LAST12MO
-------	--------------------------

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
41.9	39.7	2,213	1	0 OCCAS
18.6	17.6	982	2	1-2X
13.6	12.9	721	3	3-5X
9.0	8.5	477	4	6-9X
8.4	8.0	444	5	10-19X
4.2	4.0	224	6	20-39X
4.2	4.0	223	7	40+OCCAS
	5.3	294	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 190-191

V1184	051B05C #X DRNK/LAST30DA
-------	--------------------------

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
64.5	61.0	3,404	1	0 OCCAS
19.5	18.4	1,027	2	1-2X
8.1	7.7	429	3	3-5X
4.4	4.1	231	4	6-9X
2.2	2.1	118	5	10-19X
0.6	0.6	33	6	20-39X
0.7	0.7	37	7	40+OCCAS
	5.4	300	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 192-193

V1185                      051B06   5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who reported nonuse above]  
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT VALID	PCT ALL	N	VALUE	LABEL
78.1	74.3	4,142	1	NONE
9.5	9.0	503	2	ONCE
5.3	5.1	283	3	TWICE
4.9	4.7	259	4	3-5X
1.1	1.1	59	5	6-9X
1.1	1.0	58	6	10+ TIME
	4.9	273	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 194-195



V1186	051B07A #XDRUNK/LIFETIME
-------	--------------------------

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . . in your lifetime?

1="0 Occasions" [includes respondents who reported nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
57.3	52.7	2,941	1	0 OCCAS
15.7	14.5	807	2	1-2X
8.6	7.9	443	3	3-5X
6.1	5.6	311	4	6-9X
4.5	4.2	232	5	10-19X
3.7	3.4	190	6	20-39X
4.1	3.7	209	7	40+OCCAS
	8.0	445	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 196-197

V1187

051B07B #XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
64.9	59.1	3,294	1	0 OCCAS
16.5	15.0	836	2	1-2X
7.3	6.6	369	3	3-5X
4.3	3.9	218	4	6-9X
3.5	3.2	179	5	10-19X
1.9	1.7	96	6	20-39X
1.6	1.5	81	7	40+OCCAS
	9.0	503	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 198-199

V1188	051B07C #XDRUNK/LAST30DA
-------	--------------------------

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
81.4	74.0	4,128	1	0 OCCAS
11.8	10.7	597	2	1-2X
4.0	3.7	205	3	3-5X
1.5	1.4	78	4	6-9X
0.7	0.7	38	5	10-19X
0.1	0.1	8	6	20-39X
0.3	0.3	17	7	40+OCCAS
	9.1	507	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 200-201

V1189	051B08A #XMJ+HS/LIFETIME
-------	--------------------------

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
65.7	63.8	3,557	1	0 OCCAS
10.0	9.7	543	2	1-2X
5.6	5.4	302	3	3-5X
3.1	3.0	169	4	6-9X
3.4	3.3	185	5	10-19X
3.3	3.2	179	6	20-39X
8.9	8.6	481	7	40+OCCAS
	2.9	162	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 202-203

V1190                      051B08B #XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
73.0	70.7	3,945	1	0 OCCAS
9.5	9.2	513	2	1-2X
4.2	4.1	227	3	3-5X
3.1	3.0	165	4	6-9X
3.0	2.9	161	5	10-19X
2.6	2.5	139	6	20-39X
4.7	4.5	251	7	40+OCCAS
	3.1	176	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 204-205

V1191

051B08C #XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	82.1	4,579	1	0 OCCAS
6.1	5.9	331	2	1-2X
2.8	2.7	153	3	3-5X
1.4	1.3	73	4	6-9X
1.6	1.6	88	5	10-19X
1.3	1.3	72	6	20-39X
1.8	1.8	98	7	40+OCCAS
	3.3	182	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 206-207

V1192	051B09A #X LSD/LIFETIME
-------	-------------------------

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid"). . .  
 A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.0	5,301	1	0 OCCAS
1.4	1.3	74	2	1-2X
0.4	0.3	19	3	3-5X
0.3	0.3	15	4	6-9X
0.2	0.2	12	5	10-19X
0.1	0.1	4	6	20-39X
0.0	0.0	2	7	40+OCCAS
	2.7	151	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 208-209

V1193	051B09B #X LSD/LAST 12MO
-------	--------------------------

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . .  
B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	96.0	5,355	1	0 OCCAS
0.8	0.8	45	2	1-2X
0.3	0.3	18	3	3-5X
0.1	0.1	5	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.7	149	-9	MISSING

-----

100.0	100.0	5,577	cases
-------	-------	-------	-------

Data type: numeric  
Missing-data code: -9  
Columns: 210-211



V1194	051B09C #X LSD/LAST 30DA
-------	--------------------------

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . .  
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.7	5,396	1	0 OCCAS
0.5	0.5	25	2	1-2X
0.1	0.1	4	3	3-5X
0.0	0.0	2	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.7	150	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 212-213

V1195

051B10A #X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	92.3	5,150	1	0 OCCAS
2.9	2.8	158	2	1-2X
0.9	0.8	47	3	3-5X
0.3	0.3	18	4	6-9X
0.5	0.5	26	5	10-19X
0.2	0.2	12	6	20-39X
0.3	0.3	16	7	40+OCCAS
	2.7	152	-9	MISSING

-----

100.0	100.0	5,577	cases	
-------	-------	-------	-------	--

Data type: numeric

Missing-data code: -9

Columns: 214-215

V1196                      051B10B #X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.7	94.0	5,243	1	0 OCCAS
2.2	2.1	119	2	1-2X
0.4	0.4	20	3	3-5X
0.4	0.4	21	4	6-9X
0.2	0.2	12	5	10-19X
0.1	0.1	4	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.8	155	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 216-217

V1197

051B10C #X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	96.0	5,352	1	0 OCCAS
0.8	0.8	43	2	1-2X
0.4	0.3	19	3	3-5X
0.2	0.2	10	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.7	152	-9	MISSING

-----

100.0 100.0 5,577 cases

Data type: numeric

Missing-data code: -9

Columns: 218-219

V1198	051B11A #X CRACK/LIFETIM
-------	--------------------------

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	94.8	5,289	1	0 OCCAS
1.4	1.4	78	2	1-2X
0.5	0.5	29	3	3-5X
0.3	0.3	16	4	6-9X
0.2	0.2	9	5	10-19X
0.1	0.1	5	6	20-39X
0.2	0.2	9	7	40+OCCAS
	2.6	143	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 220-221

V1199                      051B11B #X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	95.9	5,348	1	0 OCCAS
0.9	0.9	48	2	1-2X
0.3	0.3	17	3	3-5X
0.2	0.2	11	4	6-9X
0.1	0.1	4	5	10-19X
0.1	0.1	5	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.5	140	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 222-223

V1200	051B11C #X CRACK/LAST30D
-------	--------------------------

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	96.8	5,398	1	0 OCCAS
0.4	0.4	23	2	1-2X
0.1	0.1	8	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.5	141	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 224-225

V1201	051B12A #XOTH COKE/LIFE
-------	-------------------------

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.3	92.7	5,173	1	0 OCCAS
2.1	2.1	116	2	1-2X
0.9	0.9	51	3	3-5X
0.7	0.6	35	4	6-9X
0.4	0.4	23	5	10-19X
0.3	0.2	14	6	20-39X
0.3	0.3	16	7	40+OCCAS
	2.7	150	-9	MISSING

```

-----
100.0 100.0 5,577 cases

```

Data type: numeric  
Missing-data code: -9  
Columns: 226-227



V1202	051B12B #XOTH COKE/12MO
-------	-------------------------

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.8	94.3	5,257	1	0 OCCAS
1.5	1.4	81	2	1-2X
0.8	0.8	44	3	3-5X
0.3	0.3	18	4	6-9X
0.3	0.3	18	5	10-19X
0.2	0.1	8	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.6	147	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 228-229

V1203	051B12C #XOTH COKE/30DA
-------	-------------------------

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	95.9	5,351	1	0 OCCAS
0.9	0.9	50	2	1-2X
0.3	0.3	17	3	3-5X
0.1	0.1	8	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	2	7	40+OCCAS
	2.7	149	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 230-231

V1204	051B13A #X AMPH/LIFETIME
-------	--------------------------

Item Number: 00980

Amphetamines have been prescribed by doctors to help people lose weight or give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	86.0	4,797	1	0 OCCAS
5.1	4.9	276	2	1-2X
2.5	2.4	136	3	3-5X
1.1	1.1	59	4	6-9X
1.1	1.1	60	5	10-19X
0.7	0.6	36	6	20-39X
0.9	0.9	49	7	40+OCCAS
	2.9	164	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 232-233

V1205	051B13B #X AMPH/LAST12MO
-------	--------------------------

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.9	89.2	4,976	1	0 OCCAS
4.1	4.0	224	2	1-2X
1.5	1.4	79	3	3-5X
0.9	0.8	47	4	6-9X
1.0	1.0	54	5	10-19X
0.3	0.3	14	6	20-39X
0.3	0.3	18	7	40+OCCAS
	3.0	166	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 234-235

V1206	051B13C #X AMPH/LAST30DA
-------	--------------------------

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.1	93.2	5,200	1	0 OCCAS
2.3	2.2	122	2	1-2X
0.9	0.9	49	3	3-5X
0.3	0.3	16	4	6-9X
0.2	0.2	10	5	10-19X
0.2	0.2	10	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.0	169	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 236-237

V1207	051B14A #X SED/BARB/LIFE
-------	--------------------------

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	86.7	4,833	1	0 OCCAS
5.2	5.0	280	2	1-2X
2.1	2.0	111	3	3-5X
1.2	1.2	66	4	6-9X
1.2	1.1	64	5	10-19X
0.4	0.4	20	6	20-39X
0.7	0.7	39	7	40+OCCAS
	2.9	164	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 238-239

V1208	051B14B #X SED/BARB/12MO
-------	--------------------------

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	90.0	5,021	1	0 OCCAS
4.1	4.0	220	2	1-2X
1.5	1.4	79	3	3-5X
0.7	0.7	38	4	6-9X
0.6	0.6	35	5	10-19X
0.3	0.3	18	6	20-39X
0.1	0.1	7	7	40+OCCAS
	2.9	159	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 240-241

V1209

051B14C #X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them.  
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	93.8	5,229	1	0 OCCAS
2.4	2.3	128	2	1-2X
0.5	0.5	26	3	3-5X
0.4	0.4	22	4	6-9X
0.1	0.1	5	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.9	164	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 242-243



V1210	051B15A #X TRQL/LIFETIME
-------	--------------------------

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-- that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	89.8	5,010	1	0 OCCAS
3.7	3.5	198	2	1-2X
1.3	1.3	72	3	3-5X
0.8	0.8	46	4	6-9X
0.9	0.9	50	5	10-19X
0.3	0.3	16	6	20-39X
0.5	0.5	28	7	40+OCCAS
	2.8	159	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 244-245

V1211

051B15B #X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.9	92.2	5,144	1	0 OCCAS
2.7	2.6	144	2	1-2X
1.0	1.0	56	3	3-5X
0.7	0.6	36	4	6-9X
0.4	0.4	20	5	10-19X
0.2	0.2	11	6	20-39X
0.2	0.2	10	7	40+OCCAS
	2.8	157	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric

Missing-data code: -9

Columns: 246-247

V1212	051B15C #X TRQL/LAST30DA
-------	--------------------------

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.5	94.8	5,285	1	0 OCCAS
1.6	1.5	85	2	1-2X
0.5	0.5	26	3	3-5X
0.1	0.1	8	4	6-9X
0.2	0.2	12	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.8	158	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 248-249

V1213	051B16A #X H LIF USE NDL
-------	--------------------------

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.6	5,389	1	0 OCCAS
0.2	0.2	11	2	1-2X
0.2	0.2	12	3	3-5X
0.0	0.0	1	4	6-9X
0.1	0.0	3	5	10-19X
0.0	0.0	2	6	20-39X
0.1	0.1	6	7	40+OCCAS
	2.8	155	-9	MISSING

-----

100.0	100.0	5,577 cases
-------	-------	-------------

Data type: numeric  
Missing-data code: -9  
Columns: 250-251

V1214	051B16B #X H 12M USE NDL
-------	--------------------------

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	96.8	5,398	1	0 OCCAS
0.2	0.2	12	2	1-2X
0.0	0.0	2	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.8	155	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 252-253

V1215	051B16C #X H 30D USE NDL
-------	--------------------------

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	97.0	5,408	1	0 OCCAS
0.1	0.1	4	2	1-2X
0.0	0.0	2	3	3-5X
0.0	0.0	2	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.8	158	-9	MISSING

-----

100.0	100.0	5,577 cases
-------	-------	-------------

Data type: numeric  
Missing-data code: -9  
Columns: 254-255

V1216	051B17A #X H LIF W/O NDL
-------	--------------------------

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.8	95.7	5,339	1	0 OCCAS
0.6	0.5	30	2	1-2X
0.3	0.3	14	3	3-5X
0.1	0.1	4	4	6-9X
0.1	0.1	7	5	10-19X
0.0	0.0	2	6	20-39X
0.2	0.1	8	7	40+OCCAS
	3.1	174	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 256-257

V1217	051B17B #X H 12M W/O NDL
-------	--------------------------

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.3	5,372	1	0 OCCAS
0.2	0.2	13	2	1-2X
0.2	0.2	9	3	3-5X
0.1	0.1	5	4	6-9X
0.1	0.1	7	5	10-19X
0.1	0.1	4	6	20-39X
0.0	0.0	2	7	40+OCCAS
	3.0	166	-9	MISSING

```

-----
100.0 100.0 5,577 cases

```

Data type: numeric  
Missing-data code: -9  
Columns: 258-259



V1218                      051B17C #X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	96.6	5,386	1	0 OCCAS
0.1	0.1	8	2	1-2X
0.2	0.2	12	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.0	169	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 260-261

V1219

051B18A #X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or  
breathed the contents of aerosol spray cans, or inhaled any  
other gases or sprays in order to get high. . . A: . . . in  
your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	85.4	4,761	1	0 OCCAS
7.7	7.5	420	2	1-2X
2.2	2.2	121	3	3-5X
1.0	0.9	53	4	6-9X
0.7	0.6	36	5	10-19X
0.3	0.3	17	6	20-39X
0.6	0.6	34	7	40+OCCAS
	2.4	136	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 262-263

V1220                      051B18B #X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or  
 breathed the contents of aerosol spray cans, or inhaled any  
 other gases or sprays in order to get high. . . B: . . .  
 during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.4	92.1	5,135	1	0 OCCAS
3.4	3.4	188	2	1-2X
1.1	1.1	62	3	3-5X
0.5	0.5	25	4	6-9X
0.3	0.3	14	5	10-19X
0.1	0.1	8	6	20-39X
0.2	0.2	9	7	40+OCCAS
	2.4	136	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 264-265

V1221                      051B18C #X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or  
 breathed the contents of aerosol spray cans, or inhaled any  
 other gases or sprays in order to get high. . . C: . . .  
 during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	95.2	5,311	1	0 OCCAS
1.5	1.5	84	2	1-2X
0.4	0.4	23	3	3-5X
0.2	0.2	11	4	6-9X
0.1	0.1	3	5	10-19X
0.1	0.1	3	6	20-39X
0.1	0.1	5	7	40+OCCAS
	2.5	138	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 266-267

V1222                      051B19A #X STRD/LIFETIME

Item Number: 22690

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	95.2	5,307	1	0 OCCAS
1.4	1.3	74	2	1-2X
0.5	0.5	28	3	3-5X
0.1	0.1	6	4	6-9X
0.3	0.3	19	5	10-19X
0.1	0.1	4	6	20-39X
0.2	0.2	12	7	40+OCCAS
	2.3	128	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 268-269

V1223	051B19B #X STRD/LAST12MO
-------	--------------------------

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .  
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.9	5,350	1	0 OCCAS
0.9	0.9	48	2	1-2X
0.3	0.3	16	3	3-5X
0.2	0.2	8	4	6-9X
0.3	0.3	17	5	10-19X
0.1	0.0	3	6	20-39X
0.1	0.1	5	7	40+OCCAS
	2.3	130	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 270-271

V1224                      051B19C #X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .  
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	96.7	5,394	1	0 OCCAS
0.5	0.5	27	2	1-2X
0.3	0.3	15	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	5	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	2	7	40+OCCAS
	2.3	130	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 272-273

V1225                      051B20A #X INJECTOTH/LIFE

Item Number: 29710

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . Do NOT include anything you took under a doctor's orders. A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	95.6	5,334	1	0 OCCAS
0.9	0.9	51	2	1-2X
0.4	0.4	21	3	3-5X
0.2	0.1	8	4	6-9X
0.2	0.2	12	5	10-19X
0.1	0.1	8	6	20-39X
0.2	0.2	12	7	40+OCCAS
	2.4	133	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 274-275



V1226	051B20B #X INJECTOTH/LST12M
-------	-----------------------------

Item Number: 29720

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	96.5	5,381	1	0 OCCAS
0.5	0.5	25	2	1-2X
0.2	0.2	9	3	3-5X
0.2	0.2	13	4	6-9X
0.2	0.2	10	5	10-19X
0.0	0.0	2	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.4	134	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 276-277

V1227                      051B20C #X INJECTOTH/LST30D

Item Number: 29730

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	97.0	5,413	1	0 OCCAS
0.3	0.3	16	2	1-2X
0.2	0.2	9	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.4	134	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 278-279

V1228	051B21A #X METHAMPH/LIFE
-------	--------------------------

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . A. . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.9	93.4	5,210	1	0 OCCAS
1.9	1.9	105	2	1-2X
0.8	0.8	42	3	3-5X
0.5	0.5	27	4	6-9X
0.3	0.3	17	5	10-19X
0.1	0.1	6	6	20-39X
0.5	0.5	27	7	40+OCCAS
	2.6	143	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 280-281

V1229

051B21B #X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . B. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	94.6	5,279	1	0 OCCAS
1.7	1.6	91	2	1-2X
0.4	0.3	19	3	3-5X
0.3	0.3	17	4	6-9X
0.2	0.2	12	5	10-19X
0.1	0.1	5	6	20-39X
0.3	0.3	15	7	40+OCCAS
	2.5	141	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric

Missing-data code: -9

Columns: 282-283

**V1230**                      **051B21C #X METHAMPH/30DA**

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . C. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	96.3	5,373	1	0 OCCAS
0.6	0.6	34	2	1-2X
0.2	0.2	13	3	3-5X
0.0	0.0	2	4	6-9X
0.1	0.1	6	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.6	145	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 284-285

**V1232**                      **051(R) AGE <>16 DICHOTOMY**

Item Number:

Component questions are C01 "In what year were you born?", C02 "In what month were you born?", and date of questionnaire administration as recorded by interviewer. Included for grade-10 dataset only.

1="Younger than 16 years" 2="16 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	42.5	2,372	1	<16
56.4	54.9	3,065	2	16+
	2.5	141	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 286-287

<b>V1233</b>	<b>051C03 R'S SEX</b>
--------------	-----------------------

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	48.3	2,692	1	MALE
50.2	48.7	2,716	2	FEMALE
	3.0	169	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 288-289

<b>V1234</b>	<b>051C04(R R'S RACE B/W/H</b>
--------------	--------------------------------

Item Number: 00041

How do you describe yourself? (Select one or more responses.)  
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latin; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander

1="Black or African American" 2="White (Caucasian)" 3=Hispanic ("Mexican American or Chicano" or "Cuban American" or "Puerto Rican" or "Other Hispanic or Latin"). Recoded in this dataset so that all other responses, including respondents who chose more than 1 alternative, were deleted.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	13.2	738	1	BLACK:(1)
72.4	62.7	3,496	2	WHITE:(2)
12.3	10.7	595	3	HISPANIC:(3)
	13.4	749	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 290-291

**V1236                      051C06    WHERE LIVE NOW**

Item Number: 25110

Where are you living now?

1="On a farm" 2="In the country, not on a farm" 3="In a city or town"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	234	1	FARM
17.7	17.2	960	2	COUNTRY
78.0	76.0	4,237	3	CITYTOWN
	2.6	146	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 292-293

**V1237                      051C07a(R R'S HSHLD FATHER**

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) A. Father (or stepfather)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	18.6	1,036	0	NT MARKD
80.3	75.8	4,226	1	MARKED
	5.7	315	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 294-295

<b>V1238</b>	<b>051C07b(R R'S HSHLD MOTHER</b>
--------------	-----------------------------------

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) B. Mother (or stepmother)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.1	283	0	NT MARKD
94.6	89.3	4,979	1	MARKED
	5.7	315	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 296-297

<b>V1239</b>	<b>051C07c(R R'S HSHLD SIBLING</b>
--------------	------------------------------------

Item Number:

Component questions are C07C "Brothers (or stepbrothers)" and C07D "Sisters (or stepsisters)".

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.1	1,123	0	NT MARKD
78.7	74.2	4,139	1	MARKED
	5.7	315	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 298-299



V1245                      051C08    AFTER SCHL ALONE

Item Number: 25120

On average, how much time do you spend after school each day at home with no adult present? (Count the hours between the end of school and when you go to bed.)

1="None or almost none" 2="Less than 1 hour" 3="1-2 hours"  
 4="2-3 hours" 5="3-5 hours" 6="More than 5 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	19.7	1,100	1	NONE
20.9	20.3	1,133	2	LT 1 HR
24.3	23.5	1,313	3	1-2HRS
16.5	16.0	891	4	2-3 HRS
11.2	10.8	604	5	4-5 HRS
6.8	6.6	370	6	>5 HRS(6)
	3.0	165	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 300-301

V1246

051C09 FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.8	156	1	GRDE SCH
9.8	9.6	535	2	SOME HS
25.2	24.6	1,371	3	HS GRAD
14.1	13.7	763	4	SOME CLG
23.9	23.3	1,300	5	CLG GRAD
14.0	13.6	761	6	GRAD SCH
10.1	9.8	546	7	DK
	2.6	146	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 302-303

**V1247**                      **051C10**   **MOTHR EDUC LEVEL**

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed  
 college" 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	135	1	GRDE SCH
7.7	7.5	416	2	SOME HS
22.2	21.6	1,203	3	HS GRAD
18.3	17.8	992	4	SOME CLG
29.2	28.4	1,584	5	CLG GRAD
14.4	14.0	779	6	GRAD SCH
5.9	5.7	318	7	DK
	2.7	149	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 304-305

**V1248**                      **051C11**   **MOTHER PAID JOB**

Item Number: 25130

Does your mother have a paid job?

1="No" 2="Yes, part-time job" 3="Yes, full-time job"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	18.7	1,040	1	NO
16.9	16.3	912	2	YES P/T
63.9	61.9	3,454	3	YES F/T
	3.1	172	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 306-307

V1250	051C12B R'ATTND REL SVC
-------	-------------------------

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	13.2	738	1	NEVER
28.4	22.1	1,231	2	RARELY
17.0	13.2	736	3	1-2X/MO
37.7	29.4	1,637	4	1/WK OR+
	22.2	1,236	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 308-309

V1251	051C13 RLGN IMP R'S LF
-------	------------------------

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	12.7	706	1	NOT IMPT
24.2	18.8	1,047	2	LITL IMP
29.3	22.8	1,271	3	PRTY IMP
30.2	23.5	1,311	4	VERY IMP
	22.3	1,242	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 310-311

V1252                      051C14 R HS GRADE/D=1

Item Number: 00470

The next questions are about your experiences in school.  
 Which one of the following best describes your average grade  
 in this school year?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
 1="D (69 or below)"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	2.9	160	1	D
5.1	5.0	277	2	C-
8.2	7.9	442	3	C
11.2	10.9	607	4	C+
10.4	10.1	562	5	B-
17.0	16.5	921	6	B
15.7	15.3	853	7	B+
14.3	13.9	774	8	A-
15.2	14.8	826	9	A
	2.8	156	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 312-313

<b>V1253</b>	<b>051C15 R'S HS PROGRAM</b>
--------------	------------------------------

Item Number: 00400

Which of the following best describes your present (or expected) high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	47.3	2,638	1	CLG PREP
24.5	23.8	1,328	2	GENERAL
5.4	5.2	290	3	VOC-TECH
21.5	20.9	1,167	4	OTH/DK
	2.8	154	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 314-315

<b>V1254</b>	<b>051C16 HRS/WK SPND HMWK</b>
--------------	--------------------------------

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.3	407	1	NONE
49.5	48.2	2,688	2	1-4 HRS
20.3	19.8	1,104	3	5-9 HRS
10.6	10.3	575	4	10-14HRS
5.4	5.3	295	5	15-19HRS
3.3	3.2	180	6	20-24HRS
3.4	3.3	183	7	25+ HRS
	2.6	144	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 316-317

**V1255**                      **051C17A R WL GRADUATE HS**

Item Number: 00481

How likely is it that you will do each of the following things? A: Graduate from high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	19	1	DEF WONT
0.5	0.5	27	2	PRB WONT
7.3	7.1	398	3	PRB WILL
91.8	89.4	4,983	4	DEF WILL
	2.7	150	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 318-319

**V1256**                      **051C17B R WL DO VOC/TEC**

Item Number: 00480

How likely is it that you will do each of the following things? B: Go to a technical or vocational school after high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	25.9	1,442	1	DEF WONT
44.7	42.6	2,376	2	PRB WONT
19.2	18.3	1,018	3	PRB WILL
9.0	8.6	479	4	DEF WILL
	4.7	262	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 320-321

V1257	051C17C R WL GO TO CLG
-------	------------------------

Item Number: 00482

How likely is it that you will do each of the following things? C: Go to college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	150	1	DEF WONT
6.5	6.3	353	2	PRB WONT
24.2	23.4	1,306	3	PRB WILL
66.6	64.5	3,598	4	DEF WILL
	3.1	172	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 322-323

V1258	051C17D R WL DO 4YR CLG
-------	-------------------------

Item Number: 00510

How likely is it that you will do each of the following things? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	191	1	DEF WONT
8.3	8.0	447	2	PRB WONT
27.3	26.4	1,473	3	PRB WILL
60.9	59.0	3,289	4	DEF WILL
	3.2	178	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 324-325



**V1259                                  051C17E R WL DO ARMD FC**

Item Number: 00490

How likely is it that you will do each of the following things? E: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.4	51.5	2,873	1	DEF WONT
33.1	32.0	1,784	2	PRB WONT
10.0	9.6	536	3	PRB WILL
3.5	3.4	189	4	DEF WILL
	3.5	195	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 326-327

**V1260                                  051C18 THNK FUT BYND SC**

Item Number: 25830

How often do you think about your future beyond high school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	81	1	NEVER
8.4	8.2	456	2	SELDOM
34.5	33.6	1,871	3	SOMETIME
55.6	54.0	3,015	4	OFTEN
	2.8	155	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 328-329

<b>V1261</b>	<b>051C19 PLANS AFTER SCHL</b>
--------------	--------------------------------

Item Number: 25840

Which best describes your plans after high school?

1="I have no idea what I will do." 2="I have a few ideas about what I might do." 3="I know pretty well what I will do." 4="I know exactly what I will do."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.2	346	1	NO IDEA
38.3	37.3	2,078	2	A FEW
39.6	38.4	2,144	3	PRTYWELL
15.7	15.3	853	4	EXACTLY
	2.8	156	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 330-331

<b>V1262</b>	<b>051C20A #DA/4W SC MS ILL</b>
--------------	---------------------------------

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4 to 5 Days" 6="6 to 10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	59.8	3,338	1	NONE
16.9	16.2	903	2	1 DAY
9.9	9.5	531	3	2 DAYS
4.7	4.5	252	4	3 DAYS
3.8	3.7	204	5	4-5 DAYS
1.3	1.3	72	6	6-10 DA
0.8	0.8	42	7	11+ DAYS
	4.2	236	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 332-333

V1263                      051C20B #DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4 to 5 Days" 6="6 to 10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	77.2	4,303	1	NONE
9.1	8.5	476	2	1 DAY
3.7	3.5	195	3	2 DAYS
1.9	1.8	99	4	3 DAYS
1.5	1.4	77	5	4-5 DAYS
0.8	0.8	43	6	6-10 DA
0.9	0.8	47	7	11+ DAYS
	6.0	337	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 334-335

V1264	051C20C #DA/4W SC MS OTH
-------	--------------------------

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4 to 5 Days" 6="6 to 10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	61.4	3,426	1	NONE
17.9	17.0	947	2	1 DAY
7.9	7.5	419	3	2 DAYS
4.3	4.1	226	4	3 DAYS
2.8	2.7	149	5	4-5 DAYS
1.1	1.1	60	6	6-10 DA
0.9	0.9	49	7	11+ DAYS
	5.4	300	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 336-337

**V1265                      051C21   #DA/4W SKP CLASS**

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	75.0	4,186	1	NONE
14.6	14.2	790	2	1-2
4.4	4.2	237	3	3-5
1.8	1.8	100	4	6-10
0.8	0.8	46	5	11-20
0.9	0.9	49	6	21+
	3.1	170	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 338-339

**V1266                      051C22(R EVER HELD BACK**

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2 and 3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	88.0	4,909	0	NO
9.2	8.9	497	1	YES
	3.1	171	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 340-341

<b>V1267</b>	<b>051C23(R NEED SUMMER SCHL</b>
--------------	----------------------------------

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers" Codes 2-4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	77.5	4,321	0	NO
20.0	19.4	1,080	1	YES
	3.2	176	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 342-343

<b>V1268</b>	<b>051C24(R EVER SUSPENDED</b>
--------------	--------------------------------

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2 and 3 are bracketed in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	72.3	4,033	0	NO
25.3	24.5	1,369	1	YES
	3.2	176	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 344-345

**V1269**                      **051C25**    **FRNDS DROP OUT**

Item Number: 25850

Have any of your friends dropped out of school?

1="None" 2="A few" 3="Some" 4="Most or all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	60.1	3,351	1	NONE
30.4	29.4	1,642	2	A FEW
6.8	6.5	365	3	SOME
0.7	0.7	38	4	MOST/ALL
	3.2	181	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 346-347

**V1270**                      **051C26**    **#X OUT W/O PRNT**

Item Number: 25170

During a typical week, on how many evenings do you go out for fun and recreation? (Don't count things you do with your parents or other adult relatives.)

1="Less than one evening per week" 2="One evening" 3="Two evenings" 4="Three evenings" 5="Four or five evenings" 6="Six or seven evenings per week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	20.7	1,154	1	< 1
14.6	13.9	778	2	ONE
23.7	22.7	1,264	3	TWO
19.3	18.4	1,025	4	THREE
12.9	12.3	685	5	4-5
7.8	7.5	417	6	6-7
	4.6	256	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 348-349

V1271	051C27 #X DATE 3+/WK
-------	----------------------

Item Number: 00630

On the average, how often (if ever) do you go out with a date?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a  
 week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	34.2	1,909	1	NEVER
24.1	22.9	1,279	2	1/MO OR<
16.6	15.8	879	3	2-3/MO
10.6	10.1	564	4	1/WK
8.0	7.7	427	5	2-3/WK
4.7	4.5	251	6	3+/WK
	4.8	269	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 350-351

V1272	051C28A #X PRNT CHK HMWK
-------	--------------------------

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following? A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from  
 the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	17.1	956	1	NEVER
22.7	17.4	969	2	RARELY
25.7	19.7	1,100	3	SOMETIME
29.3	22.5	1,253	4	OFTEN
	23.3	1,298	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 352-353



**V1273**                      **051C28B #X PRNT HLP HMWK**

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following? B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	14.0	780	1	NEVER
18.0	13.8	769	2	RARELY
28.7	22.0	1,228	3	SOMETIME
35.1	26.9	1,503	4	OFTEN
	23.3	1,298	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 354-355

**V1274**                      **051C28C #X PRNT GV CHORE**

Item Number: 25200

How often do your parents (or stepparents or guardians) do the following? C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	5.0	279	1	NEVER
13.4	10.2	571	2	RARELY
27.2	20.8	1,159	3	SOMETIME
52.9	40.5	2,257	4	OFTEN
	23.5	1,311	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 356-357

V1275	051C28D #X PRNT LIMIT TV
-------	--------------------------

Item Number: 25210

How often do your parents (or stepparents or guardians) do the following? D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	40.8	2,276	1	NEVER
23.3	17.8	994	2	RARELY
15.4	11.8	657	3	SOMETIME
8.1	6.2	345	4	OFTEN
	23.4	1,306	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 358-359

V1276	051C28E #X PRNT ALW OUT
-------	-------------------------

Item Number: 25225

How often do your parents (or stepparents or guardians) do the following? E: Allow you to go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	8.5	472	1	NEVER
21.2	16.2	906	2	RARELY
36.6	28.0	1,563	3	SOMETIME
31.2	23.9	1,333	4	OFTEN
	23.4	1,304	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 360-361

**V1277                      051C29    TALK PROB W/PRNT**

Item Number: 25860

If you were having problems in your life, do you think you would talk them over with one or both of your parents?

3="Yes, for most or all problems" 2="Yes, for at least some of my problems" 1="No" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	19.4	1,085	1	NO
48.1	36.9	2,059	2	YES SOME
26.6	20.4	1,138	3	YES M/AL
	23.2	1,296	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 362-363

**V1278                      051C30    TALK PROB W/ADLT**

Item Number: 25870

Other than your parents, is there at least one other adult you would feel able to talk to if you were having problems in your life?

3="Yes, for most or all problems" 2="Yes, for at least some of my problems" 1="No" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	15.9	885	1	NO
44.2	33.9	1,891	2	YES SOME
35.1	26.9	1,501	3	YES M/AL
	23.3	1,300	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 364-365

V1279	051D01 DRIVE>200 MI/WK
-------	------------------------

Item Number: 00640

During an average week, how much do you usually drive a car, truck, motorcycle, or moped?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	39.3	2,194	1	NONE
18.2	17.5	976	2	1-10 MI
22.3	21.5	1,197	3	11-50 MI
10.2	9.8	547	4	51-100
5.1	4.9	271	5	101-200
3.3	3.2	177	6	> 200
	3.9	215	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 366-367

V1280	051D02 USE SEATBLT-RIDR
-------	-------------------------

Item Number: 22220

When you are riding in the front passenger seat of a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"  
 8="Does Not Apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.7	208	1	NEVER
6.8	6.5	363	2	SELDOM
10.6	10.2	568	3	SOMETIME
18.6	17.8	995	4	OFTEN
59.6	57.2	3,189	5	ALWAYS
0.4	0.4	24	8	INAP
	4.1	231	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 368-369

V1281                      051D03A #X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . A: When the driver had been drinking alcoholic beverages?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	69.7	3,888	1	NONE
7.6	7.2	404	2	ONCE
5.5	5.2	291	3	TWICE
4.4	4.2	234	4	3-5 X
2.0	2.0	109	5	6-9 X
7.5	7.2	401	6	10+ X
	4.5	251	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 370-371

V1282	051D03B #X/2W RIDE+5DRK
-------	-------------------------

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . B: When you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	85.1	4,744	1	NONE
4.7	4.4	248	2	ONCE
2.6	2.5	138	3	TWICE
1.3	1.3	71	4	3-5 X
0.4	0.4	23	5	6-9 X
0.9	0.8	45	6	10+ X
	5.5	308	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 372-373

V1283	051D04 HAD DRUG EDUCATN
-------	-------------------------

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 8" 2="No, and I wish I had--GO TO QUESTION 8" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	15.0	838	1	NO
2.0	1.9	104	2	WISH HAD
81.8	75.9	4,234	3	YES
	7.2	402	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 374-375

**V1284**                      **051D05 DG ED,>DG INTRST**

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . .

1="Made you less interested in trying drugs." 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	43.2	2,410	1	<INTERST
38.4	29.0	1,620	2	NO CHNGE
4.5	3.4	189	3	>INTERST
	24.4	1,358	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 376-377

**V1285**                      **051D06A DG ED,SPC COURSE**

Item Number: 07850

How many of the following drug education experiences have you had in school? (Mark all that apply.) A. A special course about drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	47.3	2,641	0	NT MRKED
37.0	27.8	1,552	1	MARKED
	24.8	1,384	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 378-379

<b>V1286</b>	<b>051D06B DG ED,IN REG CRS</b>
--------------	---------------------------------

Item Number: 07860

How many of the following drug education experiences have you had in school? (Mark all that apply.) B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	20.5	1,141	0	NT MRKED
72.8	54.7	3,053	1	MARKED
	24.8	1,384	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 380-381

<b>V1287</b>	<b>051D06C DG ED,NT REG CRS</b>
--------------	---------------------------------

Item Number: 07870

How many of the following drug education experiences have you had in school? (Mark all that apply.) C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	55.3	3,085	0	NT MRKED
26.4	19.9	1,108	1	MARKED
	24.8	1,384	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 382-383



<b>V1288</b>	<b>051D06D DG ED,SPC DISCUS</b>
--------------	---------------------------------

Item Number: 07880

How many of the following drug education experiences have you had in school? (Mark all that apply.) D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	60.0	3,348	0	NT MRKED
20.2	15.2	845	1	MARKED
	24.8	1,384	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 384-385

<b>V1289</b>	<b>051D07 DG ED,GRT VALUE</b>
--------------	-------------------------------

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"  
 4="Great value"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	17.0	949	1	NO VALUE
37.7	28.5	1,587	2	SOME
27.0	20.4	1,136	3	CNSIDRBL
12.7	9.6	534	4	GT VALUE
	24.6	1,371	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 386-387

V1290

051D08A EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"

2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	8.7	485	1	PROB IMP
4.0	3.8	213	2	VRV DIFF
6.9	6.6	365	3	FRLY DIF
24.9	23.5	1,313	4	FRLY EAS
48.5	45.7	2,551	5	VRV EASY
6.4	6.0	337	8	CANT SAY
	5.6	313	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 388-389

V1291	051D08B EASY GT LSD
-------	---------------------

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: LSD

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	19.3	1,074	1	PROB IMP
14.9	14.0	781	2	VRV DIFF
20.7	19.5	1,086	3	FRLY DIF
14.1	13.2	737	4	FRLY EAS
6.8	6.4	355	5	VRV EASY
23.1	21.7	1,213	8	CANT SAY
	5.9	331	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 390-391

V1292

051D08C EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: PCP (angel dust)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	21.8	1,214	1	PROB IMP
16.9	15.9	889	2	VRY DIFF
18.6	17.4	973	3	FRLY DIF
11.4	10.8	600	4	FRLY EAS
6.3	5.9	332	5	VRY EASY
23.6	22.2	1,236	8	CANT SAY
	6.0	332	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 392-393

V1293	051D08D EASY GT MDMA
-------	----------------------

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? D: MDMA ("ecstasy")

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	19.4	1,080	1	PROB IMP
14.1	13.2	735	2	VRV DIFF
18.8	17.6	980	3	FRLY DIF
19.3	18.0	1,005	4	FRLY EAS
10.6	9.9	551	5	VRV EASY
16.6	15.6	869	8	CANT SAY
	6.4	358	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 394-395

V1294	051D08E EASY GT AMPHTMNS
-------	--------------------------

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Amphetamines (uppers, pep pills, bennies, speed)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	17.6	981	1	PROB IMP
11.8	11.1	617	2	VRV DIFF
16.5	15.6	868	3	FRLY DIF
20.9	19.7	1,096	4	FRLY EAS
15.3	14.4	806	5	VRV EASY
16.8	15.8	882	8	CANT SAY
	5.9	328	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 396-397

V1295                      051D08F EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Sedatives/barbiturates (downers)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
19.3	18.2	1,013	1	PROB IMP
13.7	12.8	717	2	VRY DIFF
17.1	16.1	895	3	FRLY DIF
17.2	16.1	899	4	FRLY EAS
12.8	12.0	672	5	VRY EASY
19.9	18.7	1,044	8	CANT SAY
	6.1	338	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 398-399

V1296

051D08G EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Tranquilizers (Librium, Valium, Xanax, etc.)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"

2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	20.2	1,126	1	PROB IMP
15.8	14.8	825	2	VRV DIFF
17.4	16.3	910	3	FRLY DIF
14.4	13.6	756	4	FRLY EAS
11.4	10.7	595	5	VRV EASY
19.5	18.4	1,024	8	CANT SAY
	6.1	341	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 400-401



V1297                      051D08H EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? H: "Crack" cocaine

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	20.2	1,128	1	PROB IMP
16.5	15.5	865	2	VRY DIFF
19.2	18.1	1,009	3	FRLY DIF
16.7	15.7	875	4	FRLY EAS
13.4	12.6	702	5	VRY EASY
12.7	12.0	668	8	CANT SAY
	5.9	330	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 402-403

V1298

051D08I EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? I: Cocaine in powder form

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	20.5	1,142	1	PROB IMP
15.9	14.9	832	2	VRY DIFF
18.6	17.5	975	3	FRLY DIF
17.2	16.2	903	4	FRLY EAS
13.5	12.7	706	5	VRY EASY
13.0	12.2	681	8	CANT SAY
	6.1	339	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 404-405

V1299 051D08J EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? J: Heroin

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	26.2	1,459	1	PROB IMP
20.0	18.7	1,045	2	VRY DIFF
17.8	16.7	932	3	FRLY DIF
11.6	10.9	607	4	FRLY EAS
8.5	7.9	442	5	VRY EASY
14.2	13.3	745	8	CANT SAY
	6.2	348	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 406-407

V1300

051D08K EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? K: Some other narcotic (methadone, opium, codeine, etc.)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	23.7	1,324	1	PROB IMP
16.3	15.3	853	2	VRY DIFF
16.3	15.3	854	3	FRLY DIF
12.9	12.1	674	4	FRLY EAS
10.1	9.5	531	5	VRY EASY
19.2	18.0	1,005	8	CANT SAY
	6.0	336	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 408-409

V1301	051D08L EASY GT ICE
-------	---------------------

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? L: Crystal meth ("ice")

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	24.3	1,353	1	PROB IMP
17.8	16.7	929	2	VRY DIFF
16.5	15.4	860	3	FRLY DIF
12.8	11.9	666	4	FRLY EAS
8.6	8.1	450	5	VRY EASY
18.5	17.3	965	8	CANT SAY
	6.4	354	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 410-411

V1302	051D08M EASY GT STEROIDS
-------	--------------------------

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

M: Steroids (anabolic steroids)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	20.5	1,143	1	PROB IMP
14.9	14.0	780	2	VRY DIFF
19.2	18.0	1,001	3	FRLY DIF
17.2	16.1	899	4	FRLY EAS
12.5	11.7	651	5	VRY EASY
14.4	13.5	751	8	CANT SAY
	6.3	354	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 412-413

V1303	051D08N EASY GT CIGS
-------	----------------------

Item Number: 06831

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

N: Cigarettes

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
6.2	5.8	325	1	PROB IMP
2.5	2.3	131	2	VRY DIFF
4.5	4.2	234	3	FRLY DIF
15.7	14.7	823	4	FRLY EAS
66.1	62.2	3,468	5	VRY EASY
5.0	4.7	262	8	CANT SAY
	6.0	335	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 414-415

V1304	051D080 EASY GT ALCOHOL
-------	-------------------------

Item Number: 06832

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? 0: Alcohol

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"  
2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.0	281	1	PROB IMP
2.1	2.0	110	2	VRD DIFF
4.3	4.1	226	3	FRLY DIF
15.3	14.5	807	4	FRLY EAS
68.9	65.0	3,624	5	VRD EASY
4.0	3.8	212	8	CANT SAY
	5.7	316	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 416-417

V1305	051D09 #X SMKLESS/EVER
-------	------------------------

Item Number: 22230

Have you ever taken or used smokeless tobacco (chewing tobacco, snuff, plug, dipping tobacco)?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"  
4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	80.7	4,499	1	NEVER
8.4	7.9	443	2	1-2X
3.3	3.1	174	3	OCCASNLY
1.4	1.3	75	4	REG PAST
1.8	1.7	95	5	REG NOW
	5.2	292	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 418-419



**V1306**                      **051D10 #X SMKLESS/30DAY**

Item Number: 22240

How often have you taken smokeless tobacco during the past 30 days?

1="Not at all" 2="Once or twice" 3="Once or twice per week"  
4="Three to five times per week" 5="About once a day" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	89.4	4,986	1	NOT@ALL
2.8	2.6	147	2	1-2 X
0.7	0.6	36	3	1-2/WK
0.5	0.5	25	4	3-5/WK
0.5	0.4	24	5	1/DAY
1.3	1.3	70	6	>1/DAY
	5.2	290	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 420-421

**V1307**                      **051D11A PRESR TO SMK CIG**

Item Number: 25300

How much pressure do you feel from your friends and schoolmates to. . . A: Smoke cigarettes?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	80.6	4,497	1	NONE
9.8	9.3	516	2	A LITTLE
3.6	3.4	189	3	SOME
1.6	1.5	85	4	A LOT
	5.2	290	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 422-423

<b>V1308</b>	<b>051D11B PRESR TO DRK ALC</b>
--------------	---------------------------------

Item Number: 25310

How much pressure do you feel from your friends and schoolmates to. . . B: Drink alcoholic beverages?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	58.8	3,280	1	NONE
21.4	20.2	1,126	2	A LITTLE
11.6	10.9	609	3	SOME
4.6	4.3	239	4	A LOT
	5.8	324	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 424-425

<b>V1309</b>	<b>051D11C PRESR TO USE MJ</b>
--------------	--------------------------------

Item Number: 25320

How much pressure do you feel from your friends and schoolmates to. . . C: Use marijuana?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	70.6	3,937	1	NONE
13.6	12.8	715	2	A LITTLE
7.0	6.6	366	3	SOME
4.4	4.1	229	4	A LOT
	5.9	330	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 426-427

V1310	051D11D PRSR TO OTH DRUG
-------	--------------------------

Item Number: 25330

How much pressure do you feel from your friends and schoolmates to. . . D: Use other illegal drugs?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	83.9	4,681	1	NONE
6.0	5.7	316	2	A LITTLE
2.7	2.5	141	3	SOME
2.2	2.0	113	4	A LOT
	5.8	326	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 428-429

V1311

051D12A GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

A: Smoke your first cigarette

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"

4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.9	4.4	246	1	GRADE 4
3.4	3.1	172	2	GRADE 5
5.4	4.9	271	3	GRADE 6
5.9	5.3	298	4	GRADE 7
7.7	7.0	390	5	GRADE 8
8.6	7.8	433	6	GRADE 9
3.6	3.2	180	7	GRADE 10
60.5	54.7	3,054	8	NEVER
	9.6	533	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 430-431

V1312                      051D12B GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?  
 . . . B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10  
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.4	21	1	GRADE 4
0.4	0.4	22	2	GRADE 5
0.8	0.8	42	3	GRADE 6
2.0	1.9	103	4	GRADE 7
2.4	2.2	123	5	GRADE 8
4.5	4.1	229	6	GRADE 9
3.4	3.1	174	7	GRADE 10
86.1	79.3	4,424	8	NEVER
	7.9	438	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 432-433

V1313

051D12C GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?  
 . . . C: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	3.8	210	1	GRADE 4
2.7	2.4	134	2	GRADE 5
5.3	4.7	261	3	GRADE 6
9.9	8.7	487	4	GRADE 7
16.5	14.5	808	5	GRADE 8
20.1	17.6	983	6	GRADE 9
7.5	6.6	365	7	GRADE 10
33.7	29.6	1,651	8	NEVER
	12.2	678	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 434-435

V1314                      051D12D GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?.

. . D: Drink enough to feel drunk or very high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10  
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.9	50	1	GRADE 4
0.8	0.7	38	2	GRADE 5
2.2	2.0	110	3	GRADE 6
4.7	4.3	238	4	GRADE 7
9.8	8.9	494	5	GRADE 8
16.9	15.2	850	6	GRADE 9
8.9	8.0	449	7	GRADE 10
55.7	50.2	2,802	8	NEVER
	9.8	546	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 436-437

V1315	051D12E GR 1ST TRY MJ
-------	-----------------------

Item Number: 05590

When (if ever) did you FIRST do each of the following things?

. . . E: Try marijuana or hashish

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10  
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	48	1	GRADE 4
0.7	0.7	37	2	GRADE 5
2.5	2.3	128	3	GRADE 6
4.8	4.4	248	4	GRADE 7
7.7	7.1	396	5	GRADE 8
10.7	9.8	548	6	GRADE 9
6.0	5.5	308	7	GRADE 10
66.5	61.1	3,408	8	NEVER
	8.2	456	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 438-439



V1316	051D12F GR 1ST TRY CRACK
-------	--------------------------

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

. . . F: Try "crack" cocaine

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10  
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	3	1	GRADE 4
0.0	0.0	1	2	GRADE 5
0.1	0.1	7	3	GRADE 6
0.2	0.2	11	4	GRADE 7
0.5	0.5	27	5	GRADE 8
0.8	0.7	40	6	GRADE 9
0.6	0.5	29	7	GRADE 10
97.7	90.3	5,035	8	NEVER
	7.6	425	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 440-441

V1317	051D12G GR 1STTRY POWCOK
-------	--------------------------

Item Number: 05663

When (if ever) did you FIRST do each of the following things?

. . . G: Try cocaine in powder form

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10  
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	6	1	GRADE 4
0.0	0.0	0	2	GRADE 5
0.1	0.1	6	3	GRADE 6
0.2	0.2	12	4	GRADE 7
0.6	0.6	32	5	GRADE 8
1.3	1.2	69	6	GRADE 9
1.7	1.5	86	7	GRADE 10
95.9	88.6	4,941	8	NEVER
	7.6	425	-9	MISSING
-----				
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 442-443

V1318                      051D12H GR 1ST TRY INHAL

Item Number: 05688

When (if ever) did you FIRST do each of the following things?  
 . . . H: Sniff glue, gases, or sprays to get high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10  
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	76	1	GRADE 4
0.7	0.6	36	2	GRADE 5
1.3	1.1	63	3	GRADE 6
1.3	1.2	66	4	GRADE 7
1.9	1.7	93	5	GRADE 8
1.6	1.4	77	6	GRADE 9
0.7	0.6	35	7	GRADE 10
91.0	80.9	4,513	8	NEVER
	11.1	617	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 444-445

V1319	051D12I GR 1ST TRY STRDS
-------	--------------------------

Item Number: 23810

When (if ever) did you FIRST do each of the following things?  
 . . . I: Try steroids (anabolic steroids)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"  
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10  
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	6	1	GRADE 4
0.0	0.0	0	2	GRADE 5
0.1	0.0	3	3	GRADE 6
0.1	0.1	3	4	GRADE 7
0.3	0.3	17	5	GRADE 8
0.5	0.5	28	6	GRADE 9
0.7	0.6	34	7	GRADE 10
98.2	90.7	5,056	8	NEVER
	7.7	431	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 446-447

V1320	051D13A DIF TRY QUIT CIG
-------	--------------------------

Item Number: 25890

For each of the following drugs, was there ever a time in your  
 life when you tried to quit or reduce your use and had  
 difficulty doing so? A: Cigarettes

8="Never Used" 1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	24.3	1,358	1	NO
8.9	8.0	446	2	YES
64.0	57.4	3,201	8	NEVER US
	10.3	573	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 448-449

V1321 051D13B DIF TRY QUIT ALC

Item Number: 25900

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? B: Alcohol

8="Never Used" 1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	46.1	2,571	1	NO
8.9	7.7	430	2	YES
38.2	33.2	1,852	8	NEVER US
	13.0	725	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 450-451

V1322 051D13C DIF TRY QUIT MJ

Item Number: 25910

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? C: Marijuana

8="Never Used" 1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	22.8	1,269	1	NO
7.4	6.9	384	2	YES
68.3	63.9	3,566	8	NEVER US
	6.4	358	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 452-453

<b>V1323</b>	<b>051D13D DIF TRY QUIT COK</b>
--------------	---------------------------------

Item Number: 25920

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? D: Cocaine ("crack," powder, etc.)

8="Never Used" 1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.2	176	1	NO
0.9	0.8	47	2	YES
95.7	88.6	4,943	8	NEVER US
	7.4	411	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 454-455

<b>V1324</b>	<b>051D13E DIF TRY QUIT "H"</b>
--------------	---------------------------------

Item Number: 25930

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? E: Heroin

8="Never Used" 1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	50	1	NO
0.4	0.3	19	2	YES
98.7	92.3	5,148	8	NEVER US
	6.5	361	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 456-457

**V1325 051D13F DIF TRY QUIT OTD**

Item Number: 25940

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? F: Any other illegal drugs

8="Never Used" 1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	9.5	530	1	NO
1.7	1.6	90	2	YES
88.1	82.5	4,604	8	NEVER US
	6.3	354	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 458-459

**V1326 051D14A #X USE DRUG HOME**

Item Number: 25360

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? A: At your home

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	80.7	4,501	1	NOT @ALL
6.3	5.8	326	2	1-2 X
2.2	2.0	114	3	3-5 X
4.9	4.5	254	4	6+ TIMES
	6.9	383	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 460-461

<b>V1327</b>	<b>051D14B #X USE DRG FRNDS</b>
--------------	---------------------------------

Item Number: 25370

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? B: At friends' houses

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	69.9	3,897	1	NOT @ALL
12.0	11.2	624	2	1-2 X
4.8	4.5	250	3	3-5 X
8.1	7.5	419	4	6+ TIMES
	7.0	388	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 462-463

<b>V1328</b>	<b>051D14C #X US DRG SCHEVE</b>
--------------	---------------------------------

Item Number: 25380

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? C: At a school dance, a game, or other event

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	84.6	4,716	1	NOT @ALL
5.6	5.2	290	2	1-2 X
2.0	1.9	104	3	3-5 X
1.7	1.6	87	4	6+ TIMES
	6.8	381	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 464-465



**V1329**                      **051D14D #X USE DRG ATSCH**

Item Number: 25390

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? D: At school during the day

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	86.7	4,834	1	NOT @ALL
3.8	3.5	196	2	1-2 X
1.3	1.2	69	3	3-5 X
1.8	1.7	93	4	6+ TIMES
	6.9	386	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 466-467

**V1330**                      **051D14E #X USE DRG NRSCH**

Item Number: 25400

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? E: Near school

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	83.1	4,636	1	NOT @ALL
6.0	5.6	310	2	1-2 X
2.0	1.9	105	3	3-5 X
2.7	2.5	139	4	6+ TIMES
	6.9	388	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 468-469

<b>V1331</b>	<b>051D14F #X USE DRG INCAR</b>
--------------	---------------------------------

Item Number: 25410

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? F: In a car

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	75.6	4,216	1	NOT @ALL
9.1	8.5	474	2	1-2 X
3.7	3.4	191	3	3-5 X
5.9	5.4	304	4	6+ TIMES
	7.1	393	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 470-471

<b>V1332</b>	<b>051D14G #X USE DRG PARTY</b>
--------------	---------------------------------

Item Number: 25420

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? G: At a party

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	74.3	4,145	1	NOT @ALL
9.0	8.4	469	2	1-2 X
4.3	4.0	223	3	3-5 X
6.8	6.3	351	4	6+ TIMES
	7.0	388	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 472-473

V1333	051D14H #X USE DRG@PARK
-------	-------------------------

Item Number: 30830

During the last 12 months, how often (if ever) have you used marijuana or any other drugs (like cocaine, amphetamines, etc.) in each of the following places? H. At a park or beach

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	80.7	4,498	1	NOT @ALL
6.4	6.0	332	2	1-2 X
2.4	2.2	123	3	3-5 X
4.4	4.1	228	4	6+ TIMES
	7.1	397	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 474-475

V1334

051D15A #X GHB/LAST12MO

Item Number: 31050

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you... A. taken GHB ("liquid G," "grievous bodily harm")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	92.0	5,132	1	0 OCCAS
0.3	0.3	16	2	1-2
0.2	0.1	8	3	3-5
0.1	0.1	6	4	6-9
0.0	0.0	1	5	10-19
0.1	0.1	4	6	20-39
0.1	0.1	7	7	40+
	7.2	404	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 476-477

V1335	051D15B #X KETAMINE/12M
-------	-------------------------

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you... B. taken ketamine ("special K," "super K")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	91.8	5,118	1	0 OCCAS
0.4	0.4	22	2	1-2
0.3	0.3	15	3	3-5
0.1	0.1	7	4	6-9
0.0	0.0	1	5	10-19
0.0	0.0	1	6	20-39
0.1	0.1	5	7	40+
	7.3	409	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 478-479

V1336	051D15C #X SMK BIDI/12M
-------	-------------------------

Item Number: 31070

During the LAST 12 MONTHS, on how many occasions (if any) have you... C. smoked bidis (or beedies) which are small brown cigarettes from India

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.4	91.1	5,080	1	0 OCCAS
0.7	0.7	38	2	1-2
0.4	0.4	20	3	3-5
0.1	0.1	6	4	6-9
0.1	0.1	6	5	10-19
0.1	0.1	3	6	20-39
0.1	0.1	8	7	40+
	7.5	416	-9	MISSING

```
-----
```

100.0	100.0	5,577	cases
-------	-------	-------	-------

Data type: numeric  
Missing-data code: -9  
Columns: 480-481

V1337                      051D15D #X SMK KRETK/12M

Item Number: 31150

During the LAST 12 MONTHS, on how many occasions (if any) have you... D. smoked kreteks (clove cigarettes)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	89.9	5,014	1	0 OCCAS
1.3	1.2	67	2	1-2
0.5	0.5	28	3	3-5
0.3	0.3	15	4	6-9
0.2	0.2	13	5	10-19
0.0	0.0	2	6	20-39
0.3	0.3	17	7	40+
	7.6	422	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 482-483

V1338	051D15E #X ANDRO/12MO
-------	-----------------------

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any) have you... E. taken "andro" (androstenedione, non-prescription steroid)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	91.5	5,105	1	0 OCCAS
0.4	0.4	20	2	1-2
0.2	0.2	12	3	3-5
0.1	0.1	6	4	6-9
0.1	0.1	5	5	10-19
0.0	0.0	1	6	20-39
0.1	0.1	6	7	40+
	7.6	424	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 484-485



V1339                      051D15F #X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you... F. taken creatine (amino acid used to build muscles)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	87.7	4,890	1	0 OCCAS
1.6	1.5	84	2	1-2
0.8	0.7	42	3	3-5
0.6	0.5	29	4	6-9
0.5	0.5	26	5	10-19
0.5	0.4	25	6	20-39
1.2	1.1	62	7	40+
	7.5	421	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 486-487

V1340

051D15G #X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you... G. taken ritalin (without a doctor's orders)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	89.3	4,981	1	0 OCCAS
1.6	1.5	82	2	1-2
0.9	0.8	45	3	3-5
0.4	0.4	21	4	6-9
0.2	0.2	13	5	10-19
0.1	0.1	4	6	20-39
0.4	0.3	18	7	40+
	7.4	414	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 488-489

V1341                      051D15H #X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . H. taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	89.6	4,999	1	0 OCCAS
1.5	1.3	75	2	1-2
0.7	0.7	38	3	3-5
0.1	0.1	7	4	6-9
0.2	0.2	9	5	10-19
0.3	0.3	15	6	20-39
0.3	0.3	17	7	40+
	7.5	417	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 490-491

V1342	051D15I #X VICODIN/12MO
-------	-------------------------

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . I. taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	87.2	4,865	1	0 OCCAS
2.7	2.5	140	2	1-2
1.3	1.2	68	3	3-5
0.7	0.6	34	4	6-9
0.4	0.4	23	5	10-19
0.3	0.2	13	6	20-39
0.4	0.4	20	7	40+
	7.4	414	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 492-493

V1343                      051D15J #X ROHYPNL/12MO

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . J. taken Rohypnol ("rophies," "roofies")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	91.8	5,119	1	0 OCCAS
0.2	0.2	12	2	1-2
0.2	0.2	11	3	3-5
0.1	0.1	5	4	6-9
0.0	0.0	2	5	10-19
0.1	0.0	3	6	20-39
0.1	0.1	7	7	40+
	7.5	417	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 494-495

V1344	051D16	NXT 12MOS USE MJ
-------	--------	------------------

Item Number: 09010

How likely is it that you will use marijuana in the next 12 months?

1="Definitely will--GO TO QUESTION 18 BELOW" 2="Probably will--GO TO QUESTION 18 BELOW" 3="Probably will not" 4="Definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	7.7	428	1	DEF WILL
11.3	10.0	557	2	PRB WILL
18.2	16.1	896	3	PRB NOT
61.8	54.5	3,040	4	DEF NOT
	11.8	657	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 496-497

V1345	051D17A	MJ CRN PSYC DAMG
-------	---------	------------------

Item Number: 25430

Here are some reasons people give for not using marijuana or for stopping use. How important is each of the following as a reason for YOU not using marijuana? A: Concerned about possible psychological damage

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	10.3	577	1	NOT @ALL
22.9	15.7	873	2	SOMEWHAT
62.0	42.4	2,367	3	VERY IMP
	31.6	1,760	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 498-499

**V1346**                      **051D17B MJ CRN PHYS DAMG**

Item Number: 25440

How important is each of the following as a reason for YOU not using marijuana? B: Concerned about possible physical damage

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	9.8	547	1	NOT @ALL
20.6	14.1	786	2	SOMEWHAT
65.0	44.4	2,474	3	VERY IMP
	31.7	1,771	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 500-501

**V1347**                      **051D17C MJ CRN GT ARREST**

Item Number: 25450

How important is each of the following as a reason for YOU not using marijuana? C: Concerned about getting arrested

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	10.6	594	1	NOT @ALL
23.4	16.0	891	2	SOMEWHAT
61.0	41.6	2,321	3	VERY IMP
	31.8	1,772	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 502-503

<b>V1348</b>	<b>051D17D MJ CRN ADDICTED</b>
--------------	--------------------------------

Item Number: 25460

How important is each of the following as a reason for YOU not using marijuana? D: Concerned about becoming addicted

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	11.0	613	1	NOT @ALL
17.4	11.9	662	2	SOMEWHAT
66.5	45.4	2,532	3	VERY IMP
	31.8	1,771	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 504-505

<b>V1349</b>	<b>051D17E MJ AGNST BELIEFS</b>
--------------	---------------------------------

Item Number: 25470

How important is each of the following as a reason for YOU not using marijuana? E: It's against my beliefs

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	19.5	1,085	1	NOT @ALL
22.8	15.5	867	2	SOMEWHAT
48.7	33.2	1,854	3	VERY IMP
	31.8	1,772	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 506-507



**V1350**                    **051D17F MJ CRN < ENGYAMB**

Item Number: 25480

How important is each of the following as a reason for YOU not using marijuana? F: Concerned about loss of energy or ambition

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	15.2	845	1	NOT @ALL
25.3	17.3	964	2	SOMEWHAT
52.5	35.9	2,002	3	VERY IMP
	31.7	1,767	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 508-509

**V1351**                    **051D17G MJ CRN < CONTROL**

Item Number: 25490

How important is each of the following as a reason for YOU not using marijuana? G: Concerned about possible loss of control of myself

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	11.1	620	1	NOT @ALL
20.5	14.0	780	2	SOMEWHAT
63.2	43.2	2,409	3	VERY IMP
	31.7	1,769	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 510-511

<b>V1352</b>	<b>051D17H MJ-&gt;STRNGR DRUGS</b>
--------------	------------------------------------

Item Number: 25500

How important is each of the following as a reason for YOU not using marijuana? H: It might lead to stronger drugs

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	11.4	634	1	NOT @ALL
17.7	12.1	674	2	SOMEWHAT
65.6	44.7	2,495	3	VERY IMP
	31.8	1,774	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 512-513

<b>V1353</b>	<b>051D17I MJ NOT ENJOYABLE</b>
--------------	---------------------------------

Item Number: 25510

How important is each of the following as a reason for YOU not using marijuana? I: Not enjoyable, I wouldn't like it

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	17.3	967	1	NOT @ALL
25.1	17.1	955	2	SOMEWHAT
49.4	33.6	1,876	3	VERY IMP
	31.9	1,780	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 514-515

<b>V1354</b>	<b>051D17J MJ PRNTS DISAPP</b>
--------------	--------------------------------

Item Number: 25520

How important is each of the following as a reason for YOU not using marijuana? J: My parents would disapprove

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	9.3	519	1	NOT @ALL
17.5	11.9	665	2	SOMEWHAT
68.8	46.9	2,618	3	VERY IMP
	31.8	1,775	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 516-517

<b>V1355</b>	<b>051D17K MJ B/GFRND DISAP</b>
--------------	---------------------------------

Item Number: 25530

How important is each of the following as a reason for YOU not using marijuana? K: My boyfriend/girlfriend would disapprove

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	18.2	1,012	1	NOT @ALL
20.8	14.1	789	2	SOMEWHAT
52.5	35.7	1,993	3	VERY IMP
	32.0	1,784	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 518-519

<b>V1356</b>	<b>051D17L MJ DISLIKE USERS</b>
--------------	---------------------------------

Item Number: 25540

How important is each of the following as a reason for YOU not using marijuana? L: I wouldn't like being with the people who use it

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	17.2	959	1	NOT @ALL
23.6	16.1	900	2	SOMEWHAT
51.2	35.0	1,950	3	VERY IMP
	31.7	1,768	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 520-521

<b>V1357</b>	<b>051D17M MJ FRNDS NOT USE</b>
--------------	---------------------------------

Item Number: 25550

How important is each of the following as a reason for YOU not using marijuana? M: My friends don't use it

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	19.6	1,094	1	NOT @ALL
22.9	15.6	871	2	SOMEWHAT
48.3	32.9	1,833	3	VERY IMP
	31.9	1,779	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 522-523

**V1358 051D17N MJ TOO EXPENSIVE**

Item Number: 25560

How important is each of the following as a reason for YOU not using marijuana? N: Too expensive

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	23.7	1,323	1	NOT @ALL
24.0	16.3	911	2	SOMEWHAT
41.1	28.0	1,560	3	VERY IMP
	32.0	1,783	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 524-525

**V1359 051D17O MJ NOT AVAILABLE**

Item Number: 25570

How important is each of the following as a reason for YOU not using marijuana? O: Not available

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	35.9	2,003	1	NOT @ALL
19.3	13.1	732	2	SOMEWHAT
27.7	18.8	1,049	3	VERY IMP
	32.1	1,793	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 526-527

<b>V1360</b>	<b>051D17P MJ NOT WNT GT HI</b>
--------------	---------------------------------

Item Number: 25580

How important is each of the following as a reason for YOU not using marijuana? P: Don't feel like getting high

1="Not At All" 2="Somewhat" 3="Very Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	13.9	775	1	NOT @ALL
22.2	15.1	843	2	SOMEWHAT
57.5	39.2	2,184	3	VERY IMP
	31.8	1,775	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 528-529

<b>V1361</b>	<b>051D18 DARE EVR IN SCHL</b>
--------------	--------------------------------

Item Number: 30840

Have you ever had the D.A.R.E. (Drug Abuse Resistance Education) program in school?

1="Yes" 2="No" 8="Not sure"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	68.9	3,844	1	YES
12.3	10.9	606	2	NO
9.6	8.5	473	8	NOT SURE
	11.7	654	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 530-531

V1362                      051E01    EVER AD STIM DR

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). \_Stimulant-type\_ drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Cylert, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do \_not\_ count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil.)

1="No--GO TO QUESTION 4" 2="Yes, in the past, but not now"  
 3="Yes, I take them now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	83.7	4,669	1	NO
5.3	4.8	269	2	YES PAST
3.4	3.1	172	3	YES NOW
	8.4	467	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 532-533

<b>V1363</b>	<b>051E02 AGE 1ST AD STIM</b>
--------------	-------------------------------

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	0.6	35	1	1-4 YRS
31.9	2.6	142	2	5-9
39.5	3.2	177	3	10-14
20.7	1.7	93	4	15+ YRS
	92.0	5,131	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 534-535

<b>V1364</b>	<b>051E03 # YRS TK AD STIM</b>
--------------	--------------------------------

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	2.7	149	1	< 1 YR
9.7	0.8	43	2	1 YEAR
11.8	0.9	52	3	2 YRS
20.3	1.6	90	4	3-5 YRS
16.5	1.3	73	5	6-9 YRS
8.2	0.7	36	6	10+ YRS
	92.0	5,134	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 536-537



**V1365                      051E04   EVER AD NONSTIM**

Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	77.7	4,333	1	NO
5.7	5.2	289	2	YES PAST
2.1	2.0	109	3	YES NOW
7.4	6.8	378	8	DK
	8.4	468	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 538-539

**V1366                      051E05A SM1 SCL ROB <\$50**

Item Number: 09871

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a schoolbus). During the LAST 12 MONTHS, how often . . .  
 . A: Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	58.3	3,253	1	NOT @ALL
24.9	22.9	1,276	2	ONCE
7.5	6.9	382	3	TWICE
2.7	2.4	136	4	3-4 X
1.5	1.4	79	5	5+ TIMES
	8.1	452	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 540-541

V1367	051E05B SM1 SCL ROB >\$50
-------	---------------------------

Item Number: 09872

During the LAST 12 MONTHS, how often . . . B: Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	75.3	4,200	1	NOT @ALL
13.2	12.1	673	2	ONCE
3.1	2.8	158	3	TWICE
0.9	0.9	47	4	3-4 X
0.7	0.7	38	5	5+ TIMES
	8.3	462	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 542-543

V1368	051E05C SM1 SCL DMG PRTY
-------	--------------------------

Item Number: 09873

During the LAST 12 MONTHS, how often . . . C: Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	71.1	3,963	1	NOT @ALL
14.5	13.3	742	2	ONCE
5.3	4.9	271	3	TWICE
1.7	1.6	89	4	3-4 X
1.1	1.0	57	5	5+ TIMES
	8.2	456	-9	MISSING

-----  
100.0 100.0 5,577 cases

Data type: numeric  
Missing-data code: -9  
Columns: 544-545

**V1369**                      **051E05D SM1 SCL IN U W/W**

Item Number: 09874

During the LAST 12 MONTHS, how often . . . D: Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	86.8	4,840	1	NOT @ALL
3.2	3.0	166	2	ONCE
0.9	0.9	48	3	TWICE
0.8	0.7	41	4	3-4 X
0.6	0.5	29	5	5+ TIMES
	8.1	454	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 546-547

**V1370**                      **051E05E SM1 SCL TH U W/W**

Item Number: 09875

During the LAST 12 MONTHS, how often . . . E: Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	77.4	4,316	1	NOT @ALL
9.0	8.3	463	2	ONCE
2.9	2.7	150	3	TWICE
1.4	1.3	74	4	3-4 X
2.2	2.0	112	5	5+ TIMES
	8.3	462	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 548-549

V1371	051E05F SM1 SCL IN U -WP
-------	--------------------------

Item Number: 09876

During the LAST 12 MONTHS, how often . . . F: Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	72.4	4,037	1	NOT @ALL
11.2	10.3	573	2	ONCE
4.7	4.3	240	3	TWICE
2.4	2.2	124	4	3-4 X
3.1	2.8	159	5	5+ TIMES
	8.0	444	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 550-551

V1372	051E05G SM1 SCL TH U W/I
-------	--------------------------

Item Number: 09877

During the LAST 12 MONTHS, how often . . . G: Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	68.3	3,808	1	NOT @ALL
11.5	10.5	587	2	ONCE
4.7	4.3	242	3	TWICE
3.2	3.0	165	4	3-4 X
6.1	5.6	310	5	5+ TIMES
	8.3	465	-9	MISSING

-----  
 100.0 100.0 5,577 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 552-553

**V1373**                      **051E06A SCH ACTV-PBLCTNS**

Item Number: 22170

To what extent have you participated in the following school activities during this school year? A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	79.4	4,429	1	NOT @ALL
6.7	6.1	342	2	SLIGHT
2.5	2.2	125	3	MODERATE
1.2	1.1	61	4	CONSDRBL
2.4	2.2	120	5	GRT EXT
	9.0	500	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 554-555

**V1374**                      **051E06B SCH ACTV-PRF ART**

Item Number: 22180

To what extent have you participated in the following school activities during this school year? B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	56.6	3,157	1	NOT @ALL
7.8	7.1	398	2	SLIGHT
5.7	5.2	290	3	MODERATE
5.7	5.2	291	4	CONSDRBL
18.5	16.9	941	5	GRT EXT
	9.0	501	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 556-557

V1375

051E06C SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year? C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	36.7	2,048	1	NOT @ALL
7.2	6.6	366	2	SLIGHT
7.5	6.8	382	3	MODERATE
9.1	8.3	464	4	CONSDRBL
36.0	32.9	1,834	5	GRT EXT
	8.7	484	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 558-559

V1376

051E06D SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year? D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	40.2	2,242	1	NOT @ALL
14.8	13.5	751	2	SLIGHT
13.6	12.3	688	3	MODERATE
11.2	10.2	569	4	CONSDRBL
16.2	14.8	823	5	GRT EXT
	9.0	504	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 560-561

**V1377                      051E07   LOT   CMPTN   GRADE**

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	12.9	718	1	NONE
19.9	18.2	1,015	2	A LITTLE
31.9	29.2	1,629	3	SOME
22.8	20.8	1,163	4	QUITEBIT
11.4	10.5	583	5	GRT DEAL
	8.4	470	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 562-563

**V1378                      051E08   STDTS   DSLK   CHTG**

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"  
 3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.0	223	1	LIK VMCH
2.6	2.3	131	2	LIKE IT
78.4	71.7	3,999	3	NOT CARE
9.1	8.3	462	4	DISLIKE
5.6	5.1	286	5	DLIK MCH
	8.5	476	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 564-565

V1379	051E09	ST -LK PROV TCH
-------	--------	-----------------

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"  
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	7.9	442	1	LIK VMCH
15.5	14.1	788	2	LIKE IT
50.4	45.9	2,559	3	NOT CARE
19.2	17.4	973	4	DISLIKE
6.2	5.6	315	5	DLIK MCH
	9.0	501	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 566-567

V1380	051E10	FRD NCG/TCH -LK
-------	--------	-----------------

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	33.1	1,847	1	NEVER
31.1	28.4	1,583	2	SELDOM
22.2	20.3	1,131	3	SOMTIMES
7.1	6.5	362	4	OFTEN
3.2	2.9	161	5	ALWAYS
	8.8	493	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
Missing-data code: -9  
Columns: 568-569



**V1381**                      **051E11A STS SCH RT FAMLY**

Item Number: 13580

How important is each of the following for being looked up to or having high status in your school? A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	25.5	1,420	1	NO IMPRT
20.1	18.1	1,011	2	LITL IMP
21.3	19.3	1,075	3	MOD IMPT
11.9	10.8	601	4	GRT IMPT
18.4	16.6	926	5	VGRT IMP
	9.7	544	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 570-571

**V1382**                      **051E11B STS SCH LDS STU**

Item Number: 13590

How important is each of the following for being looked up to or having high status in your school? B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	17.8	994	1	NO IMPRT
18.8	16.9	945	2	LITL IMP
28.3	25.5	1,422	3	MOD IMPT
17.2	15.5	864	4	GRT IMPT
15.8	14.2	794	5	VGRT IMP
	10.0	559	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 572-573

**V1383****051E11C STS SCH NIC CAR**

Item Number: 13600

How important is each of the following for being looked up to  
or having high status in your school? C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate  
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	19.0	1,059	1	NO IMPRT
20.5	18.4	1,028	2	LITL IMP
25.6	23.0	1,282	3	MOD IMPT
16.6	14.9	831	4	GRT IMPT
16.1	14.5	809	5	VGRT IMP
	10.2	569	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 574-575

**V1384****051E11D STS SCH HI GRDE**

Item Number: 13610

How important is each of the following for being looked up to  
or having high status in your school? D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate  
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	12.4	694	1	NO IMPRT
17.7	15.9	886	2	LITL IMP
25.3	22.7	1,268	3	MOD IMPT
19.1	17.2	957	4	GRT IMPT
24.0	21.5	1,201	5	VGRT IMP
	10.2	571	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 576-577

**V1385**                      **051E11E STS SCH GD ATHLT**

Item Number: 13620

How important is each of the following for being looked up to or having high status in your school? E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	11.7	652	1	NO IMPRT
9.0	8.0	448	2	LITL IMP
20.5	18.3	1,023	3	MOD IMPT
24.9	22.3	1,245	4	GRT IMPT
32.6	29.2	1,630	5	VGRT IMP
	10.4	579	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 578-579

**V1386**                      **051E11F STS SCH PLN CLG**

Item Number: 13640

How important is each of the following for being looked up to or having high status in your school? F: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	15.9	886	1	NO IMPRT
17.2	15.4	860	2	LITL IMP
22.6	20.3	1,132	3	MOD IMPT
15.8	14.2	791	4	GRT IMPT
26.6	23.9	1,332	5	VGRT IMP
	10.3	577	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 580-581

V1387	051E12A #HR/W COMPUTR SC
-------	--------------------------

Item Number: 29930

About how many hours a week do you spend using a computer . .  
. A: . . . doing school work?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"  
5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	13.2	736	1	NONE
28.9	26.0	1,453	2	< 1 HR
31.7	28.6	1,593	3	1-2 HRS
15.4	13.9	775	4	3-5 HRS
5.4	4.8	269	5	6-9 HRS
1.6	1.4	79	6	10-19 HRS
2.5	2.2	124	7	20 OR MORE
	9.8	548	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 582-583

V1388                      051E12B #HR/W COMPUTR JO

Item Number: 29940

About how many hours a week do you spend using a computer . .  
 . B: . . . at your job, if you have one?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"  
 5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	77.3	4,311	1	NONE
4.1	3.7	205	2	< 1 HR
2.7	2.4	132	3	1-2 HRS
2.1	1.9	104	4	3-5 HRS
1.3	1.2	66	5	6-9 HRS
1.0	0.9	50	6	10-19 HRS
1.4	1.3	71	7	20 OR MORE
	11.5	639	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 584-585

V1389	051E12C #HR/W COMPUTR OT
-------	--------------------------

Item Number: 29950

About how many hours a week do you spend using a computer . .  
. C: . . . doing other things?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"  
5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	9.6	538	1	NONE
12.6	11.3	632	2	< 1 HR
21.9	19.7	1,101	3	1-2 HRS
21.8	19.6	1,094	4	3-5 HRS
12.9	11.6	645	5	6-9 HRS
9.7	8.7	485	6	10-19 HRS
10.4	9.4	523	7	20 OR MORE
	10.0	560	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric  
Missing-data code: -9  
Columns: 586-587

V1390                      051E13A MO SH B W CHL>TM

Item Number: 10530

These next questions ask your opinions about another topic.  
 How much do you agree or disagree with each statement below?  
 A: Most mothers should spend more time with their children  
 than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree" Responses from the western region intentionally  
 obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	6.9	385	1	DISAGREE
6.7	4.8	270	2	MOST DIS
30.4	22.0	1,224	3	NEITHER
30.2	21.8	1,219	4	MOST AGR
23.2	16.8	934	5	AGREE
	27.7	1,545	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric  
 Missing-data code: -9  
 Columns: 588-589

V1391

051E13B FTHR&gt;TIME W CHLD

Item Number: 12180

How much do you agree or disagree with each statement below?

B: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree" Responses from the western region intentionally obliterated.

PCT VALID	PCT ALL	N	VALUE	LABEL
8.0	5.7	320	1	DISAGREE
5.0	3.6	201	2	MOST DIS
26.3	19.0	1,058	3	NEITHER
31.1	22.4	1,249	4	MOST AGR
29.7	21.4	1,194	5	AGREE
	27.9	1,556	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 590-591



## APPENDICES

### APPENDIX A: PUBLICATIONS

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at <http://www.monitoringthefuture.org/pubs.html>.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

**APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES**

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

Grade:	<u>Number of Public Schools</u>		<u>Number of Private Schools</u>		<u>Total Number of Schools</u>		<u>Total Number of Students</u>		<u>Student Response Rate</u>	
	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>
1991	131	107	31	14	162	121	17,844	14,996	90%	87%
1992	133	106	26	19	159	125	19,015	14,997	90	88
1993	126	111	30	17	156	128	18,820	15,516	90	86
1994	116	116	34	14	150	130	17,708	16,080	89	88
1995	118	117	34	22	152	139	17,929	17,285	89	87
1996	122	113	30	20	152	133	18,368	15,873	91	87
1997	125	113	27	18	152	131	19,066	15,778	89	86
1998	122	110	27	19	149	129	18,667	15,419	88	87
1999	120	117	30	23	150	140	17,287	13,885	87	85
2000	125	121	31	24	156	145	17,311	14,576	89	86
2001	125	117	28	20	153	137	16,756	14,286	90	88
2002	115	113	26	20	141	133	15,489	14,683	91	85
2003	117	109	24	20	141	129	17,023	16,244	89	88
2004	120	111	27	20	147	131	17,413	16,839	89	88
2005	119	107	27	20	146	127	17,258	16,711	90	88