

ICPSR 4537

**Monitoring the Future: A
Continuing Study of American
Youth (8th- and 10th-Grade
Surveys), 2005**

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Codebook for 10th-Grade Form 2 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

TABLE OF CONTENTS

INTRODUCTION.....	i
DATA COLLECTION DESCRIPTION	i
DATA COLLECTION PROCEDURES	i
SAMPLING INFORMATION	ii
CONTENT AREAS AND QUESTIONNAIRE DESIGN	iv
MEASUREMENT CONTENT AREAS	v
REPRESENTATIVENESS AND VALIDITY.....	vi
WEIGHTING INFORMATION.....	x
FILE STRUCTURE.....	x
CODEBOOK INFORMATION	xi
PROCESSING INFORMATION	xiii
CITATIONS	xvi
FREQUENCIES.....	17
APPENDICES.....	218
APPENDIX A: PUBLICATIONS	218
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES	219

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF THE LIFESTYLES AND VALUES OF YOUTH, 2005, GRADES 8 AND 10, is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is an unusually comprehensive one in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; results may be compared with those from other age groups also surveyed annually by the project; and the subject matter is very broad, encompassing altogether more than 450 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate description of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the explanation of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from eighth, tenth, and twelfth graders during the spring of each year. Procedures for the twelfth grade data collection are explained in detail elsewhere (1,2); the eighth and tenth grade samples were added in 1991 after 16 years of annual twelfth grade surveys and closely parallel those used for the high school seniors. Approximately 150 schools are sampled for the eighth grade survey, and approximately 17,000 to 19,000 students are surveyed. For the tenth graders, approximately 130 high schools are sampled, and approximately 15,000 to 17,000 students are surveyed.

A major exception to the similarities with the 12th grade surveys is that in the 8th/10th grade surveys only two different questionnaire forms were used in 1991-1996 (this expanded to four forms beginning in 1997) rather than the six used with seniors. Identical forms are used for both eighth and tenth grades, and for the most part, questionnaire content is drawn from the twelfth-grade questionnaires. Thus, key demographic variables and measures of drug use and related attitudes and beliefs are generally identical for all three grades. However, many fewer questions about lifestyles and values are included in the 8th/10th grade forms, in part because the authors believe that many of these attitudes are likely to be more fully formed by twelfth grade and, therefore, are best monitored there.

A limitation to the study design is that two segments of the entire age-cohort are missing: those who are enrolled in school, but are absent on the day of data collection ("absentees"), and those who have dropped out of school ("dropouts").

Dropout rates are relatively low for 8th and 10th graders: dropouts are probably less than 1% in 8th grade, and less than 5% by 10th grade (1). Absentees comprise 10% of eighth graders and about 12% of tenth graders in 2005. Although absentees are likely to be somewhat different from non-absentees on a variety of dimensions, adjusting for their relatively small proportions would have only very modest

effects on population estimates. See the latest annual report for a more extended discussion of this issue (1).

SAMPLING INFORMATION

The procedure for securing nationally representative samples of eighth and tenth graders in public and private schools is a multistage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more schools in each area, and Stage 3 is the selection of students within each school.

Stage 1: Geographic Areas. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

Stage 2: Schools. In the major metropolitan areas more than one school is often included in the sampling design; in most other sampling areas a single school is sampled. In all cases, the selections of schools are made such that the probability of drawing a school is proportionate to the size of its eighth or tenth grade class. The larger the class (according to recent records), the higher the selection probability assigned to the school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

Stage 3: Students. Within each selected school, up to about 350 students may be included in the data collection. In schools with fewer than 350 students, the usual procedure is to include all of them in the data collection. In larger schools, a subset of students is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1991 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one class to the next is observed, it is possible to check whether that shift may be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

School Recruiting Procedures. Early during the fall semester an initial contact is made with each sampled school. First a letter is sent to the principal describing the study and requesting permission to survey students. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek the permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

Advance Contact with Teachers and Students. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to that fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

Questionnaire Administration. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

Procedures for Protecting Confidentiality. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." From 1991 to 1998, the instructions pointed out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The

cover message explained that these are the reasons for asking that name and address be written on a special form which was removed from the questionnaire and handed in separately. The message also pointed out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

The research design originally called for mail-out follow-up surveys of samples of the eighth and tenth graders participating in the study, carried out at two-year intervals similar to the twelfth grade follow-up samples. In 1997, it was decided to discontinue follow-up surveys; consequently, the original "confidential" procedures (in which names and addresses were obtained from all respondents) were changed to anonymous procedures (in which no names or addresses were obtained). To allow an assessment of the potential effect of the different procedures, half the schools (all those participating for a second year) were assigned to the confidential procedure in 1998, and half (all those participating in their first year) to the anonymous condition. Beginning in 1999, all eighth and tenth grade surveys were anonymous. Analyses showed that this change in procedure had no effect on the reporting of sensitive information (i.e. drug use) by tenth graders, and little or no effect on eighth graders (3).

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the 8th/10th grade questionnaires also deal with a wide range of other subject areas, including educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors. These are listed below, along with their associated code letters by which all questions are organized in a cross-time index provided in the User Guide for this collection. The same code letters have been assigned to each area as were used in the twelfth grade content index. Because not all of the areas covered in twelfth grade are included in grades 8/10, some letters in the sequence are missing here.

MEASUREMENT CONTENT AREAS

A.	<i>Drugs. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.</i>
B.	<i>Education. Educational lifestyle, values, experiences, and environments. Media usage.</i>
C.	<i>Work and Leisure. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.</i>
D.	<i>Gender Roles and Family. Values, attitudes, and expectations about marriage, family structure, sex roles, and gender discrimination.</i>
E.	<i>Population Concerns. Values, attitudes, and expectations about personal family plans. Concerns about overpopulation. Educational opportunities offered concerning family planning.</i>
F.	<i>Conservation, Materialism, Equity, etc. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.</i>
G.	<i>Religion. Religious affiliation, practices, and views.</i>
I.	<i>Social Change. Values, attitudes, and expectations about social change.</i>
L.	<i>Military. Personal plans for military service. Views about the armed services and the use of military force.</i>
M.	<i>Interpersonal Relationships. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.</i>
O.	<i>Concern for Others. Radius of concern for others; voluntary and charitable activities.</i>
P.	<i>Happiness. Happiness and life satisfaction, overall and in specific life domains.</i>
Q.	<i>Other Personality Variables. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, optimism, trust in others, importance placed on various life goals.</i>
R.	<i>Background and School. Demographic and family background characteristics, curriculum and grades in school, victimization in school.</i>
S.	<i>Deviant Behavior and Victimization. Delinquent behaviors, seatbelt use, victimization experiences.</i>
T.	<i>Health habits and symptoms.</i>

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into two (1991-1996) to four (1997 on) different questionnaire forms. *In 1997, the third and fourth questionnaire forms were added to allow for new questions to be included in the survey.* The questionnaires are distributed to participants in an ordered sequence. In 1991-1996, this produced two equivalent half-samples. Beginning in 1997, four forms were used: forms 1 and 2 were distributed to a random 33.3% (1/3) of students, and forms 3 and 4 were distributed to a random 16.7% (1/6) of students. Thus, a question could be answered by 1/6, 1/3, 1/2, 2/3, 5/6, or all of the sample, depending on which forms included that question.

About one-third of each questionnaire form consists of key or “core” variables which are common to all forms. All demographic variables and some measures of drug use are included in this “core” set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of eighth and tenth grade students attending private or public schools throughout the 48 contiguous states. It is useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all eighth and tenth graders, and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully accurate. First, some sample schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

School Participation. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. (With very few exceptions, each school which has participated for one data collection has agreed to participate for a second.) When an invited school declines to participate, a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with “drug problems” refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools’ refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel confident that school refusals have not seriously biased the surveys.

Student Participation. Completed questionnaires are obtained from between 85% and 90% of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of the data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be less than one percent.

Validity of Self-Report Data. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history – as scholars of the relevant literature will recognize – though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination.

Accuracy of the Sample. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total samples of both grades have confidence intervals of 2.0% -- sometimes considerably smaller. This means that, had the project been able to invite all schools and all eighth or tenth graders in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 2.0 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project provide information which allows the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes (1).

Consistency and the Measurement of Trends. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9 to 15% percent of each year's sample -- are represented by only 700 respondents per year on any single questionnaire form. After 1996 when two more forms were added, the number of Hispanic or Black respondents available in the dataset drops to about 250. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number

of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small *N*s for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

Differential Representation. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of blacks than white remain in school through the end of the twelfth grade.¹ Therefore, a slightly different segment of the black population than of the white population resides in the target population of high school seniors. It is less clear to what extent there may be differential representation at the 8th and 10th grade levels. It may be that there is very little underrepresentation in 8th grade, because very few students drop out of school before the end of 8th grade; somewhat more, though still relatively few, may drop out by near the end of 10th grade, and that could be differential by race.

Differential Response Tendencies. In examining the full range of variables, racial differences in response tendencies among high school seniors have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among blacks than among whites. For example, blacks tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall “agreement bias” should be self-canceling when the index is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for black respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of blacks as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent’s willingness to answer particular questions. The missing data rate may be an indication of that unwillingness. If a particular question or set of questions has a missing data rate higher than is true for the prior set of questions, then

¹ The Hispanic group has considerably higher dropout rates than either whites or blacks, which means that student samples become increasingly less representative of the entire age group at higher grades.

presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate has been found for black male seniors on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for black males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of black seniors than white seniors reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

Covariance with Other Factors. Some characteristics such as race are highly confounded (correlated) with other variables – variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socioeconomic level or region of the country – that is, once we compare the black respondents with white who come from similar backgrounds – there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of blacks live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of blacks are Baptists, and blacks tend to attribute more importance to religion than do whites.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (8TH-AND 10TH-GRADE SURVEYS), 2005 is available from ICPSR as eight logical record length datasets. Each dataset consists of SAS, SPSS, and Stata data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

<i>Part #</i>	<i>Form</i>	<i>#Variables</i>	<i>Logical record length</i>	<i>Unweighted N</i>
<i>Part 1</i>	8 th Grade, Form 1	288	589	5762
<i>Part 2</i>	8 th Grade, Form 2	291	594	5738
<i>Part 3</i>	8 th Grade, Form 3	288	588	2877
<i>Part 4</i>	8 th Grade, Form 4	279	570	2881
<i>Part 5</i>	10 th Grade, Form 1	289	591	5571
<i>Part 6</i>	10 th Grade, Form 2	292	596	5574
<i>Part 7</i>	10 th Grade, Form 3	289	590	2766
<i>Part 8</i>	10 th Grade, Form 4	280	572	2800

The SAS, SPSS, and Stata data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] **V1134** [2] **991A13** **KIND OF PAID JOB**

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
-----	-----	-----		
[10]	[11]	[12]		
100.0	100.0	5,745	cases	(Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99

-
- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
 - [2] Indicates the abbreviated variable name used to identify the variable for the user.
 - [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases (Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA (This variable is labeled "SELF-REP=1/NOT=0" to be consistent with earlier versions). Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each eighth and tenth grade dataset.

Omitted Variables:

Forms 1 to 4	C01. R'S BIRTH YEAR
Forms 1 to 4	C02. R'S BIRTH MONTH
Forms 1 to 4	C05. FIRST LANGUAGE
Forms 1 to 4	C07e-h. R'S HSHLD (other than mother/father/sibling)
Forms 1 to 4	C12a. R'S RELGS PRFNC
Form 1	A12. CURRENT HEIGHT
Form 1	A13. CURRENT WEIGHT
Form 2	E03. CURRENT HEIGHT
Form 2	E04. CURRENT WEIGHT
Form 2	E07. ZIP CODE (5 DIGIT)
Form 4	E02. CURRENT HEIGHT
Form 4	E03. CURRENT WEIGHT
Form 4	E05. ZIP CODE (5 DIGIT)

The variables that have been retained but altered to insure confidentiality follow.

Forms 1-4 R'S ID - SERIAL #

5 digit code exclusive to each grade; modified to protect respondent confidentiality

Forms 1-4 Sampling Weight

Originally varied by school but modified to protect respondent confidentiality; use for all analyses, results of which will differ slightly from published data tables using original data

AGE <> 16 DICHOTOMY (10th grade only):

1=younger than 16 years old,

2=16 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 16, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 16.

C03. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK, 2=WHITE, 3=HISPANIC -9=All Other Codes and missing data or multiple responses on Q. C03

For 2005, two of the questionnaire forms, Form 1 and Form 3, have a new version of the race question. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected more than one response option, the value for the recoded variable was deleted and defined as missing.

C07a-c. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

Sibling combines responses to originally separate questions about brother and sister, then after these and the remaining "HSHLD" items were deleted, missing data on C07a, b, and new c was redetermined.

C22. EVER HELD BACK

Dichotomized to 0=NO, 1=YES, -9=missing

C23. NEED SUMMER SCHL

Dichotomized to 0=NO, 1=YES, -9=missing

C24. EVER SUSPENDED

Dichotomized to 0=NO, 1=YES, -9=missing

Beginning in 1997, a select group of questions were excluded from some schools in the Western region, rendering those schools potentially identifiable. Thus, these variables were intentionally changed to missing data (coded -9) from all schools in the Western region of the contiguous United States:

Item Reference Number	Question Name	2005 Form 1 Q#	2005 Form 2 Q#	2005 Form 3 Q#	2005 Form 4 Q#
07970	MN=ACHV/WMN=HOME	1A19C	2A15C	x	x
07990	WK MO AS WRM REL	1A19D	2A15D	x	x
00370	R'ATTND REL SVC	1C12B	2C12B	3C12B	4C12B
00380	RLGN IMP R'S LF	1C13	2C13	3C13	4C13
25180	#X PRNT CHK HMWK	1C28A	2C28A	x	x
25190	#X PRNT HLP HMWK	1C28B	2C28B	x	x
25200	#X PRNT GV CHORE	1C28C	2C28C	x	x
25210	#X PRNT LIMIT TV	1C28D	2C28D	x	x
25225	#X PRNT ALW OUT	1C28E	2C28E	x	x
25860	TALK PROB W/PRNT	1C29	2C29	3C29	4C29
25870	TALK PROB W/ADLT	1C30	2C30	3C30	4C30
10530	MO SH B W CHL>TM	1E13A	x	3E08A	x
12180	FTHR>TIME W CHLD	1E13B	x	3E08B	x
30760	PRN KNW AFT SCHL	x	x	3C28A	4C28A
30770	PRN KNW WHO@NITE	x	x	3C28B	4C28B
30780	PRN KNW WHER@NGT	x	x	3C28C	4C28C
30790	R'S WKND CURFEW	x	x	3C28D	4C28D

An x in a column indicates that the question was not included in the questionnaire form to which the column refers.

CITATIONS

- ¹National survey results on drug use from the Monitoring the Future study, 1975-2004, Volume I: Secondary school students (2005). (NIH Pub. No. 05-5727). Vol II: College students and adults ages 19-45 (2005). (NIH Pub. No. 05-5728). L.D. Johnston, P.M. O'Malley, J.G. Bachman, and J.E. Schulenberg, 545 pp. and 267 pp. respectively.
- ²The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- ³O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J.E. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30, 35-54.

FREQUENCIES

10TH GRADE, FORM 2

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

5,577 cases (Range of valid codes: 1-5574)

Data type: numeric
Columns: 1-4

V1	052 YEAR OF ADMINISTRATION
-----------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	5,577	2005	
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Columns: 5-8

V3	052 FORM ID
-----------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	5,577	2	
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Columns: 9-10

V4	052 R'S ID - SERIAL #
-----------	------------------------------

5,577 cases (Range of valid codes: 25572-31145)

Data type: numeric
Columns: 11-15

V5	052 SAMPLING WEIGHT
-----------	----------------------------

5,577 cases (Range of valid codes: 0.1437-4.7879)

Data type: numeric
Decimals: 4
Columns: 16-21

V507	052 SCHOOL REGION
-------------	--------------------------

Item Number:

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	21.8	1,218	1	NE
26.9	26.9	1,500	2	NC
31.3	31.3	1,744	3	S
20.0	20.0	1,115	4	W
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Columns: 22-23

V508	052 SELF-REP=1/NOT=0
-------------	-----------------------------

Item Number:

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

0=Not Self-Representing MSA 1=Self-Representing MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	69.3	3,862	0	NOT
30.7	30.7	1,715	1	SELFREP
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Columns: 24-25

V509**052 SMSA=1/NON-SMSA=0**

Item Number:

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.)

0=Not MSA 1=MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.5	1,255	0	NON
77.5	77.5	4,322	1	SMSA
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Columns: 26-27

V2101**052A01 WHAT GRADE LEVEL**

Item Number: 24770

What is your grade level in school?

1="7th Grade" 2="8th grade" 3="9th grade" 4="10th grade"
5="11th grade" 6="12th grade"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	7TH
0.0	0.0	0	2	8TH
0.0	0.0	0	3	9TH
100.0	99.3	5,535	4	10TH
0.0	0.0	0	5	11TH
0.0	0.0	0	6	12TH
	0.7	41	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 28-29

V2102 052A02 VRY HPY THS DAY

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	14.9	833	1	NT HAPPY
65.2	64.6	3,601	2	PRTY HPY
19.8	19.6	1,092	3	VRY HPY
	0.9	49	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 30-31

V2103 052A03A DALY GO TO MOVIE

Item Number: 05830

The next questions ask about the kinds of things you might do. How often do you do each of the following? A: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	107	1	NEVER
33.6	33.5	1,866	2	FEW /YR
53.6	53.3	2,974	3	1-2 /MO
10.2	10.2	568	4	1 /WK
0.6	0.6	34	5	NR DAILY
	0.5	27	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 32-33

V2104	052A03B DALY ROCK CONCRT
-------	--------------------------

Item Number: 05845

How often do you do each of the following? B: Go to rock concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	64.5	3,600	1	NEVER
29.2	29.0	1,620	2	FEW /YR
4.2	4.2	235	3	1-2 /MO
1.1	1.1	59	4	1 /WK
0.5	0.5	27	5	NR DAILY
	0.7	36	-9	MISSING

-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 34-35

V2105	052A03C DALY RIDE FORFUN
-------	--------------------------

Item Number: 05850

How often do you do each of the following? C: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	14.1	785	1	NEVER
10.7	10.7	595	2	FEW /YR
14.4	14.3	799	3	1-2 /MO
28.0	27.8	1,549	4	1 /WK
32.7	32.4	1,809	5	NR DAILY
	0.7	39	-9	MISSING

-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 36-37

V2106 **052A03D DALY CMNTY AFFRS**

Item Number: 05860

How often do you do each of the following? D: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	30.2	1,684	1	NEVER
41.5	41.2	2,296	2	FEW /YR
18.5	18.3	1,022	3	1-2 /MO
7.7	7.6	425	4	1 /WK
1.9	1.9	104	5	NR DAILY
	0.8	45	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 38-39

V2107 **052A03E DALY ACTV SPORTS**

Item Number: 05890

How often do you do each of the following? E: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.3	520	1	NEVER
10.7	10.7	594	2	FEW /YR
9.1	9.0	503	3	1-2 /MO
19.8	19.6	1,095	4	1 /WK
51.0	50.7	2,826	5	NR DAILY
	0.7	37	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 40-41

V2108	052A03F DALY VIS FRDS FR
-------	--------------------------

Item Number: 05920

How often do you do each of the following? F: Get together with friends informally (in your free time)

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	94	1	NEVER
3.6	3.5	197	2	FEW /YR
12.3	12.2	681	3	1-2 /MO
38.0	37.7	2,104	4	1 /WK
44.4	44.0	2,455	5	NR DAILY
	0.8	44	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 42-43

V2109	052A03G DALY GO TO MALL
-------	-------------------------

Item Number: 05930

How often do you do each of the following? G: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	184	1	NEVER
20.8	20.7	1,152	2	FEW /YR
50.8	50.3	2,806	3	1-2 /MO
22.4	22.2	1,236	4	1 /WK
2.7	2.6	147	5	NR DAILY
	0.9	52	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 44-45

V2110 **052A03H DALY ALONE LS/FR**

Item Number: 05940

How often do you do each of the following? H: Spend at least an hour of leisure time (free time) alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	237	1	NEVER
6.1	6.1	340	2	FEW /YR
10.1	10.1	562	3	1-2 /MO
28.2	28.0	1,560	4	1 /WK
51.2	50.8	2,835	5	NR DAILY
	0.8	44	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 46-47

V2111 **052A03I DALY READ MAGZNS**

Item Number: 23070

How often do you do each of the following? I: Read magazines

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.2	514	1	NEVER
14.2	14.1	786	2	FEW /YR
33.5	33.3	1,859	3	1-2 /MO
31.7	31.5	1,757	4	1 /WK
11.3	11.2	627	5	NR DAILY
	0.6	34	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 48-49

V2112	052A03J DALY READ NWSPPR
--------------	---------------------------------

Item Number: 23080

How often do you do each of the following? J: Read newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	16.3	908	1	NEVER
20.5	20.3	1,132	2	FEW /YR
23.7	23.6	1,314	3	1-2 /MO
24.9	24.7	1,379	4	1 /WK
14.5	14.4	801	5	NR DAILY
	0.8	44	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 50-51

V2113	052A03K DALY GO TO PARTY
--------------	---------------------------------

Item Number: 05970

How often do you do each of the following? K: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.1	341	1	NEVER
21.9	21.8	1,216	2	FEW /YR
37.0	36.8	2,050	3	1-2 /MO
30.5	30.3	1,690	4	1 /WK
4.5	4.4	247	5	NR DAILY
	0.6	33	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 52-53

V2114 **052A03L DALY GO VID ARC**

Item Number: 29620

How often do you do each of the following? L: Go to video arcades

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	50.4	2,812	1	NEVER
33.5	33.3	1,859	2	FEW /YR
11.6	11.5	643	3	1-2 /MO
3.1	3.0	170	4	1 /WK
1.2	1.2	66	5	NR DAILY
	0.5	27	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 54-55

V2115 **052A04A #XUSE RADIO4NEWS**

Item Number: 24780

How often do you use each of the following to get information about news and current events? A: Radio

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	10.0	558	1	NEVER
8.3	8.2	457	2	FEW /YR
10.4	10.3	574	3	1-2 /MO
18.3	18.1	1,008	4	1 /WK
52.9	52.4	2,920	5	NR DAILY
	1.1	59	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 56-57

V2116	052A04B #XUSE TV 4 NEWS
-------	-------------------------

Item Number: 24790

How often do you use each of the following to get information about news and current events? B: TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	123	1	NEVER
2.5	2.4	137	2	FEW /YR
5.6	5.6	311	3	1-2 /MO
20.0	19.9	1,108	4	1 /WK
69.6	69.1	3,851	5	NR DAILY
	0.8	47	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 58-59

V2117	052A04C #X USE PPR 4NEWS
-------	--------------------------

Item Number: 24800

How often do you use each of the following to get information about news and current events? C: Newspaper

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.6	867	1	NEVER
18.0	17.7	988	2	FEW /YR
23.3	23.0	1,284	3	1-2 /MO
27.0	26.7	1,488	4	1 /WK
15.9	15.7	875	5	NR DAILY
	1.3	75	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 60-61

V2118 052A04D #X USE MAG 4NEWS

Item Number: 24810

How often do you use each of the following to get information about news and current events? D: Magazines

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.4	916	1	NEVER
17.4	17.2	959	2	FEW /YR
31.6	31.2	1,742	3	1-2 /MO
25.3	25.0	1,392	4	1 /WK
9.0	8.9	495	5	NR DAILY
	1.3	73	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 62-63

V2119 052A04E #X INTERNET NEWS

Item Number: 24815

How often do you use each of the following to get information about news and current events? E: The Internet

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	373	1	NEVER
6.5	6.5	362	2	FEW /YR
14.0	13.8	771	3	1-2 /MO
26.4	26.1	1,458	4	1 /WK
46.3	45.9	2,558	5	NR DAILY
	1.0	55	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 64-65

V2120	052A05	# HRS RADIO/DAY
-------	--------	-----------------

Item Number: 24820

How many hours do you estimate you spend listening to the radio on an average DAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	293	1	NONE
26.2	26.0	1,448	2	1/2 HOUR
23.8	23.5	1,312	3	ONE HOUR
16.9	16.8	936	4	2 HOURS
11.1	11.0	615	5	3 HOURS
6.0	5.9	330	6	4 HOURS
10.7	10.6	588	7	5+ HRS
	1.0	53	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 66-67

V2121	052A06	#HRS TV/DAY/5+
-------	--------	----------------

Item Number: 10550

How much TV do you estimate you watch on an average WEEKDAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	224	1	NONE
11.3	11.2	625	2	1/2 HOUR
19.1	19.0	1,059	3	ONE HOUR
23.4	23.2	1,292	4	2 HOURS
17.5	17.4	968	5	3 HOURS
10.3	10.2	570	6	4 HOURS
14.3	14.2	793	7	5+ HRS
	0.8	45	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 68-69

V2122	052A07	# HRS TV/WKEND
-------	--------	----------------

Item Number: 24830

How much TV do you estimate you watch on an average WEEKEND
(both Saturday and Sunday combined)?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours"
5="5-6 hours" 6="7-8 hours" 7="9 hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	172	1	NONE
8.1	8.0	448	2	< 1 HR
17.9	17.8	991	3	1-2 HRS
26.3	26.0	1,452	4	3-4 HRS
20.6	20.4	1,137	5	5-6 HRS
9.9	9.8	547	6	7-8 HRS
14.1	14.0	780	7	9+ HRS
	0.9	50	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 70-71

V2123	052A08A	LSTYR/ENJOY SCHL
-------	---------	------------------

Item Number: 23090

Now thinking back over the past year in school, how often did
you. . . A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.2	343	1	NEVER
16.4	16.3	908	2	SELDOM
41.2	40.9	2,281	3	SOMETIME
26.4	26.1	1,458	4	OFTEN
9.8	9.7	540	5	ALWAYS
	0.8	46	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 72-73

V2124 **052A08B** **LSTYR/HATE SCHL**

Item Number: 23100

Now thinking back over the past year in school, how often did you. . . B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.6	368	1	NEVER
24.1	23.9	1,332	2	SELDOM
34.7	34.4	1,917	3	SOMETIME
23.3	23.1	1,291	4	OFTEN
11.3	11.2	623	5	ALWAYS
	0.8	46	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 74-75

V2125 **052A08C** **LSTYR/DO BEST WK**

Item Number: 23110

Now thinking back over the past year in school, how often did you. . . C: Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	60	1	NEVER
5.8	5.8	321	2	SELDOM
21.5	21.3	1,187	3	SOMETIME
33.3	33.0	1,840	4	OFTEN
38.3	38.0	2,117	5	ALWAYS
	0.9	52	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 76-77

V2126	052A08D LSTYR/SCH 2 HARD
--------------	---------------------------------

Item Number: 23120

Now thinking back over the past year in school, how often did you. . . D: Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	10.0	556	1	NEVER
34.6	34.3	1,911	2	SELDOM
38.3	37.9	2,113	3	SOMETIME
12.8	12.7	707	4	OFTEN
4.2	4.2	234	5	ALWAYS
	1.0	55	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 78-79

V2127	052A08E LSTYR/WK INTRSTG
--------------	---------------------------------

Item Number: 24840

Now thinking back over the past year in school, how often did you. . . E: Find your school work interesting?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.5	585	1	NEVER
27.2	26.9	1,500	2	SELDOM
41.5	41.0	2,285	3	SOMETIME
17.5	17.3	966	4	OFTEN
3.2	3.2	176	5	ALWAYS
	1.2	66	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 80-81

V2128 **052A08F** **LSTYR/WK NT DONE**

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	20.8	1,162	1	NEVER
34.9	34.6	1,929	2	SELDOM
28.3	28.1	1,564	3	SOMETIME
12.1	12.0	671	4	OFTEN
3.6	3.6	201	5	ALWAYS
	0.9	50	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 82-83

V2129 **052A08G** **LSTYR/U MISBEHAV**

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .G: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	66.2	3,692	1	NEVER
20.5	20.3	1,132	2	SELDOM
7.7	7.6	426	3	SOMETIME
3.6	3.6	199	4	OFTEN
1.5	1.5	82	5	ALWAYS
	0.8	45	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 84-85

V2130	052A09	HRS/WK PAID JOB
-------	--------	-----------------

Item Number: 25150

On the average over the school year, how many hours per week do you work in a paid job?

1="None" 2="5 or less hours per week" 3="6 to 10 hours per week" 4="11 to 15 hours per week" 5="16 to 20 hours per week" 6="21 to 25 hours per week" 7="26 to 30 hours per week" 8="More than 30 hours per week"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.8	66.2	3,692	1	NONE
10.5	10.4	580	2	5 OR <
7.0	6.9	386	3	6-10 HRS
5.2	5.2	289	4	11-15 HR
4.6	4.5	252	5	16-20 HR
2.7	2.6	147	6	21-25 HR
1.8	1.8	99	7	26-30 HR
1.4	1.4	79	8	30+ HRS
	0.9	53	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 86-87

V2131 052A10 # HRS PREF WORK

Item Number: 25800

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours per week" 3="6 - 10" 4="11 - 15"
 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="More than 30 hours per week" 9="Don't know, can't say"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	5.0	278	1	NONE
9.2	9.1	507	2	5 OR <
18.9	18.7	1,041	3	6-10
14.7	14.5	809	4	11-15
16.7	16.5	919	5	16-20
8.8	8.7	485	6	21-25
6.5	6.5	360	7	26-30
6.2	6.1	339	8	31+
14.0	13.8	770	9	DK
	1.2	69	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 88-89

V2132	052A11	PRT #HR	PREF	WRK
-------	--------	---------	------	-----

Item Number: 25810

How many hours per week do you think your PARENTS would prefer that you work in a paid job during the school year?

1="None" 2="5 or less hours per week" 3="6 - 10" 4="11 - 15"
5="16 - 20" 6="21 - 25" 7="26 - 30" 8="More than 30 hours
per week" 9="Don't know, can't say"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.7	598	1	NONE
12.2	12.1	675	2	5 OR <
16.2	16.0	891	3	6-10
13.1	13.0	725	4	11-15
12.5	12.3	688	5	16-20
5.9	5.9	328	6	21-25
3.6	3.5	196	7	26-30
5.1	5.0	281	8	31+
20.6	20.4	1,135	9	DK
	1.1	59	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 90-91

V2133	052A12A R\$/AVG WEEK JOB
-------	--------------------------

Item Number: 00600

During an average week, how much money did you get from. . .

A: A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	50.8	2,833	1	NONE
2.5	2.4	136	2	\$1-5
4.1	3.9	219	3	\$6-10
7.8	7.5	418	4	\$11-20
6.2	5.9	330	5	\$21-35
5.9	5.7	316	6	\$36-50
6.1	5.9	328	7	\$51-75
8.1	7.7	431	8	\$76-125
6.3	6.0	335	9	\$126+
	4.2	232	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 92-93

V2134	052A12B	R\$/AVG WEEK	OTH
-------	---------	--------------	-----

Item Number: 00610

During an average week, how much money did you get from. . .
 B: Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.0	1,229	1	NONE
10.5	10.3	573	2	\$1-5
14.9	14.6	816	3	\$6-10
24.0	23.5	1,313	4	\$11-20
13.1	12.9	718	5	\$21-35
6.8	6.7	372	6	\$36-50
3.5	3.5	193	7	\$51-75
2.1	2.1	115	8	\$76-125
2.4	2.4	133	9	\$126+
	2.1	114	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 94-95

V2135	052A13	KIND OF PAID JOB
-------	--------	------------------

Item Number: 25160

Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

01="Have not worked for pay" 02="Lawn or yard work" 03="Fast food worker" 04="Waiter or waitress" 05="Other restaurant worker" 06="Newspaper route" 07="Babysitting or childcare" 08="Farm or agricultural work" 09="Store clerk or salesperson" 10="Office or clerical" 11="Odd jobs" 12="Other"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	19.3	1,075	1	NO WORK
12.3	11.6	647	2	LAWN WK
4.6	4.4	243	3	FASTFOOD
2.7	2.6	144	4	WAITER
4.1	3.9	216	5	OTH REST
0.5	0.5	26	6	PAPER RT
21.4	20.2	1,129	7	BABYSIT
3.9	3.7	206	8	FARM WK
5.0	4.7	262	9	SALES WK
2.6	2.4	135	10	OFFICE
3.9	3.7	205	11	ODD JOBS
18.8	17.8	993	12	OTHER
	5.3	297	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 96-98

V2136

052A14A #X TCHR INTRUPT

Item Number: 25730

During an average school week, about how many times . . . A:
Do your teachers interrupt the class to deal with student
misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.5	251	1	NEVER
16.6	16.4	913	2	< 1/WK
21.7	21.4	1,193	3	1-2X/WK
23.1	22.7	1,268	4	3-5X/WK
14.1	13.9	777	5	6-9X/WK
9.0	8.9	495	6	10-19X/W
10.9	10.7	597	7	20+
	1.5	82	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 99-100

V2137 052A14B #X MISBHVR INT U

Item Number: 25740

During an average school week, about how many times . . . B:
 Does misbehavior or goofing off by other students in your
 class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
 5 times a week" 5="6-9 times a week" 6="10-19 times a week"
 7="20 or more"

PCT VALID	PCT ALL	N	VALUE	LABEL
32.1	31.5	1,756	1	NEVER
23.2	22.8	1,269	2	< 1/WK
15.8	15.5	862	3	1-2X/WK
12.8	12.6	702	4	3-5X/WK
6.7	6.6	369	5	6-9X/WK
3.7	3.6	203	6	10-19X/W
5.6	5.5	305	7	20+
	2.0	110	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 101-102

V2138	052A14C #X U UNEXCSD LAT
-------	--------------------------

Item Number: 25750

During an average school week, about how many times . . . C:
Do you come to class late (after class has begun) without an
approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	48.6	2,711	1	NEVER
28.4	27.9	1,554	2	< 1/WK
11.3	11.1	617	3	1-2X/WK
6.3	6.1	342	4	3-5X/WK
2.0	1.9	108	5	6-9X/WK
0.8	0.8	46	6	10-19X/W
1.7	1.7	94	7	20+
	1.9	105	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 103-104

V2139 **052A15A** **MEN&WOMN/= \$, =WRK**

Item Number: 07930

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below? A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	174	1	DISAGREE
1.8	1.8	98	2	MOST DIS
3.0	3.0	167	3	NEITHER
11.8	11.6	645	4	MOST AGR
80.2	78.9	4,402	5	AGREE
	1.6	91	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 105-106

V2140 **052A15B** **WMN SHD =JOB OPP**

Item Number: 07950

How much do you agree or disagree with each statement below? B: A woman should have the same job opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	232	1	DISAGREE
3.3	3.2	179	2	MOST DIS
3.5	3.4	192	3	NEITHER
17.9	17.6	981	4	MOST AGR
71.1	70.0	3,905	5	AGREE
	1.6	88	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 107-108

V2141	052A15C	MN=ACHV/WMN=HOME
-------	---------	------------------

Item Number: 07970

How much do you agree or disagree with each statement below?
 C: It is usually better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	25.6	1,425	1	DISAGREE
16.5	12.9	722	2	MOST DIS
21.6	16.9	945	3	NEITHER
17.4	13.6	761	4	MOST AGR
11.9	9.3	518	5	AGREE
	21.6	1,206	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 109-110

V2142	052A15D WK MO AS WRM REL
-------	--------------------------

Item Number: 07990

How much do you agree or disagree with each statement below?
 D: A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	6.7	371	1	DISAGREE
11.2	8.8	490	2	MOST DIS
12.5	9.8	547	3	NEITHER
26.7	20.9	1,167	4	MOST AGR
41.1	32.2	1,795	5	AGREE
	21.6	1,206	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 111-112

V2143

052A16A RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	237	1	NO RISK
4.0	3.9	218	2	SLIGHT
18.7	18.5	1,032	3	MOD RISK
70.7	69.8	3,895	4	GRT RISK
2.3	2.3	128	8	CANT SAY
	1.2	66	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 113-114

V2144	052A16B	RSK	SMKLESS	REG
-------	---------	-----	---------	-----

Item Number: 12365

How much do you think people risk harming themselves (physically or in other ways), if they. . . B: Use smokeless tobacco regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	310	1	NO RISK
10.2	10.1	562	2	SLIGHT
33.6	33.1	1,846	3	MOD RISK
44.5	43.9	2,448	4	GRT RISK
6.0	5.9	329	8	CANT SAY
	1.5	81	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 115-116

V2145	052A16C	RSK	OF MJ	1-2 X
-------	---------	-----	-------	-------

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . . C: Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	23.3	1,301	1	NO RISK
35.4	35.0	1,949	2	SLIGHT
19.3	19.0	1,061	3	MOD RISK
18.5	18.2	1,017	4	GRT RISK
3.3	3.3	181	8	CANT SAY
	1.2	67	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 117-118

V2146	052A16D	RSK OF MJ OCSNLY
-------	---------	------------------

Item Number: 12380

How much do you think people risk harming themselves (physically or in other ways), if they . . . D: Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.9	610	1	NO RISK
20.1	19.9	1,108	2	SLIGHT
33.2	32.8	1,829	3	MOD RISK
32.3	31.9	1,776	4	GRT RISK
3.3	3.2	180	8	CANT SAY
	1.3	74	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 119-120

V2147	052A16E	RSK OF MJ REGLY
-------	---------	-----------------

Item Number: 12390

How much do you think people risk harming themselves (physically or in other ways), if they . . . E: Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.6	422	1	NO RISK
7.4	7.3	408	2	SLIGHT
17.6	17.4	968	3	MOD RISK
63.9	63.0	3,513	4	GRT RISK
3.4	3.4	189	8	CANT SAY
	1.4	78	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 121-122

V2148 **052A16F** **RSK COK PWDR 1-2**

Item Number: 12501

How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	382	1	NO RISK
15.4	15.2	847	2	SLIGHT
26.4	26.0	1,453	3	MOD RISK
45.3	44.7	2,492	4	GRT RISK
5.9	5.8	326	8	CANT SAY
	1.4	77	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 123-124

V2149 **052A16G** **RSK COK PWDR OCC**

Item Number: 12502

How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	279	1	NO RISK
3.5	3.4	191	2	SLIGHT
17.8	17.5	974	3	MOD RISK
67.8	66.7	3,721	4	GRT RISK
5.9	5.8	323	8	CANT SAY
	1.6	88	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 125-126

V2150	052A16H	RSK CRACK 1-2X
-------	---------	----------------

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . . H: Try "crack"
cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	334	1	NO RISK
12.2	12.1	673	2	SLIGHT
25.2	24.8	1,385	3	MOD RISK
50.0	49.3	2,751	4	GRT RISK
6.6	6.5	361	8	CANT SAY
	1.3	72	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 127-128

V2151	052A16I	RSK CRACK OCC
-------	---------	---------------

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they. . . I: Take "crack"
cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	270	1	NO RISK
2.6	2.6	143	2	SLIGHT
12.7	12.4	693	3	MOD RISK
73.3	71.8	4,003	4	GRT RISK
6.5	6.4	355	8	CANT SAY
	2.0	113	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 129-130

V2152 052A16J RSK OF 1-2 DRINK

Item Number: 12510

How much do you think people risk harming themselves (physically or in other ways), if they . . . J: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
36.1	35.6	1,987	1	NO RISK
39.7	39.2	2,185	2	SLIGHT
14.2	14.0	782	3	MOD RISK
8.3	8.2	457	4	GRT RISK
1.7	1.6	92	8	CANT SAY
	1.3	74	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 131-132

V2153 052A16K RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves (physically or in other ways), if they . . . K: Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
10.4	10.2	570	1	NO RISK
22.7	22.3	1,244	2	SLIGHT
35.4	34.8	1,939	3	MOD RISK
29.7	29.2	1,628	4	GRT RISK
1.8	1.8	98	8	CANT SAY
	1.7	97	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 133-134

V2154	052A16L	RSK OF 5+DR/WKND
-------	---------	------------------

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they. . . L: Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.8	435	1	NO RISK
13.3	13.1	730	2	SLIGHT
26.8	26.5	1,475	3	MOD RISK
50.1	49.3	2,751	4	GRT RISK
1.9	1.9	106	8	CANT SAY
	1.4	79	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 135-136

V2155	052A16M	RSK INHALANT 1-2
-------	---------	------------------

Item Number: 25000

How much do you think people risk harming themselves (physically or in other ways), if they. . . M: Sniff glue, gases, or sprays once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.8	492	1	NO RISK
19.7	19.4	1,081	2	SLIGHT
25.8	25.4	1,415	3	MOD RISK
40.1	39.5	2,203	4	GRT RISK
5.4	5.3	295	8	CANT SAY
	1.6	89	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 137-138

V2156 052A16N RSK INHALANT REG

Item Number: 25010

How much do you think people risk harming themselves (physically or in other ways), if they. . . N: Sniff glue, gases, or sprays regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	287	1	NO RISK
4.0	3.9	218	2	SLIGHT
14.9	14.7	818	3	MOD RISK
70.4	69.1	3,853	4	GRT RISK
5.4	5.3	298	8	CANT SAY
	1.9	103	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 139-140

V2157 052A16O RSK OF LSD 1-2X

Item Number: 12400

How much do you think people risk harming themselves (physically or in other ways), if they. . . O: Take LSD once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.8	323	1	NO RISK
8.7	8.5	476	2	SLIGHT
19.1	18.9	1,052	3	MOD RISK
40.3	39.7	2,212	4	GRT RISK
26.0	25.6	1,430	8	CANT SAY
	1.5	85	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 141-142

V2158	052A16P	RSK OF LSD REGLY
-------	---------	------------------

Item Number: 12410

How much do you think people risk harming themselves (physically or in other ways), if they. . . P: Take LSD regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	267	1	NO RISK
1.3	1.3	71	2	SLIGHT
6.7	6.6	368	3	MOD RISK
61.1	60.1	3,350	4	GRT RISK
26.1	25.6	1,429	8	CANT SAY
	1.6	91	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 143-144

V2159	052A16Q	RSK MDMA 1-2X
-------	---------	---------------

Item Number: 23040

How much do you think people risk harming themselves (physically or in other ways) if they . . . Q: Take MDMA ("ecstasy") once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	349	1	NO RISK
10.2	10.0	558	2	SLIGHT
22.2	21.8	1,217	3	MOD RISK
51.3	50.5	2,816	4	GRT RISK
10.0	9.8	547	8	CANT SAY
	1.6	89	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 145-146

V2160 052A16R RSK MDMA OCC

Item Number: 23045

How much do you think people risk harming themselves (physically or in other ways) if they . . . R. Take MDMA ("ecstasy") occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	272	1	NO RISK
2.2	2.2	122	2	SLIGHT
9.9	9.8	544	3	MOD RISK
72.9	71.8	4,004	4	GRT RISK
10.0	9.9	552	8	CANT SAY
	1.5	83	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 147-148

V2161 052A17A DISAP 1+PK CIGS

Item Number: 24850

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	14.7	822	1	DONT DIS
33.6	33.0	1,841	2	DISAPPRV
49.7	48.9	2,726	3	STRG DIS
1.7	1.6	92	8	CANT SAY
	1.7	96	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 149-150

V2162	052A17B DISAP SMOKELESS
--------------	--------------------------------

Item Number: 24860

Do YOU disapprove of people doing each of the following? B:
Using smokeless tobacco regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.3	909	1	DONT DIS
36.3	35.6	1,984	2	DISAPPRV
43.4	42.5	2,369	3	STRG DIS
3.6	3.5	198	8	CANT SAY
	2.1	117	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 151-152

V2163	052A17C DISAP MJ 1-2 X
--------------	-------------------------------

Item Number: 24870

Do YOU disapprove of people doing each of the following? C:
Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	36.3	2,025	1	DONT DIS
29.0	28.5	1,587	2	DISAPPRV
32.3	31.7	1,767	3	STRG DIS
1.8	1.7	96	8	CANT SAY
	1.8	101	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 153-154

V2164	052A17D DISAP MJ OCCAS
--------------	-------------------------------

Item Number: 24880

Do YOU disapprove of people doing each of the following? D:
Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	25.0	1,396	1	DONT DIS
27.9	27.3	1,525	2	DISAPPRV
44.6	43.8	2,442	3	STRG DIS
1.9	1.9	106	8	CANT SAY
	1.9	108	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 155-156

V2165	052A17E DISAP MJ REG
--------------	-----------------------------

Item Number: 24890

Do YOU disapprove of people doing each of the following? E:
Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	16.1	899	1	DONT DIS
23.8	23.3	1,297	2	DISAPPRV
57.8	56.5	3,152	3	STRG DIS
2.0	1.9	108	8	CANT SAY
	2.1	120	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 157-158

V2166	052A17F DISAP COKP 1-2 X
--------------	---------------------------------

Item Number: 24900

Do YOU disapprove of people doing each of the following? F:
Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.1	561	1	DONT DIS
26.7	26.2	1,460	2	DISAPPRV
60.2	59.0	3,291	3	STRG DIS
2.9	2.8	158	8	CANT SAY
	1.9	106	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 159-160

V2167	052A17G DISAP COKP OCCAS
--------------	---------------------------------

Item Number: 24910

Do YOU disapprove of people doing each of the following? G:
Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	307	1	DONT DIS
18.5	18.2	1,013	2	DISAPPRV
73.0	71.6	3,993	3	STRG DIS
2.9	2.8	157	8	CANT SAY
	1.9	107	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 161-162

V2168 **052A17H** **DISAP CRK 1-2 X**

Item Number: 24920

Do YOU disapprove of people doing each of the following? H:
Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	7.8	436	1	DONT DIS
23.3	22.8	1,274	2	DISAPPRV
65.6	64.4	3,589	3	STRG DIS
3.2	3.2	176	8	CANT SAY
	1.8	102	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 163-164

V2169 **052A17I** **DISAP CRK OCCAS**

Item Number: 24930

Do YOU disapprove of people doing each of the following? I:
Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	262	1	DONT DIS
16.4	16.0	893	2	DISAPPRV
75.6	73.9	4,121	3	STRG DIS
3.3	3.2	178	8	CANT SAY
	2.2	122	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 165-166

V2170	052A17J DISAP ALC 1-2 X
-------	-------------------------

Item Number: 24940

Do YOU disapprove of people doing each of the following? J:
Trying one or two drinks of an alcoholic beverage (beer,
wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	60.3	3,364	1	DONT DIS
22.0	21.5	1,202	2	DISAPPRV
15.1	14.8	828	3	STRG DIS
1.3	1.3	73	8	CANT SAY
	2.0	110	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 167-168

V2171	052A17K DISAP ALC EVRYDA
-------	--------------------------

Item Number: 24950

Do YOU disapprove of people doing each of the following? K:
Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	23.9	1,332	1	DONT DIS
40.1	39.3	2,190	2	DISAPPRV
34.0	33.4	1,860	3	STRG DIS
1.5	1.5	84	8	CANT SAY
	2.0	110	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 169-170

V2172 **052A17L DISAP 5+ALC WKND**

Item Number: 24960

Do YOU disapprove of people doing each of the following? L:
 Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
 8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	22.7	1,267	1	DONT DIS
26.2	25.6	1,430	2	DISAPPRV
49.3	48.3	2,692	3	STRG DIS
1.4	1.4	77	8	CANT SAY
	2.0	111	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 171-172

V2173 **052A17M DISAP INHAL 1-2X**

Item Number: 24970

Do YOU disapprove of people doing each of the following? M:
 Sniffing glue, gases, or sprays once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
 8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.0	559	1	DONT DIS
29.9	29.4	1,637	2	DISAPPRV
56.6	55.5	3,094	3	STRG DIS
3.3	3.2	179	8	CANT SAY
	1.9	108	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 173-174

V2174	052A17N DISAP INHAL REG
-------	-------------------------

Item Number: 24980

Do YOU disapprove of people doing each of the following? N:
Sniffing glue, gases, or sprays regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	301	1	DONT DIS
20.7	20.3	1,132	2	DISAPPRV
70.6	69.1	3,856	3	STRG DIS
3.2	3.1	174	8	CANT SAY
	2.0	113	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 175-176

V2175	052A17O DISAP LSD 1-2TM
-------	-------------------------

Item Number: 24981

Do YOU disapprove of people doing each of the following? O:
Taking LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.9	441	1	DONT DIS
18.9	18.6	1,036	2	DISAPPRV
53.0	52.0	2,900	3	STRG DIS
20.0	19.6	1,092	8	CANT SAY
	1.9	108	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 177-178

V2176 052A17P DISAP LSD REGULY

Item Number: 24982

Do YOU disapprove of people doing each of the following? P:
Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	260	1	DONT DIS
13.3	13.0	724	2	DISAPPRV
61.9	60.5	3,376	3	STRG DIS
20.1	19.6	1,095	8	CANT SAY
	2.2	121	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 179-180

V2177 052A17Q DISAP MDMA 1-2X

Item Number: 29960

Do YOU disapprove of people doing each of the following? Q:
Taking MDMA ("ecstasy") once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.7	538	1	DONT DIS
20.4	20.0	1,115	2	DISAPPRV
62.7	61.4	3,421	3	STRG DIS
7.0	6.9	383	8	CANT SAY
	2.1	118	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 181-182

V2178	052A17R	DISAP MDMA OCC
--------------	----------------	-----------------------

Item Number: 29965

Do YOU disapprove of people doing each of the following? R.
Taking MDMA ("ecstasy") occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.3	297	1	DONT DIS
14.5	14.2	792	2	DISAPPRV
72.9	71.3	3,974	3	STRG DIS
7.1	6.9	386	8	CANT SAY
	2.3	126	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 183-184

V2179	052B01	EVR SMK CIG,REGL
--------------	---------------	-------------------------

Item Number: 00760

The following questions are about cigarette smoking. Have you
ever smoked cigarettes?

1="Never--GO TO QUESTION 4" 2="Once or twice" 3="Occasionally
but not regularly" 4="Regularly in the past" 5="Regularly
now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	58.8	3,277	1	NEVER
20.4	19.9	1,109	2	1-2X
9.8	9.6	533	3	OCCASNLY
4.4	4.3	241	4	REG PAST
5.2	5.0	281	5	REG NOW
	2.4	136	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 185-186

V2180 052B02 #CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "Never" on Q. B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	83.9	4,676	1	NONE
6.8	6.6	368	2	<1 CIG/D
4.2	4.1	228	3	1-5/DAY
1.7	1.7	93	4	1/2PK/D
0.9	0.9	48	5	1 PK/DA
0.2	0.2	12	6	1 1/2PK/D
0.3	0.3	16	7	2+ PKS/D
	2.4	134	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 187-188

V2181 052B03 *TRY STP SMK&FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	4.7	262	1	YES
87.7	33.6	1,876	2	NO
	61.7	3,438	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 189-190

V2182 052B04 EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO QUESTION 8" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	34.6	1,930	1	NO
63.8	60.9	3,396	2	YES
	4.5	251	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 191-192

V2183 052B05A #X DRNK/LIFETIME

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions" [Includes respondents who marked "1" on Q. B04] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	34.6	1,930	1	0 OCCAS
11.5	10.9	608	2	1-2X
12.5	11.8	660	3	3-5X
9.7	9.2	515	4	6-9X
11.2	10.6	593	5	10-19X
7.1	6.8	377	6	20-39X
11.7	11.1	618	7	40+OCCAS
	4.9	276	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 193-194

V2184 052B05B #X DRNK/LAST12MO

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
42.8	40.6	2,263	1	0 OCCAS
19.9	18.8	1,050	2	1-2X
12.8	12.2	678	3	3-5X
8.1	7.7	428	4	6-9X
8.4	7.9	443	5	10-19X
4.1	3.9	218	6	20-39X
3.9	3.7	204	7	40+OCCAS
	5.3	294	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 195-196

V2185	052B05C #X DRNK/LAST30DA
-------	--------------------------

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
68.0	64.4	3,589	1	0 OCCAS
16.8	15.9	885	2	1-2X
7.5	7.0	393	3	3-5X
4.3	4.1	227	4	6-9X
2.1	2.0	110	5	10-19X
0.7	0.6	36	6	20-39X
0.7	0.7	37	7	40+OCCAS
	5.4	300	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 197-198

V2186 052B06 5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.)

1="None" [includes respondents who reported nonuse above]
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	75.2	4,194	1	NONE
7.9	7.5	416	2	ONCE
5.2	4.9	274	3	TWICE
5.2	4.9	276	4	3-5X
1.3	1.2	67	5	6-9X
1.4	1.3	72	6	10+ TIME
	5.0	277	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 199-200

V2187

052B07A #XDRUNK/LIFETIME

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . . in your lifetime?

1="0 Occasions" [includes respondents who reported nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
57.6	53.1	2,959	1	0 OCCAS
16.4	15.1	841	2	1-2X
8.3	7.6	425	3	3-5X
5.4	5.0	277	4	6-9X
5.3	4.9	275	5	10-19X
3.3	3.0	167	6	20-39X
3.8	3.5	196	7	40+OCCAS
	7.8	438	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 201-202

V2188 052B07B #XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.1	60.2	3,356	1	0 OCCAS
16.1	14.7	817	2	1-2X
6.7	6.1	341	3	3-5X
4.2	3.8	213	4	6-9X
3.9	3.5	197	5	10-19X
1.6	1.5	82	6	20-39X
1.5	1.3	74	7	40+OCCAS
	8.9	496	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 203-204

V2189	052B07C #XDRUNK/LAST30DA
-------	--------------------------

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
83.0	75.5	4,213	1	0 OCCAS
10.7	9.8	544	2	1-2X
3.2	3.0	165	3	3-5X
1.8	1.6	89	4	6-9X
0.9	0.8	44	5	10-19X
0.1	0.1	7	6	20-39X
0.3	0.3	16	7	40+OCCAS
	8.9	499	-9	MISSING

100.0	100.0	5,577	cases
-------	-------	-------	-------

Data type: numeric
Missing-data code: -9
Columns: 205-206

V2190 052B08A #XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	64.3	3,587	1	0 OCCAS
9.8	9.5	530	2	1-2X
5.2	5.0	281	3	3-5X
3.2	3.1	174	4	6-9X
4.0	3.8	214	5	10-19X
3.0	2.9	161	6	20-39X
8.8	8.5	476	7	40+OCCAS
	2.7	152	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 207-208

V2191	052B08B	#XMJ+HS/LAST12MO
-------	---------	------------------

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
73.8	71.7	3,997	1	0 OCCAS
8.2	8.0	445	2	1-2X
4.4	4.2	237	3	3-5X
3.1	3.0	170	4	6-9X
3.3	3.2	177	5	10-19X
2.3	2.2	125	6	20-39X
4.9	4.8	266	7	40+OCCAS
	2.9	161	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 209-210

V2192 052B08C #XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	82.1	4,578	1	0 OCCAS
5.7	5.6	311	2	1-2X
2.6	2.6	143	3	3-5X
1.9	1.9	104	4	6-9X
1.9	1.9	104	5	10-19X
1.4	1.4	78	6	20-39X
1.7	1.7	93	7	40+OCCAS
	3.0	166	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 211-212

V2193	052B09A #X LSD/LIFETIME
-------	-------------------------

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid"). . .
A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	95.2	5,310	1	0 OCCAS
1.5	1.5	81	2	1-2X
0.4	0.4	21	3	3-5X
0.2	0.2	9	4	6-9X
0.2	0.1	8	5	10-19X
0.0	0.0	2	6	20-39X
0.2	0.2	11	7	40+OCCAS
	2.4	135	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 213-214

V2194 052B09B #X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . .
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	96.2	5,364	1	0 OCCAS
1.0	1.0	57	2	1-2X
0.2	0.2	10	3	3-5X
0.2	0.2	11	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.3	129	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 215-216

V2195 052B09C #X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . .
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	97.1	5,413	1	0 OCCAS
0.3	0.3	19	2	1-2X
0.2	0.2	9	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.3	130	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 217-218

V2196 052B10A #X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	92.7	5,172	1	0 OCCAS
2.9	2.8	159	2	1-2X
1.0	1.0	53	3	3-5X
0.5	0.4	25	4	6-9X
0.2	0.2	11	5	10-19X
0.1	0.1	3	6	20-39X
0.3	0.3	15	7	40+OCCAS
	2.5	138	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 219-220

V2197	052B10B #X PSYD/LAST12MO
-------	--------------------------

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.7	94.3	5,258	1	0 OCCAS
2.3	2.2	124	2	1-2X
0.5	0.5	29	3	3-5X
0.3	0.3	19	4	6-9X
0.1	0.1	8	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	2	7	40+OCCAS
	2.5	137	-9	MISSING

100.0	100.0	5,577	cases
-------	-------	-------	-------

Data type: numeric
Missing-data code: -9
Columns: 221-222

V2198	052B10C #X PSYD/LAST30DA
-------	--------------------------

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	96.6	5,387	1	0 OCCAS
0.7	0.7	38	2	1-2X
0.2	0.2	11	3	3-5X
0.0	0.0	2	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.5	137	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 223-224

V2199	052B11A #X CRACK/LIFETIM
-------	--------------------------

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	95.5	5,325	1	0 OCCAS
1.5	1.5	83	2	1-2X
0.2	0.2	13	3	3-5X
0.2	0.2	12	4	6-9X
0.1	0.1	7	5	10-19X
0.1	0.1	7	6	20-39X
0.2	0.2	13	7	40+OCCAS
	2.1	117	-9	MISSING

100.0	100.0	5,577 cases
-------	-------	-------------

Data type: numeric
Missing-data code: -9
Columns: 225-226

V2200 052B11B #X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	96.2	5,367	1	0 OCCAS
1.1	1.1	59	2	1-2X
0.2	0.2	10	3	3-5X
0.3	0.3	14	4	6-9X
0.0	0.0	3	5	10-19X
0.0	0.0	2	6	20-39X
0.1	0.1	5	7	40+OCCAS
	2.1	117	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 227-228

V2201	052B11C #X CRACK/LAST30D
-------	--------------------------

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	97.2	5,418	1	0 OCCAS
0.4	0.4	23	2	1-2X
0.2	0.2	11	3	3-5X
0.0	0.0	2	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.1	118	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 229-230

V2202 052B12A #XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	93.2	5,195	1	0 OCCAS
2.7	2.6	147	2	1-2X
0.6	0.6	31	3	3-5X
0.5	0.5	25	4	6-9X
0.2	0.2	13	5	10-19X
0.2	0.2	13	6	20-39X
0.4	0.4	20	7	40+OCCAS
	2.4	132	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 231-232

V2203

052B12B #XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	94.7	5,280	1	0 OCCAS
1.8	1.7	97	2	1-2X
0.5	0.5	28	3	3-5X
0.2	0.2	13	4	6-9X
0.3	0.2	14	5	10-19X
0.1	0.1	6	6	20-39X
0.1	0.1	8	7	40+OCCAS
	2.3	130	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric

Missing-data code: -9

Columns: 233-234

V2204 052B12C #XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	96.4	5,378	1	0 OCCAS
0.6	0.6	34	2	1-2X
0.2	0.2	9	3	3-5X
0.3	0.3	16	4	6-9X
0.1	0.1	7	5	10-19X
0.0	0.0	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.3	130	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 235-236

V2205 052B13A #X AMPH/LIFETIME

Item Number: 00980

Amphetamines have been prescribed by doctors to help people lose weight or give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	86.2	4,805	1	0 OCCAS
5.1	5.0	280	2	1-2X
2.2	2.2	121	3	3-5X
1.3	1.2	70	4	6-9X
1.1	1.0	57	5	10-19X
0.8	0.7	41	6	20-39X
1.3	1.3	72	7	40+OCCAS
	2.3	130	-9	MISSING

----- -----
 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 237-238

V2206 052B13B #X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.8	89.6	4,999	1	0 OCCAS
3.9	3.8	212	2	1-2X
1.6	1.5	86	3	3-5X
1.0	1.0	55	4	6-9X
0.8	0.8	43	5	10-19X
0.6	0.6	32	6	20-39X
0.4	0.4	21	7	40+OCCAS
	2.3	128	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 239-240

V2207	052B13C #X AMPH/LAST30DA
-------	--------------------------

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.3	94.1	5,248	1	0 OCCAS
1.9	1.8	102	2	1-2X
0.7	0.6	36	3	3-5X
0.6	0.5	30	4	6-9X
0.4	0.4	21	5	10-19X
0.2	0.2	10	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.3	128	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 241-242

V2208 052B14A #X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	85.4	4,762	1	0 OCCAS
5.5	5.3	296	2	1-2X
2.6	2.6	143	3	3-5X
1.6	1.6	89	4	6-9X
0.8	0.8	42	5	10-19X
0.6	0.6	32	6	20-39X
1.1	1.1	59	7	40+OCCAS
	2.8	154	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 243-244

V2209	052B14B #X SED/BARB/12MO
-------	--------------------------

Item Number: 01052

On how many occasions (if any) have you taken sedativeness on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	89.6	4,995	1	0 OCCAS
3.9	3.8	209	2	1-2X
1.7	1.6	91	3	3-5X
1.0	1.0	56	4	6-9X
0.6	0.6	31	5	10-19X
0.4	0.4	20	6	20-39X
0.4	0.4	21	7	40+OCCAS
	2.7	153	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 245-246

V2210 052B14C #X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them.
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.1	93.4	5,211	1	0 OCCAS
2.2	2.2	120	2	1-2X
0.9	0.9	48	3	3-5X
0.4	0.4	22	4	6-9X
0.2	0.2	12	5	10-19X
0.1	0.1	7	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.7	153	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 247-248

V2211	052B15A #X TRQL/LIFETIME
-------	--------------------------

Item Number: 01072

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-- that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	90.7	5,059	1	0 OCCAS
3.2	3.1	172	2	1-2X
1.2	1.2	67	3	3-5X
1.0	1.0	54	4	6-9X
0.6	0.6	34	5	10-19X
0.4	0.4	22	6	20-39X
0.5	0.5	28	7	40+OCCAS
	2.5	141	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 249-250

V2212 052B15B #X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them.
 . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.1	92.7	5,167	1	0 OCCAS
2.2	2.2	121	2	1-2X
1.2	1.2	67	3	3-5X
0.6	0.6	33	4	6-9X
0.5	0.5	27	5	10-19X
0.2	0.2	12	6	20-39X
0.1	0.1	8	7	40+OCCAS
	2.5	142	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 251-252

V2213	052B15C #X TRQL/LAST30DA
-------	--------------------------

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.6	95.1	5,304	1	0 OCCAS
1.4	1.4	76	2	1-2X
0.5	0.5	30	3	3-5X
0.3	0.3	17	4	6-9X
0.1	0.1	6	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	2	7	40+OCCAS
	2.5	141	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 253-254

V2214 052B16A #X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	96.3	5,372	1	0 OCCAS
0.6	0.6	34	2	1-2X
0.1	0.1	7	3	3-5X
0.1	0.1	5	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	8	7	40+OCCAS
	2.7	149	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 255-256

V2215 052B16B #X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.8	5,398	1	0 OCCAS
0.3	0.3	17	2	1-2X
0.1	0.1	6	3	3-5X
0.0	0.0	2	4	6-9X
0.1	0.1	6	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.6	147	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 257-258

V2216 052B16C #X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	97.0	5,411	1	0 OCCAS
0.2	0.1	8	2	1-2X
0.0	0.0	2	3	3-5X
0.1	0.1	6	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.7	148	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 259-260

V2217	052B17A #X H LIF W/O NDL
-------	--------------------------

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	96.4	5,374	1	0 OCCAS
0.6	0.6	35	2	1-2X
0.2	0.2	11	3	3-5X
0.1	0.1	4	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	2	7	40+OCCAS
	2.6	147	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 261-262

V2218 052B17B #X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.7	5,393	1	0 OCCAS
0.5	0.5	26	2	1-2X
0.1	0.1	6	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.6	145	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 263-264

V2219 052B17C #X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	97.2	5,418	1	0 OCCAS
0.1	0.1	5	2	1-2X
0.1	0.1	3	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.6	147	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 265-266

V2220 052B18A #X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	87.5	4,879	1	0 OCCAS
4.5	4.4	244	2	1-2X
1.9	1.9	104	3	3-5X
1.4	1.3	74	4	6-9X
1.0	1.0	54	5	10-19X
0.8	0.7	42	6	20-39X
0.6	0.6	34	7	40+OCCAS
	2.6	146	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 267-268

V2221	052B18B #X NARC/LAST12MO
-------	--------------------------

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	90.0	5,018	1	0 OCCAS
3.8	3.7	205	2	1-2X
1.5	1.5	84	3	3-5X
1.0	0.9	52	4	6-9X
0.8	0.8	45	5	10-19X
0.3	0.3	15	6	20-39X
0.2	0.2	13	7	40+OCCAS
	2.6	143	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 269-270

V2222 052B18C #X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	94.3	5,261	1	0 OCCAS
1.6	1.6	89	2	1-2X
0.7	0.7	38	3	3-5X
0.5	0.5	28	4	6-9X
0.2	0.2	12	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.6	144	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 271-272

V2223	052B19A	#X INHL/LIFETIME
-------	---------	------------------

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled any
other gases or sprays in order to get high. . . A: . . . in
your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	85.1	4,747	1	0 OCCAS
7.8	7.7	428	2	1-2X
2.2	2.1	117	3	3-5X
1.1	1.1	63	4	6-9X
0.8	0.7	42	5	10-19X
0.5	0.5	26	6	20-39X
0.6	0.5	31	7	40+OCCAS
	2.2	124	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 273-274

V2224 052B19B #X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or
 breathed the contents of aerosol spray cans, or inhaled any
 other gases or sprays in order to get high. . . B: . . .
 during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.0	91.9	5,126	1	0 OCCAS
3.9	3.8	212	2	1-2X
1.3	1.3	70	3	3-5X
0.4	0.4	20	4	6-9X
0.2	0.2	12	5	10-19X
0.1	0.1	6	6	20-39X
0.2	0.2	9	7	40+OCCAS
	2.2	122	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 275-276

V2225	052B19C #X INHL/LAST30DA
-------	--------------------------

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled any
other gases or sprays in order to get high. . . C: . . .
during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	95.9	5,347	1	0 OCCAS
1.4	1.4	78	2	1-2X
0.3	0.3	17	3	3-5X
0.1	0.1	5	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	6	7	40+OCCAS
	2.2	122	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 277-278

V2226 052B20A #X STRD/LIFETIME

Item Number: 22690

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	96.2	5,363	1	0 OCCAS
0.9	0.8	47	2	1-2X
0.3	0.3	16	3	3-5X
0.2	0.2	10	4	6-9X
0.2	0.2	8	5	10-19X
0.1	0.1	5	6	20-39X
0.1	0.1	7	7	40+OCCAS
	2.1	120	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 279-280

V2227	052B20B #X STRD/LAST12MO
-------	--------------------------

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	96.9	5,403	1	0 OCCAS
0.5	0.5	28	2	1-2X
0.2	0.2	12	3	3-5X
0.2	0.2	9	4	6-9X
0.1	0.1	5	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.1	115	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 281-282

V2228 052B20C #X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	97.6	5,440	1	0 OCCAS
0.2	0.2	9	2	1-2X
0.0	0.0	2	3	3-5X
0.1	0.1	6	4	6-9X
0.0	0.0	2	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.1	115	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 283-284

V2229	052B21A #X INJECTOTH/LIF
-------	--------------------------

Item Number: 29710

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . Do NOT include anything you took under a doctor's orders. A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	96.4	5,373	1	0 OCCAS
0.7	0.6	36	2	1-2X
0.2	0.2	10	3	3-5X
0.1	0.1	7	4	6-9X
0.1	0.1	6	5	10-19X
0.0	0.0	1	6	20-39X
0.3	0.3	17	7	40+OCCAS
	2.3	126	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 285-286

V2230 052B21B #X INJECTOTH/12M

Item Number: 29720

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	96.9	5,402	1	0 OCCAS
0.4	0.4	23	2	1-2X
0.0	0.0	2	3	3-5X
0.1	0.1	7	4	6-9X
0.1	0.1	8	5	10-19X
0.1	0.1	5	6	20-39X
0.1	0.1	5	7	40+OCCAS
	2.2	125	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 287-288

V2231	052B21C #X INJECTOTH/30D
-------	--------------------------

Item Number: 29730

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	97.2	5,421	1	0 OCCAS
0.2	0.2	11	2	1-2X
0.1	0.1	6	3	3-5X
0.2	0.2	9	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.3	126	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 289-290

V2232 052B22A #X MDMA/LIFETIM

Item Number: 22660

On how many occasions (if any) have you used MDMA ("ecstasy").
 . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	93.8	5,233	1	0 OCCAS
2.2	2.2	121	2	1-2X
0.7	0.7	37	3	3-5X
0.4	0.4	23	4	6-9X
0.4	0.4	21	5	10-19X
0.0	0.0	2	6	20-39X
0.1	0.1	7	7	40+OCCAS
	2.4	135	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 291-292

V2233	052B22B #X MDMA/LAST12M
-------	-------------------------

Item Number: 22670

On how many occasions (if any) have you used MDMA ("ecstasy").
. . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	95.2	5,308	1	0 OCCAS
1.5	1.4	81	2	1-2X
0.5	0.5	28	3	3-5X
0.2	0.2	12	4	6-9X
0.2	0.2	9	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	3	7	40+OCCAS
	2.4	135	-9	MISSING

```

-----
100.0 100.0 5,577 cases

```

Data type: numeric
Missing-data code: -9
Columns: 293-294

V2234 **052B22C #X MDMA/LAST30D**

Item Number: 22680

On how many occasions (if any) have you used MDMA ("ecstasy").
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	96.7	5,394	1	0 OCCAS
0.6	0.6	32	2	1-2X
0.1	0.1	7	3	3-5X
0.1	0.1	5	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	2	7	40+OCCAS
	2.4	135	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 295-296

V2236 **052(R) AGE <>16 DICHOTOMY**

Item Number:

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer. In grade 10 dataset only.

1="younger than 16" 2="16 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	43.5	2,425	1	<16
55.8	54.8	3,055	2	16+
	1.7	97	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 297-298

V2237	052C03	R'S SEX
--------------	---------------	----------------

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	49.2	2,742	1	MALE
49.5	48.3	2,691	2	FEMALE
	2.6	144	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 299-300

V2238	052C04(R R'S RACE B/W/H
--------------	--------------------------------

Item Number: 00040

How do you describe yourself?

2="Black or African American" 3="Mexican American or Chicano"
 4="Cuban American" 8="Puerto Rican" 9="Other Latin American"
 5="Asian American" 6="White (Caucasian)" 1="American Indian
 (Native American Indian)" 7="Other". Recoded in this dataset
 so that "Black or African American" = 1, "White (Caucasian)"
 = 2, and Hispanic = 3 (combined codes [3] Mexican...", [4]
 "Cuban...", [8] "Puerto Rican", and [9] "Other Latin...").
 All other codes are deleted.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	13.7	762	1	BLACK:(1)
71.4	61.2	3,410	2	WHITE:(2)
12.6	10.8	604	3	HISPANIC:(3)
	14.4	801	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric

Missing-data code: -9

Columns: 301-302

V2240 052C06 WHERE LIVE NOW

Item Number: 25110

Where are you living now?

1="On a farm" 2="In the country, not on a farm" 3="In a city or town"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	240	1	FARM
16.7	16.3	911	2	COUNTRY
78.9	77.4	4,315	3	CITYTOWN
	2.0	111	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 303-304

V2241 052C07a(R R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) A. Father (or stepfather)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	18.9	1,053	0	NT MARKD
80.1	76.0	4,239	1	MARKED
	5.1	285	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 305-306

V2242	052C07b(R R'S HSHLD MOTHER
--------------	-----------------------------------

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) B. Mother (or stepmother)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.0	281	0	NT MARKD
94.7	89.9	5,011	1	MARKED
	5.1	285	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 307-308

V2243	052C07c(R R'S HSHLD SIBLING
--------------	------------------------------------

Item Number:

Component questions: "Which of the following people live in the same household with you? (Mark all that apply.) C. Brothers (or stepbrothers)" and " . . . D. Sisters (or stepsisters)". Responses are combined to indicate living with brothers or sisters.

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	20.7	1,156	0	NT MARKD
78.2	74.2	4,136	1	MARKED
	5.1	285	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 309-310

V2249	052C08	AFTER SCHL ALONE
-------	--------	------------------

Item Number: 25120

On average, how much time do you spend after school each day at home with no adult present? (Count the hours between the end of school and when you go to bed.)

1="None or almost none" 2="Less than 1 hour" 3="1-2 hours"
 4="2-3 hours" 5="3-5 hours" 6="More than 5 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	21.0	1,171	1	NONE
20.4	19.9	1,111	2	LT 1 HR
22.9	22.4	1,247	3	1-2HRS
17.6	17.3	962	4	2-3 HRS
10.7	10.5	583	5	4-5 HRS
6.9	6.8	378	6	>5 HRS
	2.2	123	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 311-312

V2250	052C09	FATHR EDUC LEVEL
-------	--------	------------------

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	149	1	GRDE SCH
9.3	9.1	507	2	SOME HS
25.7	25.2	1,405	3	HS GRAD
13.1	12.8	716	4	SOME CLG
24.7	24.2	1,348	5	CLG GRAD
13.4	13.1	729	6	GRAD SCH
11.0	10.8	602	7	DK
	2.2	120	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 313-314

V2251	052C10	MOTHR EDUC LEVEL
--------------	---------------	-------------------------

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	142	1	GRDE SCH
7.7	7.6	422	2	SOME HS
24.1	23.5	1,313	3	HS GRAD
17.2	16.8	936	4	SOME CLG
27.8	27.2	1,515	5	CLG GRAD
14.1	13.8	768	6	GRAD SCH
6.6	6.5	360	7	DK
	2.2	121	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 315-316

V2252	052C11	MOTHER PAID JOB
--------------	---------------	------------------------

Item Number: 25130

Does your mother have a paid job?

1="No" 2="Yes, part-time job" 3="Yes, full-time job"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.9	1,052	1	NO
18.5	17.9	1,000	2	YES P/T
62.1	60.3	3,362	3	YES F/T
	2.9	162	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 317-318

V2254	052C12B	R'ATTND REL SVC
-------	---------	-----------------

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	12.9	721	1	NEVER
28.0	21.8	1,217	2	RARELY
17.0	13.3	740	3	1-2X/MO
38.5	30.0	1,674	4	1/WK OR+
	22.0	1,225	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 319-320

V2255	052C13	RLGN IMP R'S LF
-------	--------	-----------------

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	12.4	693	1	NOT IMPT
24.7	19.3	1,074	2	LITL IMP
29.5	23.0	1,285	3	PRTY IMP
29.9	23.3	1,301	4	VERY IMP
	22.0	1,225	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 321-322

V2256 052C14 R HS GRADE/D=1

Item Number: 00470

The next questions are about your experiences in school.
 Which one of the following best describes your average grade
 in this school year?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
 1="D (69 or below)"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	3.1	174	1	D
5.2	5.1	282	2	C-
7.9	7.7	431	3	C
11.2	10.9	608	4	C+
11.3	11.0	614	5	B-
16.0	15.6	872	6	B
14.6	14.2	794	7	B+
14.9	14.6	813	8	A-
15.6	15.3	851	9	A
	2.5	138	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 323-324

V2257	052C15	R'S HS PROGRAM
--------------	---------------	-----------------------

Item Number: 00400

Which of the following best describes your present (or expected) high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	48.1	2,683	1	CLG PREP
24.2	23.5	1,313	2	GENERAL
5.4	5.2	291	3	VOC-TECH
21.1	20.5	1,144	4	OTH/DK
	2.6	145	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 325-326

V2258	052C16	HRS/WK SPND HMWK
--------------	---------------	-------------------------

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.9	387	1	NONE
46.2	45.2	2,519	2	1-4 HRS
21.8	21.3	1,186	3	5-9 HRS
12.0	11.7	653	4	10-14HRS
5.5	5.4	302	5	15-19HRS
3.8	3.7	209	6	20-24HRS
3.5	3.4	192	7	25+ HRS
	2.3	127	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 327-328

V2259 052C17A R WL GRADUATE HS

Item Number: 00481

How likely is it that you will do each of the following things? A: Graduate from high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	31	1	DEF WONT
1.0	0.9	53	2	PRB WONT
7.0	6.8	382	3	PRB WILL
91.4	89.3	4,981	4	DEF WILL
	2.3	129	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 329-330

V2260 052C17B R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things? B: Go to a technical or vocational school after high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	27.4	1,528	1	DEF WONT
44.3	42.1	2,347	2	PRB WONT
18.4	17.4	972	3	PRB WILL
8.5	8.0	448	4	DEF WILL
	5.1	282	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 331-332

V2261	052C17C R WL GO TO CLG
--------------	-------------------------------

Item Number: 00482

How likely is it that you will do each of the following things? C: Go to college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	146	1	DEF WONT
6.6	6.4	357	2	PRB WONT
23.2	22.5	1,253	3	PRB WILL
67.5	65.5	3,653	4	DEF WILL
	3.0	168	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 333-334

V2262	052C17D R WL DO 4YR CLG
--------------	--------------------------------

Item Number: 00510

How likely is it that you will do each of the following things? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	199	1	DEF WONT
8.1	7.9	441	2	PRB WONT
26.3	25.5	1,425	3	PRB WILL
61.8	60.0	3,346	4	DEF WILL
	3.0	166	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 335-336

V2263 **052C17E R WL DO ARMD FC**

Item Number: 00490

How likely is it that you will do each of the following things? E: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	53.1	2,963	1	DEF WONT
32.1	31.0	1,731	2	PRB WONT
9.1	8.8	493	3	PRB WILL
3.8	3.7	207	4	DEF WILL
	3.3	183	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 337-338

V2264 **052C18 THNK FUT BYND SC**

Item Number: 25830

How often do you think about your future beyond high school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	99	1	NEVER
7.7	7.5	419	2	SELDOM
34.8	33.9	1,893	3	SOMETIME
55.7	54.3	3,030	4	OFTEN
	2.4	136	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 339-340

V2265 052C19 PLANS AFTER SCHL

Item Number: 25840

Which best describes your plans after high school?

1="I have no idea what I will do." 2="I have a few ideas about what I might do." 3="I know pretty well what I will do." 4="I know exactly what I will do."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.2	399	1	NO IDEA
38.7	37.7	2,104	2	A FEW
38.2	37.3	2,078	3	PRTYWELL
15.7	15.3	854	4	EXACTLY
	2.5	141	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 341-342

V2266 052C20A #DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	60.2	3,358	1	NONE
17.6	17.0	947	2	1 DAY
9.1	8.7	487	3	2 DAYS
5.2	5.0	280	4	3 DAYS
3.6	3.5	194	5	4-5 DAYS
1.2	1.1	63	6	6-10 DA
0.8	0.8	45	7	11+ DAYS
	3.6	203	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 343-344

V2267 052C20B #DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	79.3	4,421	1	NONE
8.2	7.8	435	2	1 DAY
3.4	3.3	182	3	2 DAYS
1.9	1.8	99	4	3 DAYS
1.4	1.3	74	5	4-5 DAYS
0.6	0.5	30	6	6-10 DA
0.8	0.7	40	7	11+ DAYS
	5.3	295	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 345-346

V2268	052C20C	#DA/4W	SC	MS	OTH
-------	---------	--------	----	----	-----

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	60.6	3,379	1	NONE
18.1	17.3	963	2	1 DAY
8.4	8.0	447	3	2 DAYS
4.8	4.6	256	4	3 DAYS
3.0	2.9	161	5	4-5 DAYS
1.3	1.2	67	6	6-10 DA
0.8	0.8	45	7	11+ DAYS
	4.6	258	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 347-348

V2269	052C21	#DA/4W SKP CLASS
--------------	---------------	-------------------------

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	76.1	4,243	1	NONE
13.6	13.3	739	2	1-2X
4.7	4.6	255	3	3-5X
1.8	1.8	98	4	6-10X
0.8	0.7	41	5	11-20X
0.9	0.9	50	6	21+
	2.7	151	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 349-350

V2270	052C22(R	EVER HELD BACK
--------------	-----------------	-----------------------

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2 and 3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	88.3	4,922	0	NO
9.2	9.0	501	1	YES
	2.8	153	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 351-352

V2271	052C23(R NEED SUMMER SCHL
--------------	----------------------------------

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers" Codes 2-4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	78.1	4,354	0	NO
19.8	19.2	1,073	1	YES
	2.7	149	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 353-354

V2272	052C24(R EVER SUSPENDED
--------------	--------------------------------

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2-3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	73.2	4,084	0	NO
24.6	23.9	1,331	1	YES
	2.9	162	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 355-356

V2273 052C25 FRNDS DROP OUT

Item Number: 25850

Have any of your friends dropped out of school?

1="None" 2="A few" 3="Some" 4="Most or all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	60.3	3,363	1	NONE
30.7	29.8	1,661	2	A FEW
6.5	6.3	350	3	SOME
0.8	0.8	46	4	MOST/ALL
	2.8	157	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 357-358

V2274 052C26 #X OUT W/O PRNT

Item Number: 25170

During a typical week, on how many evenings do you go out for fun and recreation? (Don't count things you do with your parents or other adult relatives.)

1="Less than one evening per week" 2="One evening" 3="Two evenings" 4="Three evenings" 5="Four or five evenings" 6="Six or seven evenings per week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	22.2	1,238	1	< 1
14.7	14.1	784	2	ONE
23.6	22.6	1,259	3	TWO
18.6	17.9	996	4	THREE
12.9	12.3	688	5	4-5/WK
7.1	6.8	377	6	6-7/WK
	4.2	235	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 359-360

V2275	052C27	#X DATE 3+/WK
-------	--------	---------------

Item Number: 00630

On the average, how often (if ever) do you go out with a date?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	36.8	2,054	1	NEVER
22.6	21.5	1,201	2	1/MO OR<
15.8	15.0	839	3	2-3/MO
10.4	9.9	551	4	1/WK
7.5	7.1	397	5	2-3/WK
5.1	4.9	272	6	3+/WK
	4.7	262	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 361-362

V2276	052C28A	#X PRNT CHK HMWK
-------	---------	------------------

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following? A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	18.0	1,002	1	NEVER
24.0	18.4	1,027	2	RARELY
23.9	18.4	1,026	3	SOMETIME
28.7	22.1	1,230	4	OFTEN
	23.1	1,291	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 363-364

V2277 052C28B #X PRNT HLP HMWK

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following? B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	14.9	830	1	NEVER
17.7	13.6	759	2	RARELY
27.7	21.3	1,187	3	SOMETIME
35.2	27.0	1,505	4	OFTEN
	23.2	1,296	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 365-366

V2278 052C28C #X PRNT GV CHORE

Item Number: 25200

How often do your parents (or stepparents or guardians) do the following? C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.0	336	1	NEVER
12.9	9.9	551	2	RARELY
28.1	21.6	1,203	3	SOMETIME
51.1	39.2	2,188	4	OFTEN
	23.3	1,298	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 367-368

V2279	052C28D #X PRNT LIMIT TV
-------	--------------------------

Item Number: 25210

How often do your parents (or stepparents or guardians) do the following? D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	42.8	2,388	1	NEVER
22.0	16.9	941	2	RARELY
14.3	11.0	611	3	SOMETIME
8.1	6.2	346	4	OFTEN
	23.1	1,289	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 369-370

V2280	052C28E #X PRNT ALW OUT
-------	-------------------------

Item Number: 25225

How often do your parents (or stepparents or guardians) do the following? E: Allow you to go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	9.6	535	1	NEVER
22.2	17.0	948	2	RARELY
34.3	26.3	1,464	3	SOMETIME
30.9	23.7	1,321	4	OFTEN
	23.5	1,308	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 371-372

V2281 052C29 TALK PROB W/PRNT

Item Number: 25860

If you were having problems in your life, do you think you would talk them over with one or both of your parents?

3="Yes, for most or all problems" 2="Yes, for at least some of my problems" 1="No" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	20.0	1,114	1	NO
47.7	36.5	2,034	2	YES SOME
26.1	20.0	1,115	3	YES M/AL
	23.6	1,313	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 373-374

V2282 052C30 TALK PROB W/ADLT

Item Number: 25870

Other than your parents, is there at least one other adult you would feel able to talk to if you were having problems in your life?

3="Yes, for most or all problems" 2="Yes, for at least some of my problems" 1="No" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	16.6	926	1	NO
42.7	32.7	1,823	2	YES SOME
35.7	27.3	1,524	3	YES M/AL
	23.4	1,304	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 375-376

V2283	052D01	#X SEE DRUG SPTS
-------	--------	------------------

Item Number: 22460

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.7	262	1	NOT@ALL
7.3	7.0	393	2	<1/MONTH
18.4	17.7	986	3	1-3X/MON
27.8	26.8	1,494	4	1-3/WEEK
27.9	26.9	1,498	5	DAILY
13.7	13.1	733	6	>1/DAY
	3.8	210	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 377-378

V2284 **052D02A** **ADS-YOU <FAVORBL**

Item Number: 22480

To what extent do you think such commercials have . . . A:
 Made you less favorable toward drugs

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	27.6	1,541	1	NOT @ALL
19.2	18.4	1,025	2	LTTL EXT
27.1	25.9	1,445	3	SOME EXT
10.7	10.2	569	4	GRT EXT
14.1	13.5	752	5	VRGR EXT
	4.4	244	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 379-380

V2285 **052D02B** **ADS-YOU <TRY DRG**

Item Number: 22490

To what extent do you think such commercials have . . . B:
 Made you less likely to use drugs

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	28.5	1,587	1	NOT @ALL
18.5	17.6	983	2	LTTL EXT
22.5	21.5	1,198	3	SOME EXT
11.1	10.6	593	4	GRT EXT
18.0	17.2	959	5	VRGR EXT
	4.6	255	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 381-382

V2286	052D02C	ADS-OVRST	DANGER
-------	---------	-----------	--------

Item Number: 22500

To what extent do you think such commercials have . . . C:
Overstated the dangers or risks of drug use

1="Not at all" 2="To a little extent" 3="To some extent" 4="To
a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	30.3	1,687	1	NOT @ALL
17.4	16.6	927	2	LTTL EXT
21.8	20.8	1,159	3	SOME EXT
12.1	11.5	643	4	GRT EXT
17.0	16.2	902	5	VRGR EXT
	4.7	259	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 383-384

V2287	052D03A EASY GT MARIJUAN
-------	--------------------------

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana (pot, weed)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.1	507	1	PROB IMP
4.7	4.5	253	2	VRV DIFF
7.1	6.8	379	3	FRLY DIF
25.2	24.1	1,342	4	FRLY EAS
48.0	45.9	2,558	5	VRV EASY
5.5	5.2	292	8	CANT SAY
	4.4	245	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 385-386

V2288	052D03B EASY GT LSD
-------	---------------------

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: LSD

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	17.4	969	1	PROB IMP
15.4	14.6	813	2	VRV DIFF
20.7	19.6	1,092	3	FRLY DIF
12.6	11.9	663	4	FRLY EAS
7.5	7.1	396	5	VRV EASY
25.5	24.2	1,348	8	CANT SAY
	5.3	296	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 387-388

V2289	052D03C EASY GT AMPHTMNS
-------	--------------------------

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Amphetamines (uppers, pep pills, bennies, speed)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	16.5	919	1	PROB IMP
12.0	11.5	640	2	VRV DIFF
18.5	17.6	984	3	FRLY DIF
20.5	19.6	1,090	4	FRLY EAS
15.3	14.6	812	5	VRV EASY
16.4	15.6	871	8	CANT SAY
	4.7	261	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 389-390

V2290	052D03D	EASY GT SED/BARB
-------	---------	------------------

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? D: Sedatives/barbiturates (downers)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	17.7	985	1	PROB IMP
13.3	12.7	705	2	VRV DIFF
18.9	18.0	1,002	3	FRLY DIF
16.9	16.1	899	4	FRLY EAS
12.8	12.1	677	5	VRV EASY
19.6	18.6	1,038	8	CANT SAY
	4.8	270	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 391-392

V2291	052D03E EASY GT TRANQLIZ
-------	--------------------------

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? E: Tranquilizers (Librium, Valium, Xanax, etc.)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
22.0	21.0	1,169	1	PROB IMP
16.6	15.8	879	2	VRY DIFF
18.2	17.3	963	3	FRLY DIF
13.3	12.7	706	4	FRLY EAS
11.5	10.9	608	5	VRY EASY
18.4	17.5	978	8	CANT SAY
	4.9	274	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 393-394

V2292	052D03F	EASY GT CRACK
-------	---------	---------------

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? F: "Crack" cocaine

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	21.3	1,187	1	PROB IMP
16.1	15.3	854	2	VRY DIFF
19.4	18.5	1,031	3	FRLY DIF
18.0	17.1	956	4	FRLY EAS
12.4	11.9	662	5	VRY EASY
11.8	11.2	627	8	CANT SAY
	4.6	259	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 395-396

V2293 052D03G EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? G: Cocaine in powder form

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	21.7	1,209	1	PROB IMP
16.0	15.3	851	2	VRY DIFF
18.4	17.6	980	3	FRLY DIF
17.4	16.6	927	4	FRLY EAS
13.4	12.8	711	5	VRY EASY
11.9	11.4	633	8	CANT SAY
	4.8	265	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 397-398

V2294	052D03H EASY GT HEROIN
--------------	-------------------------------

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? H: Heroin

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	26.6	1,486	1	PROB IMP
21.0	19.9	1,110	2	VRV DIFF
18.6	17.7	987	3	FRLY DIF
10.7	10.2	569	4	FRLY EAS
7.9	7.5	420	5	VRV EASY
13.7	13.1	728	8	CANT SAY
	5.0	277	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 399-400

V2295 052D03I EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? I: Steroids (anabolic steroids)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	21.3	1,187	1	PROB IMP
16.2	15.4	860	2	VRV DIFF
19.1	18.2	1,015	3	FRLY DIF
17.5	16.7	930	4	FRLY EAS
11.6	11.0	616	5	VRV EASY
13.1	12.4	694	8	CANT SAY
	4.9	275	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 401-402

V2296	052D03J EASY GT CIGS
-------	----------------------

Item Number: 06831

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? J: Cigarettes

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.8	380	1	PROB IMP
2.5	2.4	132	2	VRY DIFF
4.5	4.3	237	3	FRLY DIF
14.9	14.2	794	4	FRLY EAS
66.6	63.5	3,543	5	VRY EASY
4.4	4.2	237	8	CANT SAY
	4.5	253	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 403-404

V2297 052D03K EASY GT ALCOHOL

Item Number: 06832

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? K: Alcohol

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.4	303	1	PROB IMP
2.3	2.2	120	2	VRD DIFF
5.2	4.9	276	3	FRLY DIF
14.9	14.3	796	4	FRLY EAS
68.2	65.1	3,631	5	VRD EASY
3.8	3.6	200	8	CANT SAY
	4.5	250	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 405-406

V2298

052D04A GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 A: Smoke your first cigarette

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.4	246	1	GRADE 4
3.5	3.2	178	2	GRADE 5
5.9	5.4	303	3	GRADE 6
6.4	5.9	328	4	GRADE 7
7.1	6.6	367	5	GRADE 8
9.8	9.0	504	6	GRADE 9
3.2	2.9	164	7	GRADE 10
59.4	54.9	3,063	8	NEVER
	7.6	424	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 407-408

V2299 052D04B GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
 . . . B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.3	16	1	GRADE 4
0.3	0.3	16	2	GRADE 5
0.9	0.8	45	3	GRADE 6
2.1	2.0	110	4	GRADE 7
2.8	2.6	144	5	GRADE 8
4.2	3.9	218	6	GRADE 9
2.9	2.7	151	7	GRADE 10
86.5	80.5	4,488	8	NEVER
	7.0	390	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 409-410

V2300	052D04C GR 1ST SMOKELESS
-------	--------------------------

Item Number: 05576

When (if ever) did you FIRST do each of the following things?
 . . . C: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	1.2	67	1	GRADE 4
0.4	0.4	22	2	GRADE 5
0.8	0.8	44	3	GRADE 6
1.3	1.3	71	4	GRADE 7
2.6	2.5	137	5	GRADE 8
4.7	4.5	249	6	GRADE 9
2.6	2.5	137	7	GRADE 10
86.3	82.0	4,570	8	NEVER
	5.0	279	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 411-412

V2301 052D04D GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
 . . . D: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.2	3.7	208	1	GRADE 4
2.8	2.5	140	2	GRADE 5
5.9	5.3	294	3	GRADE 6
9.9	8.8	493	4	GRADE 7
17.1	15.2	849	5	GRADE 8
19.3	17.2	958	6	GRADE 9
6.9	6.1	341	7	GRADE 10
33.9	30.2	1,682	8	NEVER
	11.0	612	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 413-414

V2302

052D04E GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?

. . . E: Drink enough to feel drunk or very high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"

4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
(Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	41	1	GRADE 4
0.6	0.6	31	2	GRADE 5
1.8	1.7	93	3	GRADE 6
4.6	4.2	234	4	GRADE 7
11.1	10.0	557	5	GRADE 8
17.4	15.7	874	6	GRADE 9
8.2	7.4	411	7	GRADE 10
55.5	50.2	2,798	8	NEVER
	9.6	538	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 415-416

V2303 052D04F GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
 . . . F: Try marijuana or hashish

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.6	33	1	GRADE 4
0.9	0.8	46	2	GRADE 5
2.6	2.4	135	3	GRADE 6
4.5	4.1	230	4	GRADE 7
7.6	7.0	389	5	GRADE 8
11.6	10.7	595	6	GRADE 9
5.3	4.9	270	7	GRADE 10
67.0	61.7	3,443	8	NEVER
	7.8	435	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 417-418

V2304	052D04G GR 1ST TRY LSD
-------	------------------------

Item Number: 05600

When (if ever) did you FIRST do each of the following things?

. . . G: Try LSD

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	1	GRADE 4
0.0	0.0	2	2	GRADE 5
0.2	0.2	8	3	GRADE 6
0.1	0.1	8	4	GRADE 7
0.4	0.3	19	5	GRADE 8
0.8	0.7	41	6	GRADE 9
0.5	0.5	25	7	GRADE 10
97.9	91.5	5,102	8	NEVER
	6.6	367	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 419-420

V2305 052D04H GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
 . . . H: Try any hallucinogen other than LSD (PCP, mescaline, "shrooms" or psilocybin, etc.)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	7	1	GRADE 4
0.0	0.0	2	2	GRADE 5
0.2	0.2	9	3	GRADE 6
0.2	0.2	11	4	GRADE 7
0.7	0.6	35	5	GRADE 8
1.4	1.3	71	6	GRADE 9
1.4	1.3	73	7	GRADE 10
96.0	89.4	4,983	8	NEVER
	6.9	387	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 421-422

V2306

052D04I GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
 . . . I: Try amphetamines (uppers, pep pills, bennies,
 speed)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	6	1	GRADE 4
0.1	0.1	6	2	GRADE 5
0.2	0.2	10	3	GRADE 6
0.7	0.6	35	4	GRADE 7
1.5	1.3	73	5	GRADE 8
2.6	2.3	126	6	GRADE 9
1.7	1.5	83	7	GRADE 10
93.1	82.2	4,586	8	NEVER
	11.7	652	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 423-424

V2307	052D04J GR 1ST TRY TRN
-------	------------------------

Item Number: 05650

When (if ever) did you FIRST do each of the following things?
 . . . J: Try tranquilizers (Valium, Librium, Xanax, etc.)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.1	8	1	GRADE 4
0.1	0.1	4	2	GRADE 5
0.1	0.1	7	3	GRADE 6
0.4	0.3	18	4	GRADE 7
1.1	1.0	56	5	GRADE 8
1.9	1.8	99	6	GRADE 9
1.3	1.2	65	7	GRADE 10
95.0	86.8	4,842	8	NEVER
	8.6	477	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 425-426

V2308	052D04K GR 1ST TRY CRACK
-------	--------------------------

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

. . . K: Try "crack" cocaine

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	5	1	GRADE 4
0.0	0.0	2	2	GRADE 5
0.0	0.0	2	3	GRADE 6
0.2	0.2	11	4	GRADE 7
0.3	0.3	16	5	GRADE 8
0.7	0.7	38	6	GRADE 9
0.6	0.5	30	7	GRADE 10
98.0	91.6	5,111	8	NEVER
	6.5	361	-9	MISSING

100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 427-428

V2309	052D04L GR 1STTRY POWCOK
-------	--------------------------

Item Number: 05663

When (if ever) did you FIRST do each of the following things?
 . . . L: Try cocaine in powder form

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	4	1	GRADE 4
0.0	0.0	1	2	GRADE 5
0.2	0.2	10	3	GRADE 6
0.4	0.4	22	4	GRADE 7
0.6	0.6	32	5	GRADE 8
1.3	1.2	69	6	GRADE 9
1.4	1.3	73	7	GRADE 10
95.9	89.7	5,002	8	NEVER
	6.5	362	-9	MISSING

100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 429-430

V2310	052D04M GR 1ST TRY HER
-------	------------------------

Item Number: 05670

When (if ever) did you FIRST do each of the following things?

. . . M: Try heroin

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	1	GRADE 4
0.0	0.0	1	2	GRADE 5
0.0	0.0	2	3	GRADE 6
0.2	0.2	10	4	GRADE 7
0.2	0.2	10	5	GRADE 8
0.5	0.5	25	6	GRADE 9
0.3	0.2	14	7	GRADE 10
98.7	92.5	5,161	8	NEVER
	6.3	350	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 431-432

V2311 052D04N GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
 . . . N: Try any narcotic other than heroin (methadone,
 opium, codeine, Vicodin, OxyContin, Percocet, etc.)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	4	1	GRADE 4
0.1	0.0	3	2	GRADE 5
0.3	0.2	13	3	GRADE 6
0.7	0.6	34	4	GRADE 7
1.3	1.1	64	5	GRADE 8
3.1	2.8	157	6	GRADE 9
1.8	1.6	92	7	GRADE 10
92.8	84.0	4,685	8	NEVER
	9.4	526	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 433-434

V2312	052D040 GR 1ST TRY MDMA
-------	-------------------------

Item Number: 31190

When (if ever) did you FIRST do each of the following things?

. . . 0. Try MDMA ("ecstasy")

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"

4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
(Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	7	1	GRADE 4
0.0	0.0	3	2	GRADE 5
0.1	0.1	4	3	GRADE 6
0.4	0.3	19	4	GRADE 7
0.6	0.6	34	5	GRADE 8
1.2	1.2	65	6	GRADE 9
1.0	0.9	51	7	GRADE 10
96.5	90.4	5,040	8	NEVER
	6.4	354	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric

Missing-data code: -9

Columns: 435-436

V2313 052D04P GR 1ST TRY INHAL

Item Number: 05688

When (if ever) did you FIRST do each of the following things?
 . . . P: Sniff glue, gases, or sprays to get high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	1.4	76	1	GRADE 4
0.8	0.8	42	2	GRADE 5
1.4	1.3	70	3	GRADE 6
1.9	1.7	98	4	GRADE 7
2.1	1.9	106	5	GRADE 8
1.5	1.3	75	6	GRADE 9
0.9	0.8	43	7	GRADE 10
89.9	81.1	4,524	8	NEVER
	9.7	542	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 437-438

V2314	052D04Q GR 1ST TRY STRDS
-------	--------------------------

Item Number: 23810

When (if ever) did you FIRST do each of the following things?
 . . . Q: Try steroids (anabolic steroids)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	1	GRADE 4
0.0	0.0	2	2	GRADE 5
0.1	0.1	4	3	GRADE 6
0.0	0.0	2	4	GRADE 7
0.2	0.2	9	5	GRADE 8
0.5	0.4	24	6	GRADE 9
0.3	0.3	18	7	GRADE 10
98.8	92.3	5,147	8	NEVER
	6.6	368	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 439-440

V2315 **052D05A ALL FRD SMK CIGS**

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke
cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	22.6	1,260	1	NONE
37.3	35.5	1,981	2	A FEW
25.4	24.2	1,350	3	SOME
11.8	11.2	625	4	MOST
1.9	1.8	98	5	ALL
	4.7	262	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 441-442

V2316 **052D05B ALL FRD SMKLESS**

Item Number: 25280

How many of your friends would you estimate. . . B: Use
smokeless tobacco?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	55.0	3,067	1	NONE
23.8	22.6	1,262	2	A FEW
12.3	11.7	651	3	SOME
4.9	4.6	259	4	MOST
1.1	1.0	56	5	ALL
	5.0	282	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 443-444

V2317	052D05C	ALL	FRD	DRK	ALCL
-------	---------	-----	-----	-----	------

Item Number: 07190

How many of your friends would you estimate . . . C: Drink
alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.6	589	1	NONE
18.1	17.2	957	2	A FEW
24.6	23.4	1,303	3	SOME
33.5	31.8	1,775	4	MOST
12.7	12.1	672	5	ALL
	5.0	280	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 445-446

V2318	052D05D	ALL	FRD	GT	DRUNK
-------	---------	-----	-----	----	-------

Item Number: 07200

How many of your friends would you estimate . . . D: Get
drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	26.3	1,467	1	NONE
27.8	26.4	1,471	2	A FEW
25.2	23.9	1,332	3	SOME
15.2	14.5	807	4	MOST
4.1	3.9	219	5	ALL
	5.0	281	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 447-448

V2319 **052D05E ALL FRD SMK MARJ**

Item Number: 07080

How many of your friends would you estimate . . . E: Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	30.8	1,719	1	NONE
25.9	24.6	1,371	2	A FEW
21.0	19.9	1,111	3	SOME
16.2	15.4	857	4	MOST
4.6	4.3	242	5	ALL
	5.0	278	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 449-450

V2320 **052D05F # FRNDS TK CRACK**

Item Number: 07151

How many of your friends would you estimate . . . F: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	75.8	4,227	1	NONE
15.3	14.5	809	2	A FEW
3.6	3.4	189	3	SOME
0.8	0.8	45	4	MOST
0.4	0.4	20	5	ALL
	5.1	287	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 451-452

V2321	052D05G # FRNDS TK C PWD
--------------	---------------------------------

Item Number: 23990

How many of your friends would you estimate. . . G: Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	75.6	4,214	1	NONE
15.2	14.5	806	2	A FEW
3.7	3.5	197	3	SOME
1.2	1.1	61	4	MOST
0.4	0.4	23	5	ALL
	4.9	275	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 453-454

V2322	052D05H ALL FRD TK HERON
--------------	---------------------------------

Item Number: 07160

How many of your friends would you estimate. . . H: Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	85.6	4,776	1	NONE
7.4	7.0	391	2	A FEW
1.6	1.5	84	3	SOME
0.4	0.4	20	4	MOST
0.4	0.4	23	5	ALL
	5.1	284	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 455-456

V2323 **052D05I** **ALL FRND INHALNT**

Item Number: 25290

How many of your friends would you estimate. . . I: Sniff
glue, gases, or sprays?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	77.9	4,344	1	NONE
12.8	12.1	677	2	A FEW
3.3	3.1	175	3	SOME
1.1	1.0	56	4	MOST
0.7	0.6	34	5	ALL
	5.2	289	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 457-458

V2324 **052D06A** **STDNTS SMK +1CIG**

Item Number: 30850

Now think about all the students in your grade at your school.
How many of them do you think. . . A. Smoke one or more
cigarettes a day?

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	13.4	746	1	0-10%
23.7	22.4	1,250	2	11-30%
23.2	22.0	1,225	3	31-50%
20.3	19.2	1,070	4	51-70%
14.9	14.1	786	5	71-90%
3.9	3.6	203	6	91-100%
	5.3	296	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 459-460

V2325	052D06B STDNTS DRNK/MO
-------	------------------------

Item Number: 30860

Now think about all the students in your grade at your school. How many of them do you think . . . B. Drank alcohol sometime in the past month?

1="0 to 10%" 2="11 to 30%" 3="31 to 50%" 4="51 to 70%" 5="71 to 90%" 6="91 to 100%"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.2	287	1	0-10%
8.7	8.2	459	2	11-30%
15.3	14.5	808	3	31-50%
23.6	22.4	1,248	4	51-70%
31.7	30.0	1,676	5	71-90%
15.2	14.4	803	6	91-100%
	5.3	296	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 461-462

V2326 052D06C STDNTS USE MJ/MO

Item Number: 30870

Now think about all the students in your grade at your school.
 How many of them do you think. . . C. Used marijuana
 sometime in the past month?

1="0 to 10%" 2="11 to 30%" 3="31 to 50%" 4="51 to 70%" 5="71
 to 90%" 6="91 to 100%"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	13.7	763	1	0-10%
20.2	19.1	1,063	2	11-30%
19.3	18.3	1,020	3	31-50%
20.3	19.2	1,071	4	51-70%
17.3	16.3	911	5	71-90%
8.5	8.0	446	6	91-100%
	5.4	302	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 463-464

V2327 052D07A #X USE ALC HOME

Item Number: 25590

During the last 12 months, how often (if ever) have you used
 alcohol in each of the following places? A: At your home

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	59.2	3,304	1	NOT @ALL
22.6	20.7	1,154	2	1-2 X
7.4	6.8	381	3	3-5 X
5.4	5.0	277	4	6+ TIMES
	8.3	461	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 465-466

V2328	052D07B #X USE ALC FRNDS
--------------	---------------------------------

Item Number: 25600

During the last 12 months, how often (if ever) have you used alcohol in each of the following places? B: At friends' houses

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	50.6	2,822	1	NOT @ALL
21.9	20.0	1,114	2	1-2 X
11.5	10.5	587	3	3-5 X
11.3	10.3	575	4	6+ TIMES
	8.6	478	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 467-468

V2329	052D07C #X USEALC SCHEVE
--------------	---------------------------------

Item Number: 25610

During the last 12 months, how often (if ever) have you used alcohol in each of the following places? C: At a school dance, a game, or other event

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	80.1	4,468	1	NOT @ALL
9.1	8.5	473	2	1-2 X
2.9	2.7	151	3	3-5 X
2.1	2.0	111	4	6+ TIMES
	6.7	373	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 469-470

V2330 **052D07D** **#X USE ALC ATSCH**

Item Number: 25620

During the last 12 months, how often (if ever) have you used alcohol in each of the following places? D: At school during the day

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	86.8	4,838	1	NOT @ALL
5.3	5.0	277	2	1-2 X
1.3	1.2	66	3	3-5 X
0.9	0.9	49	4	6+ TIMES
	6.2	347	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 471-472

V2331 **052D07E** **#X USE ALC NRSCH**

Item Number: 25630

During the last 12 months, how often (if ever) have you used alcohol in each of the following places? E: Near school

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	84.4	4,706	1	NOT @ALL
6.7	6.3	350	2	1-2 X
2.0	1.8	102	3	3-5 X
1.2	1.1	64	4	6+ TIMES
	6.3	354	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 473-474

V2332	052D07F #X USE ALC INCAR
--------------	---------------------------------

Item Number: 25640

During the last 12 months, how often (if ever) have you used alcohol in each of the following places? F: In a car

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	74.7	4,167	1	NOT @ALL
11.7	10.9	609	2	1-2 X
4.7	4.4	246	3	3-5 X
3.4	3.2	177	4	6+ TIMES
	6.8	377	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 475-476

V2333	052D07G #X USE ALC PARTY
--------------	---------------------------------

Item Number: 25650

During the last 12 months, how often (if ever) have you used alcohol in each of the following places? G: At a party

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	52.3	2,914	1	NOT @ALL
20.1	18.3	1,021	2	1-2 X
9.7	8.9	496	3	3-5 X
13.0	11.8	660	4	6+ TIMES
	8.7	485	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 477-478

V2334 **052D07H** **#X USE ALC@PARK**

Item Number: 25655

During the last 12 months, how often (if ever) have you used alcohol in each of the following places? H: At a park or beach

1="Not at all" 2="1-2 times" 3="3-5 times" 4="6 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	76.8	4,283	1	NOT @ALL
9.5	8.9	496	2	1-2 X
4.3	4.1	227	3	3-5 X
4.5	4.2	233	4	6+ TIMES
	6.0	337	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 479-480

V2335 **052D08A** **#X BEER/LIFETIME**

Item Number: 11000

On how many occasions (if any) have you had beer to drink-- more than just a few sips. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	37.1	2,070	1	0 OCCAS
17.1	14.8	825	2	1-2X
10.6	9.2	514	3	3-5X
8.2	7.1	395	4	6-9X
7.6	6.6	366	5	10-19X
5.2	4.5	253	6	20-39X
8.5	7.4	411	7	40+OCCAS
	13.3	743	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 481-482

V2336	052D08B #X BEER/LAST12MO
-------	--------------------------

Item Number: 11010

On how many occasions (if any) have you had beer to drink-- more than just a few sips. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	46.9	2,613	1	0 OCCAS
17.5	15.1	844	2	1-2X
10.2	8.8	493	3	3-5X
6.2	5.4	301	4	6-9X
5.3	4.6	255	5	10-19X
3.6	3.1	174	6	20-39X
2.9	2.5	141	7	40+OCCAS
	13.6	756	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 483-484

V2337 052D08C #X BEER/LAST30DA

Item Number: 11020

On how many occasions (if any) have you had beer to drink--
 more than just a few sips. . . C: . . . during the last 30
 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
75.0	64.8	3,614	1	0 OCCAS
13.0	11.2	624	2	1-2X
5.4	4.7	260	3	3-5X
3.6	3.1	172	4	6-9X
1.9	1.6	91	5	10-19X
0.5	0.4	23	6	20-39X
0.7	0.6	33	7	40+OCCAS
	13.6	760	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 485-486

V2338	052D09	5+BR/LST2WK,10+X
-------	--------	------------------

Item Number: 11030

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce cans of beer (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	73.2	4,083	1	NONE
4.8	4.1	227	2	ONCE
4.1	3.4	191	3	TWICE
3.0	2.5	141	4	3-5 X
0.7	0.6	32	5	6-9 X
0.6	0.5	29	6	10+ X
	15.7	874	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 487-488

V2339 052D10A #X FLVRDALC/LIFE

Item Number: 31360

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips (Do not include regular liquor, beer, or wine.) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	35.5	1,981	1	0 OCCAS
14.5	12.5	696	2	1-2X
14.3	12.4	689	3	3-5X
9.4	8.1	449	4	6-9X
8.6	7.4	413	5	10-19X
5.3	4.6	256	6	20-39X
6.7	5.8	322	7	40+OCCAS
	13.8	770	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 489-490

V2340 052D10B #X FLVRDALC/12MO

Item Number: 31370

On how many occasions (if any) have you had flavored alcoholic beverages to drink--more than just a few sips. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
51.6	44.4	2,474	1	0 OCCAS
18.7	16.1	900	2	1-2X
12.5	10.7	598	3	3-5X
7.2	6.2	344	4	6-9X
5.3	4.5	252	5	10-19X
2.5	2.2	122	6	20-39X
2.3	2.0	109	7	40+OCCAS
	14.0	779	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 491-492

V2341 **052D10C** **#X FLVRDALC/30DA**

Item Number: 31380

On how many occasions (if any) have you had flavored alcoholic beverages to drink--more than just a few sips. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	66.1	3,685	1	0 OCCAS
13.0	11.1	621	2	1-2X
4.8	4.1	230	3	3-5X
2.7	2.3	128	4	6-9X
1.5	1.3	72	5	10-19X
0.4	0.3	19	6	20-39X
0.7	0.6	34	7	40+OCCAS
	14.1	786	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 493-494

V2342 **052D11** **GT HELP FR DRUGS**

Item Number: 22365

Have you ever received any professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	89.0	4,964	1	NEVER
1.3	1.2	68	2	NOPASTYR
1.3	1.2	65	3	INPASTYR
	8.6	479	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 495-496

V2343	052D12A	4WKS	ALC@SCHOOL
-------	---------	------	------------

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . . A: Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	87.5	4,879	1	NONE
3.3	3.1	174	2	ONE DAY
1.3	1.2	68	3	TWO DAYS
0.8	0.7	41	4	3-5 DAYS
0.2	0.2	13	5	6-9 DAYS
0.4	0.4	23	6	10+ DAYS
	6.8	379	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 497-498

V2344 052D12B 4WKS MJ/OTD@SCHL

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you
 . . . B: Under the influence of marijuana or some other
 illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	83.6	4,662	1	NONE
3.4	3.2	179	2	ONE DAY
2.4	2.2	123	3	TWO DAYS
2.0	1.9	106	4	3-5 DAYS
0.6	0.6	33	5	6-9 DAYS
1.6	1.5	83	6	10+ DAYS
	7.0	391	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 499-500

V2345	052D12C	4WKS TOBACCO@SCH
-------	---------	------------------

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you
 . . . C: Smoking cigarettes or using chewing tobacco while
 you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	85.8	4,786	1	NONE
2.0	1.9	104	2	ONE DAY
1.2	1.1	64	3	TWO DAYS
1.2	1.1	62	4	3-5 DAYS
0.7	0.6	34	5	6-9 DAYS
2.6	2.4	136	6	10+ DAYS
	7.0	391	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 501-502

V2346 052D12D 4WKS WEAPON@SCHL

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . . D: Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	87.7	4,891	1	NONE
1.6	1.5	81	2	ONE DAY
0.6	0.6	33	3	TWO DAYS
0.8	0.7	40	4	3-5 DAYS
0.2	0.2	13	5	6-9 DAYS
2.5	2.3	129	6	10+ DAYS
	7.0	390	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 503-504

V2347 052D13 ILL DRG SOLD@SCH

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	29.0	1,619	1	YES
68.8	63.9	3,563	2	NO
	7.1	395	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 505-506

V2348	052D14	DRG SL NBHD/12MO
-------	--------	------------------

Item Number: 30880

During the past 12 months, how often have you seen people selling illegal drugs in your neighborhood?

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	56.6	3,156	1	NEVER
16.4	15.2	850	2	FEW TIMES/YR
8.9	8.2	460	3	1-2X/MONTH
6.7	6.2	345	4	ONCE/WEEK
7.1	6.6	368	5	ALM EVERYDAY
	7.1	398	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 507-508

V2349	052D15A	SMKRS ENJOY LIFE
-------	---------	------------------

Item Number: 21000

Do you agree or disagree . . . A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	68.9	3,842	1	DISAGREE
7.0	6.5	365	2	MOST DIS
14.3	13.2	738	3	NEITHER
2.0	1.9	104	4	MOST AGR
2.4	2.3	126	5	AGREE
	7.2	403	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 509-510

V2350 **052D15B PRFR DATE N-SMKR**

Item Number: 21010

Do you agree or disagree . . . B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.3	354	1	DISAGREE
2.5	2.3	128	2	MOST DIS
10.7	9.9	551	3	NEITHER
11.7	10.8	603	4	MOST AGR
68.4	63.4	3,535	5	AGREE
	7.3	407	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 511-512

V2351 **052D15C HARMFUL CIG EXAG**

Item Number: 21020

Do you agree or disagree . . . C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	45.3	2,527	1	DISAGREE
17.2	15.9	885	2	MOST DIS
16.0	14.8	824	3	NEITHER
9.0	8.3	462	4	MOST AGR
8.6	7.9	443	5	AGREE
	7.8	435	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 513-514

V2352	052D15D	SMKR POOR JDMNT
-------	---------	-----------------

Item Number: 21030

Do you agree or disagree . . . D: I think that becoming a smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	11.2	624	1	DISAGREE
8.0	7.4	414	2	MOST DIS
19.8	18.2	1,018	3	NEITHER
18.5	17.0	951	4	MOST AGR
41.6	38.3	2,138	5	AGREE
	7.8	432	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 515-516

V2353	052D15E	DONT MIND SMOKNG
-------	---------	------------------

Item Number: 21040

Do you agree or disagree . . . E: I personally don't mind being around people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	36.1	2,015	1	DISAGREE
16.6	15.4	857	2	MOST DIS
14.0	12.9	719	3	NEITHER
15.3	14.1	786	4	MOST AGR
15.0	13.9	773	5	AGREE
	7.6	426	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 517-518

V2354 052D15F SMKG DIRTY HABIT

Item Number: 21050

Do you agree or disagree . . . F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	8.7	486	1	DISAGREE
5.8	5.4	298	2	MOST DIS
12.7	11.7	655	3	NEITHER
16.6	15.3	853	4	MOST AGR
55.4	51.1	2,852	5	AGREE
	7.7	431	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 519-520

V2355 052D15G DTEST NEAR SMKRS

Item Number: 21055

Do you agree or disagree . . . G: I strongly dislike being
near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	16.6	928	1	DISAGREE
11.6	10.7	597	2	MOST DIS
18.2	16.8	936	3	NEITHER
14.8	13.6	760	4	MOST AGR
37.4	34.4	1,921	5	AGREE
	7.8	435	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 521-522

V2356 052D16 #X ANTIDRUG ADS

Item Number: 30890

In recent months, about how often have you seen anti-drug ads on billboards or in magazines or newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	9.9	550	1	NOT@ALL
15.2	14.0	779	2	LT ONCE/MONTH
31.5	29.0	1,618	3	1-3X/MONTH
22.4	20.6	1,148	4	1-3X/WEEK
13.7	12.6	705	5	DAILY
6.5	6.0	335	6	MT ONCE/DAY
	7.9	441	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 523-524

V2357 052D17 DARE EVR IN SCHL

Item Number: 30840

Have you ever had the D.A.R.E. (Drug Abuse Resistance Education) program in school?

1="Yes" 2="No" 8="Not sure"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	74.0	4,125	1	YES
11.0	10.2	567	2	NO
8.7	8.0	446	8	NOT SURE
	7.9	439	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 525-526

V2358 052D18 R'S NBRS TL PRNT

Item Number: 30900

How many of your neighbors would tell your parents if they saw you doing something that your parents would not want you doing?

1="None" 2="A few" 3="Some" 4="Most or all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	21.5	1,199	1	NONE
32.0	29.3	1,633	2	A FEW
17.0	15.6	868	3	SOME
27.4	25.1	1,399	4	MOST OR ALL
	8.6	478	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 527-528

V2359 052E01A POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements? A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.4	244	1	DISAGREE
4.9	4.5	252	2	MOST DIS
9.7	8.8	492	3	NEITHER
30.8	28.1	1,567	4	MOST AGR
49.8	45.5	2,535	5	AGREE
	8.7	487	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 529-530

V2360	052E01B LIFE MEANINGLESS
--------------	---------------------------------

Item Number: 23700

How much do you agree or disagree with each of the following statements? B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	36.7	2,047	1	DISAGREE
22.1	20.1	1,122	2	MOST DIS
16.6	15.1	842	3	NEITHER
12.4	11.3	628	4	MOST AGR
8.5	7.8	432	5	AGREE
	9.1	505	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 531-532

V2361	052E01C -MUCH TO B PROUD
--------------	---------------------------------

Item Number: 12660

How much do you agree or disagree with each of the following statements? C: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	41.6	2,318	1	DISAGREE
22.9	20.8	1,159	2	MOST DIS
11.9	10.8	601	3	NEITHER
12.4	11.2	627	4	MOST AGR
7.1	6.4	359	5	AGREE
	9.2	512	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 533-534

V2362 052E01D AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements? D: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.0	278	1	DISAGREE
6.2	5.7	316	2	MOST DIS
13.9	12.6	702	3	NEITHER
26.5	24.1	1,343	4	MOST AGR
47.8	43.4	2,421	5	AGREE
	9.2	516	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 535-536

V2363 052E01E I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements? E: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.5	250	1	DISAGREE
7.1	6.4	359	2	MOST DIS
11.2	10.1	563	3	NEITHER
27.5	24.9	1,387	4	MOST AGR
49.2	44.5	2,482	5	AGREE
	9.6	535	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 537-538

V2364	052E01F KICK DO DANGR TH
-------	--------------------------

Item Number: 07050

How much do you agree or disagree with each of the following statements? F: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	13.4	750	1	DISAGREE
14.2	12.9	718	2	MOST DIS
20.3	18.4	1,027	3	NEITHER
27.8	25.2	1,405	4	MOST AGR
22.9	20.7	1,157	5	AGREE
	9.3	521	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 539-540

V2365	052E01G I AM NO GOOD
-------	----------------------

Item Number: 12680

How much do you agree or disagree with each of the following statements? G: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	37.2	2,072	1	DISAGREE
20.1	18.2	1,014	2	MOST DIS
15.6	14.2	790	3	NEITHER
14.3	13.0	723	4	MOST AGR
9.0	8.1	454	5	AGREE
	9.4	523	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 541-542

V2366 **052E01H DO WELL AS OTHRS**

Item Number: 12580

How much do you agree or disagree with each of the following statements? H: I am able to do things as well as most people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.7	207	1	DISAGREE
5.2	4.7	262	2	MOST DIS
11.2	10.1	562	3	NEITHER
35.4	32.0	1,782	4	MOST AGR
44.2	39.9	2,227	5	AGREE
	9.6	537	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 543-544

V2367 **052E01I FUTURE HOPELESS**

Item Number: 23720

How much do you agree or disagree with each of the following statements? I: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	45.1	2,515	1	DISAGREE
21.8	19.7	1,097	2	MOST DIS
14.3	12.9	721	3	NEITHER
8.3	7.5	417	4	MOST AGR
5.5	4.9	275	5	AGREE
	9.9	552	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 545-546

V2368	052E01J LIKE RISK SOME X
-------	--------------------------

Item Number: 07060

How much do you agree or disagree with each of the following statements? J: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	18.4	1,028	1	DISAGREE
14.4	13.0	725	2	MOST DIS
19.0	17.2	959	3	NEITHER
26.0	23.5	1,312	4	MOST AGR
20.2	18.3	1,020	5	AGREE
	9.6	533	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 547-548

V2369	052E01K I DO WRONG THING
-------	--------------------------

Item Number: 12720

How much do you agree or disagree with each of the following statements? K: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	42.0	2,340	1	DISAGREE
21.5	19.3	1,075	2	MOST DIS
15.5	13.9	777	3	NEITHER
10.0	9.0	502	4	MOST AGR
6.2	5.6	312	5	AGREE
	10.2	571	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 549-550

V2370 052E01L SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements? L: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.8	268	1	DISAGREE
7.2	6.5	364	2	MOST DIS
12.7	11.4	636	3	NEITHER
27.5	24.8	1,382	4	MOST AGR
47.3	42.6	2,375	5	AGREE
	9.9	551	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 551-552

V2371 052E01M MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements? M: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	46.8	2,608	1	DISAGREE
20.7	18.6	1,039	2	MOST DIS
14.3	12.9	720	3	NEITHER
8.1	7.3	409	4	MOST AGR
4.9	4.4	247	5	AGREE
	9.9	554	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 553-554

V2372	052E01N GOOD TO BE ALIVE
--------------	---------------------------------

Item Number: 23730

How much do you agree or disagree with each of the following statements? N: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	2.9	164	1	DISAGREE
3.4	3.1	171	2	MOST DIS
10.1	9.1	508	3	NEITHER
20.7	18.6	1,039	4	MOST AGR
62.5	56.2	3,135	5	AGREE
	10.0	560	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 555-556

V2373	052E01O LIK XPLOR STRANG
--------------	---------------------------------

Item Number: 31080

How much do you agree or disagree with each of the following statements? 0. I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	7.9	441	1	DISAGREE
5.2	4.7	262	2	MOST DIS
17.2	15.4	861	3	NEITHER
24.3	21.9	1,220	4	MOST AGR
44.5	40.0	2,231	5	AGREE
	10.1	561	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 557-558

V2374 052E01P LIK DO FRIGHT TG

Item Number: 31090

How much do you agree or disagree with each of the following statements? P. I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	18.3	1,020	1	DISAGREE
14.9	13.4	748	2	MOST DIS
22.6	20.3	1,133	3	NEITHER
21.3	19.1	1,067	4	MOST AGR
20.7	18.6	1,035	5	AGREE
	10.3	573	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 559-560

V2375 052E01Q LIK EVN BRK RULE

Item Number: 31100

How much do you agree or disagree with each of the following statements? Q. I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	12.6	705	1	DISAGREE
14.2	12.8	713	2	MOST DIS
19.5	17.6	979	3	NEITHER
26.0	23.4	1,305	4	MOST AGR
26.1	23.5	1,310	5	AGREE
	10.1	564	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 561-562

V2376

052E01R PRF FRND EXCITNG

Item Number: 31110

How much do you agree or disagree with each of the following statements? R. I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	5.9	330	1	DISAGREE
8.9	8.0	446	2	MOST DIS
25.1	22.5	1,256	3	NEITHER
29.6	26.6	1,482	4	MOST AGR
29.8	26.8	1,493	5	AGREE
	10.2	569	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 563-564

V2377 052E02A FRQ RUN AWAY HOM

Item Number: 25660

The next questions deal with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . . A: Run away from home (for more than 24 hours)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	83.2	4,642	1	NONE
5.3	4.8	268	2	ONCE
1.4	1.3	73	3	TWICE
1.0	0.9	49	4	3-4TIMES
0.6	0.6	31	5	5+ TIMES
	9.2	514	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
 Missing-data code: -9
 Columns: 565-566

V2378	052E02B	FRQ	FGT	WRK/SCHL
-------	---------	-----	-----	----------

Item Number: 06540

During the LAST 12 MONTHS, how often have you. . . B: Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	75.1	4,185	1	NONE
9.5	8.6	479	2	ONCE
3.6	3.3	183	3	TWICE
2.4	2.2	123	4	3-4TIMES
1.6	1.5	83	5	5+ TIMES
	9.4	523	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 567-568

V2379	052E02C	FRQ	GANG	FIGHT
-------	---------	-----	------	-------

Item Number: 06550

During the LAST 12 MONTHS, how often have you. . . C: Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	72.9	4,066	1	NONE
10.0	9.0	504	2	ONCE
4.2	3.8	213	3	TWICE
2.9	2.7	148	4	3-4TIMES
2.4	2.2	120	5	5+ TIMES
	9.4	526	-9	MISSING

100.0 100.0 5,577 cases

Data type: numeric
Missing-data code: -9
Columns: 569-570

V2380 **052E02D** **FRQ** **HURT** **SM1** **BAD**

Item Number: 06560

During the LAST 12 MONTHS, how often have you. . . D: Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	78.4	4,373	1	NONE
7.5	6.8	380	2	ONCE
2.9	2.6	144	3	TWICE
1.6	1.4	79	4	3-4TIMES
1.3	1.2	68	5	5+ TIMES
	9.6	533	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 571-572

V2381 **052E02E** **FRQ** **STEAL** **<\$50**

Item Number: 06580

During the LAST 12 MONTHS, how often have you. . . E: Taken something not belonging to you worth under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	67.3	3,754	1	NONE
11.3	10.2	571	2	ONCE
6.1	5.5	308	3	TWICE
3.2	2.9	163	4	3-4TIMES
4.8	4.3	240	5	5+ TIMES
	9.7	540	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 573-574

V2382	052E02F FRQ STEAL >\$50
--------------	-----------------------------------

Item Number: 06590

During the LAST 12 MONTHS, how often have you. . . F: Taken something not belonging to you worth over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	81.0	4,519	1	NONE
4.0	3.6	201	2	ONCE
2.3	2.0	114	3	TWICE
1.6	1.5	82	4	3-4TIMES
2.2	2.0	113	5	5+ TIMES
	9.8	548	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 575-576

V2383	052E02G FRQ TRESPAS BLDG
--------------	---------------------------------

Item Number: 06630

During the LAST 12 MONTHS, how often have you. . . G: Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	67.2	3,746	1	NONE
12.1	10.9	610	2	ONCE
6.3	5.7	318	3	TWICE
4.1	3.7	206	4	3-4TIMES
3.1	2.8	156	5	5+ TIMES
	9.7	540	-9	MISSING

 100.0 100.0 5,577 cases

Data type: numeric
 Missing-data code: -9
 Columns: 577-578

V2384 **052E02H** **FRQ** **DMG** **SCH** **PPTY**

Item Number: 06650

During the LAST 12 MONTHS, how often have you. . . H: Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	77.2	4,307	1	NONE
6.8	6.2	344	2	ONCE
3.0	2.7	150	3	TWICE
2.1	1.9	105	4	3-4TIMES
2.4	2.2	122	5	5+ TIMES
	9.8	549	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 579-580

V2385 **052E02I** **FRQ** **SELL** **DRUGS**

Item Number: 23610

During the LAST 12 MONTHS, how often have you. . . I: Sold an illegal drug?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	82.0	4,571	1	NONE
2.8	2.5	142	2	ONCE
1.8	1.6	90	3	TWICE
1.3	1.2	65	4	3-4TIMES
3.1	2.8	155	5	5+ TIMES
	9.9	553	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 581-582

V2388	052E05A	OFTN EAT BRKFST
--------------	----------------	------------------------

Item Number: 20740

How often do you . . .A: Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.4	355	1	NEVER
21.5	19.4	1,084	2	SELDOM
19.8	17.9	997	3	SOMETIME
12.0	10.9	607	4	MST DAYS
12.4	11.2	626	5	NR EV DA
27.2	24.5	1,367	6	EVERYDAY
	9.7	543	-9	MISSING

-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 583-584

V2389	052E05B	OFTN EAT GN VEG
--------------	----------------	------------------------

Item Number: 20750

How often do you. . . B: Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.2	236	1	NEVER
10.5	9.5	529	2	SELDOM
22.9	20.6	1,152	3	SOMETIME
23.1	20.8	1,159	4	MST DAYS
19.7	17.8	991	5	NR EV DA
19.1	17.2	958	6	EVERYDAY
	9.9	552	-9	MISSING

-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
Missing-data code: -9
Columns: 585-586

V2390 **052E05C** **OFTN EAT FRUIT**

Item Number: 20760

How often do you. . . C: Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.9	105	1	NEVER
6.6	5.9	326	2	SELDOM
21.8	19.4	1,083	3	SOMETIME
25.5	22.7	1,265	4	MST DAYS
20.7	18.4	1,027	5	NR EV DA
23.3	20.7	1,157	6	EVERYDAY
	11.0	613	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 587-588

V2391 **052E05D** **OFTN EXERCISE**

Item Number: 20770

How often do you. . . D: Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.4	243	1	NEVER
11.7	10.5	588	2	SELDOM
20.4	18.3	1,023	3	SOMETIME
15.9	14.4	800	4	MST DAYS
18.4	16.6	924	5	NR EV DA
28.7	25.8	1,441	6	EVERYDAY
	10.0	557	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 589-590

V2392	052E05E	OFTN 7HRS SLEEP
--------------	----------------	------------------------

Item Number: 20780

How often do you. . . E: Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.5	197	1	NEVER
12.1	10.9	609	2	SELDOM
20.0	18.0	1,003	3	SOMETIME
20.2	18.2	1,016	4	MST DAYS
21.4	19.3	1,075	5	NR EV DA
22.2	20.0	1,116	6	EVERYDAY
	10.1	561	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 591-592

V2393	052E05F	OFTN SLEEP <SHLD
--------------	----------------	----------------------------

Item Number: 20790

How often do you. . . F: Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	9.5	529	1	NEVER
15.4	13.8	769	2	SELDOM
24.9	22.3	1,246	3	SOMETIME
16.3	14.7	818	4	MST DAYS
14.7	13.2	735	5	NR EV DA
18.2	16.4	913	6	EVERYDAY
	10.1	566	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 593-594

V2394 052E06 FUTR R LIFE WRSE

Item Number: 25670

How do you think your own life will go in the next few years--
do you think it will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the
same" 4="Get somewhat worse" 5="Get much worse"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	38.6	2,150	1	MCH BETR
38.5	34.4	1,916	2	SMWT BTR
15.1	13.5	753	3	SAME
2.2	1.9	107	4	SMWT WSE
0.9	0.8	46	5	MCH WRSE
	10.8	604	-9	MISSING
-----	-----	-----		
100.0	100.0	5,577		cases

Data type: numeric
Missing-data code: -9
Columns: 595-596

APPENDICES

APPENDIX A: PUBLICATIONS

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at <http://www.monitoringthefuture.org/pubs.html>.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

Grade:	<u>Number of Public Schools</u>		<u>Number of Private Schools</u>		<u>Total Number of Schools</u>		<u>Total Number of Students</u>		<u>Student Response Rate</u>	
	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>
1991	131	107	31	14	162	121	17,844	14,996	90%	87%
1992	133	106	26	19	159	125	19,015	14,997	90	88
1993	126	111	30	17	156	128	18,820	15,516	90	86
1994	116	116	34	14	150	130	17,708	16,080	89	88
1995	118	117	34	22	152	139	17,929	17,285	89	87
1996	122	113	30	20	152	133	18,368	15,873	91	87
1997	125	113	27	18	152	131	19,066	15,778	89	86
1998	122	110	27	19	149	129	18,667	15,419	88	87
1999	120	117	30	23	150	140	17,287	13,885	87	85
2000	125	121	31	24	156	145	17,311	14,576	89	86
2001	125	117	28	20	153	137	16,756	14,286	90	88
2002	115	113	26	20	141	133	15,489	14,683	91	85
2003	117	109	24	20	141	129	17,023	16,244	89	88
2004	120	111	27	20	147	131	17,413	16,839	89	88
2005	119	107	27	20	146	127	17,258	16,711	90	88