

ICPSR 4537

Monitoring the Future: A Continuing Study of American Youth (8th- and 10th-Grade Surveys), 2005

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Codebook for 8th-Grade Form 3 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

TABLE OF CONTENTS

INTRODUCTION.....	i
DATA COLLECTION DESCRIPTION	i
DATA COLLECTION PROCEDURES	i
SAMPLING INFORMATION	ii
CONTENT AREAS AND QUESTIONNAIRE DESIGN	iv
MEASUREMENT CONTENT AREAS	v
REPRESENTATIVENESS AND VALIDITY.....	vi
WEIGHTING INFORMATION.....	x
FILE STRUCTURE.....	x
CODEBOOK INFORMATION	xi
PROCESSING INFORMATION	xiii
CITATIONS	xvi
FREQUENCIES.....	17
APPENDICES.....	218
APPENDIX A: PUBLICATIONS	218
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES	219

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF THE LIFESTYLES AND VALUES OF YOUTH, 2005, GRADES 8 AND 10, is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is an unusually comprehensive one in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; results may be compared with those from other age groups also surveyed annually by the project; and the subject matter is very broad, encompassing altogether more than 450 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate description of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the explanation of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from eighth, tenth, and twelfth graders during the spring of each year. Procedures for the twelfth grade data collection are explained in detail elsewhere (1,2); the eighth and tenth grade samples were added in 1991 after 16 years of annual twelfth grade surveys and closely parallel those used for the high school seniors. Approximately 150 schools are sampled for the eighth grade survey, and approximately 17,000 to 19,000 students are surveyed. For the tenth graders, approximately 130 high schools are sampled, and approximately 15,000 to 17,000 students are surveyed.

A major exception to the similarities with the 12th grade surveys is that in the 8th/10th grade surveys only two different questionnaire forms were used in 1991-1996 (this expanded to four forms beginning in 1997) rather than the six used with seniors. Identical forms are used for both eighth and tenth grades, and for the most part, questionnaire content is drawn from the twelfth-grade questionnaires. Thus, key demographic variables and measures of drug use and related attitudes and beliefs are generally identical for all three grades. However, many fewer questions about lifestyles and values are included in the 8th/10th grade forms, in part because the authors believe that many of these attitudes are likely to be more fully formed by twelfth grade and, therefore, are best monitored there.

A limitation to the study design is that two segments of the entire age-cohort are missing: those who are enrolled in school, but are absent on the day of data collection ("absentees"), and those who have dropped out of school ("dropouts").

Dropout rates are relatively low for 8th and 10th graders: dropouts are probably less than 1% in 8th grade, and less than 5% by 10th grade (1). Absentees comprise 10% of eighth graders and about 12% of tenth graders in 2005. Although absentees are likely to be somewhat different from non-absentees on a variety of dimensions, adjusting for their relatively small proportions would have only very modest

effects on population estimates. See the latest annual report for a more extended discussion of this issue (1).

SAMPLING INFORMATION

The procedure for securing nationally representative samples of eighth and tenth graders in public and private schools is a multistage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more schools in each area, and Stage 3 is the selection of students within each school.

Stage 1: Geographic Areas. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

Stage 2: Schools. In the major metropolitan areas more than one school is often included in the sampling design; in most other sampling areas a single school is sampled. In all cases, the selections of schools are made such that the probability of drawing a school is proportionate to the size of its eighth or tenth grade class. The larger the class (according to recent records), the higher the selection probability assigned to the school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

Stage 3: Students. Within each selected school, up to about 350 students may be included in the data collection. In schools with fewer than 350 students, the usual procedure is to include all of them in the data collection. In larger schools, a subset of students is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1991 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one class to the next is observed, it is possible to check whether that shift may be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

School Recruiting Procedures. Early during the fall semester an initial contact is made with each sampled school. First a letter is sent to the principal describing the study and requesting permission to survey students. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek the permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

Advance Contact with Teachers and Students. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to that fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

Questionnaire Administration. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

Procedures for Protecting Confidentiality. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." From 1991 to 1998, the instructions pointed out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The

cover message explained that these are the reasons for asking that name and address be written on a special form which was removed from the questionnaire and handed in separately. The message also pointed out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

The research design originally called for mail-out follow-up surveys of samples of the eighth and tenth graders participating in the study, carried out at two-year intervals similar to the twelfth grade follow-up samples. In 1997, it was decided to discontinue follow-up surveys; consequently, the original "confidential" procedures (in which names and addresses were obtained from all respondents) were changed to anonymous procedures (in which no names or addresses were obtained). To allow an assessment of the potential effect of the different procedures, half the schools (all those participating for a second year) were assigned to the confidential procedure in 1998, and half (all those participating in their first year) to the anonymous condition. Beginning in 1999, all eighth and tenth grade surveys were anonymous. Analyses showed that this change in procedure had no effect on the reporting of sensitive information (i.e. drug use) by tenth graders, and little or no effect on eighth graders (3).

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the 8th/10th grade questionnaires also deal with a wide range of other subject areas, including educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors. These are listed below, along with their associated code letters by which all questions are organized in a cross-time index provided in the User Guide for this collection. The same code letters have been assigned to each area as were used in the twelfth grade content index. Because not all of the areas covered in twelfth grade are included in grades 8/10, some letters in the sequence are missing here.

MEASUREMENT CONTENT AREAS

A.	<i>Drugs. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.</i>
B.	<i>Education. Educational lifestyle, values, experiences, and environments. Media usage.</i>
C.	<i>Work and Leisure. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.</i>
D.	<i>Gender Roles and Family. Values, attitudes, and expectations about marriage, family structure, sex roles, and gender discrimination.</i>
E.	<i>Population Concerns. Values, attitudes, and expectations about personal family plans. Concerns about overpopulation. Educational opportunities offered concerning family planning.</i>
F.	<i>Conservation, Materialism, Equity, etc. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.</i>
G.	<i>Religion. Religious affiliation, practices, and views.</i>
I.	<i>Social Change. Values, attitudes, and expectations about social change.</i>
L.	<i>Military. Personal plans for military service. Views about the armed services and the use of military force.</i>
M.	<i>Interpersonal Relationships. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.</i>
O.	<i>Concern for Others. Radius of concern for others; voluntary and charitable activities.</i>
P.	<i>Happiness. Happiness and life satisfaction, overall and in specific life domains.</i>
Q.	<i>Other Personality Variables. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, optimism, trust in others, importance placed on various life goals.</i>
R.	<i>Background and School. Demographic and family background characteristics, curriculum and grades in school, victimization in school.</i>
S.	<i>Deviant Behavior and Victimization. Delinquent behaviors, seatbelt use, victimization experiences.</i>
T.	<i>Health habits and symptoms.</i>

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into two (1991-1996) to four (1997 on) different questionnaire forms. *In 1997, the third and fourth questionnaire forms were added to allow for new questions to be included in the survey.* The questionnaires are distributed to participants in an ordered sequence. In 1991-1996, this produced two equivalent half-samples. Beginning in 1997, four forms were used: forms 1 and 2 were distributed to a random 33.3% (1/3) of students, and forms 3 and 4 were distributed to a random 16.7% (1/6) of students. Thus, a question could be answered by 1/6, 1/3, 1/2, 2/3, 5/6, or all of the sample, depending on which forms included that question.

About one-third of each questionnaire form consists of key or “core” variables which are common to all forms. All demographic variables and some measures of drug use are included in this “core” set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of eighth and tenth grade students attending private or public schools throughout the 48 contiguous states. It is useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all eighth and tenth graders, and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully accurate. First, some sample schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

School Participation. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. (With very few exceptions, each school which has participated for one data collection has agreed to participate for a second.) When an invited school declines to participate, a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with “drug problems” refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools’ refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel confident that school refusals have not seriously biased the surveys.

Student Participation. Completed questionnaires are obtained from between 85% and 90% of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of the data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be less than one percent.

Validity of Self-Report Data. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history – as scholars of the relevant literature will recognize – though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination.

Accuracy of the Sample. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total samples of both grades have confidence intervals of 2.0% -- sometimes considerably smaller. This means that, had the project been able to invite all schools and all eighth or tenth graders in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 2.0 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project provide information which allows the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes (1).

Consistency and the Measurement of Trends. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9 to 15% percent of each year's sample -- are represented by only 700 respondents per year on any single questionnaire form. After 1996 when two more forms were added, the number of Hispanic or Black respondents available in the dataset drops to about 250. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number

of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small *N*s for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

Differential Representation. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of blacks than white remain in school through the end of the twelfth grade.¹ Therefore, a slightly different segment of the black population than of the white population resides in the target population of high school seniors. It is less clear to what extent there may be differential representation at the 8th and 10th grade levels. It may be that there is very little underrepresentation in 8th grade, because very few students drop out of school before the end of 8th grade; somewhat more, though still relatively few, may drop out by near the end of 10th grade, and that could be differential by race.

Differential Response Tendencies. In examining the full range of variables, racial differences in response tendencies among high school seniors have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among blacks than among whites. For example, blacks tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall “agreement bias” should be self-canceling when the index is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for black respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of blacks as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent’s willingness to answer particular questions. The missing data rate may be an indication of that unwillingness. If a particular question or set of questions has a missing data rate higher than is true for the prior set of questions, then

¹ The Hispanic group has considerably higher dropout rates than either whites or blacks, which means that student samples become increasingly less representative of the entire age group at higher grades.

presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate has been found for black male seniors on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for black males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of black seniors than white seniors reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

Covariance with Other Factors. Some characteristics such as race are highly confounded (correlated) with other variables – variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socioeconomic level or region of the country – that is, once we compare the black respondents with white who come from similar backgrounds – there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of blacks live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of blacks are Baptists, and blacks tend to attribute more importance to religion than do whites.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (8TH-AND 10TH-GRADE SURVEYS), 2005 is available from ICPSR as eight logical record length datasets. Each dataset consists of SAS, SPSS, and Stata data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

<i>Part #</i>	<i>Form</i>	<i>#Variables</i>	<i>Logical record length</i>	<i>Unweighted N</i>
<i>Part 1</i>	8 th Grade, Form 1	288	589	5762
<i>Part 2</i>	8 th Grade, Form 2	291	594	5738
<i>Part 3</i>	8 th Grade, Form 3	288	588	2877
<i>Part 4</i>	8 th Grade, Form 4	279	570	2881
<i>Part 5</i>	10 th Grade, Form 1	289	591	5571
<i>Part 6</i>	10 th Grade, Form 2	292	596	5574
<i>Part 7</i>	10 th Grade, Form 3	289	590	2766
<i>Part 8</i>	10 th Grade, Form 4	280	572	2800

The SAS, SPSS, and Stata data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] **V1134** [2] **991A13** **KIND OF PAID JOB**

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
-----	-----	-----		
[10]	[11]	[12]		
100.0	100.0	5,745	cases	(Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99

-
- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
 - [2] Indicates the abbreviated variable name used to identify the variable for the user.
 - [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases (Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA (This variable is labeled "SELF-REP=1/NOT=0" to be consistent with earlier versions). Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each eighth and tenth grade dataset.

Omitted Variables:

Forms 1 to 4	C01. R'S BIRTH YEAR
Forms 1 to 4	C02. R'S BIRTH MONTH
Forms 1 to 4	C05. FIRST LANGUAGE
Forms 1 to 4	C07e-h. R'S HSHLD (other than mother/father/sibling)
Forms 1 to 4	C12a. R'S RELGS PRFNC
Form 1	A12. CURRENT HEIGHT
Form 1	A13. CURRENT WEIGHT
Form 2	E03. CURRENT HEIGHT
Form 2	E04. CURRENT WEIGHT
Form 2	E07. ZIP CODE (5 DIGIT)
Form 4	E02. CURRENT HEIGHT
Form 4	E03. CURRENT WEIGHT
Form 4	E05. ZIP CODE (5 DIGIT)

The variables that have been retained but altered to insure confidentiality follow.

Forms 1-4 R'S ID - SERIAL #

5 digit code exclusive to each grade; modified to protect respondent confidentiality

Forms 1-4 Sampling Weight

Originally varied by school but modified to protect respondent confidentiality; use for all analyses, results of which will differ slightly from published data tables using original data

AGE <> 16 DICHOTOMY (10th grade only):

1=younger than 16 years old,

2=16 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 16, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 16.

C03. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK, 2=WHITE, 3=HISPANIC -9=All Other Codes and missing data or multiple responses on Q. C03

For 2005, two of the questionnaire forms, Form 1 and Form 3, have a new version of the race question. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected more than one response option, the value for the recoded variable was deleted and defined as missing.

C07a-c. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

Sibling combines responses to originally separate questions about brother and sister, then after these and the remaining "HSHLD" items were deleted, missing data on C07a, b, and new c was redetermined.

C22. EVER HELD BACK

Dichotomized to 0=NO, 1=YES, -9=missing

C23. NEED SUMMER SCHL

Dichotomized to 0=NO, 1=YES, -9=missing

C24. EVER SUSPENDED

Dichotomized to 0=NO, 1=YES, -9=missing

Beginning in 1997, a select group of questions were excluded from some schools in the Western region, rendering those schools potentially identifiable. Thus, these variables were intentionally changed to missing data (coded -9) from all schools in the Western region of the contiguous United States:

Item Reference Number	Question Name	2005 Form 1 Q#	2005 Form 2 Q#	2005 Form 3 Q#	2005 Form 4 Q#
07970	MN=ACHV/WMN=HOME	1A19C	2A15C	x	x
07990	WK MO AS WRM REL	1A19D	2A15D	x	x
00370	R'ATTND REL SVC	1C12B	2C12B	3C12B	4C12B
00380	RLGN IMP R'S LF	1C13	2C13	3C13	4C13
25180	#X PRNT CHK HMWK	1C28A	2C28A	x	x
25190	#X PRNT HLP HMWK	1C28B	2C28B	x	x
25200	#X PRNT GV CHORE	1C28C	2C28C	x	x
25210	#X PRNT LIMIT TV	1C28D	2C28D	x	x
25225	#X PRNT ALW OUT	1C28E	2C28E	x	x
25860	TALK PROB W/PRNT	1C29	2C29	3C29	4C29
25870	TALK PROB W/ADLT	1C30	2C30	3C30	4C30
10530	MO SH B W CHL>TM	1E13A	x	3E08A	x
12180	FTHR>TIME W CHLD	1E13B	x	3E08B	x
30760	PRN KNW AFT SCHL	x	x	3C28A	4C28A
30770	PRN KNW WHO@NITE	x	x	3C28B	4C28B
30780	PRN KNW WHER@NGT	x	x	3C28C	4C28C
30790	R'S WKND CURFEW	x	x	3C28D	4C28D

An x in a column indicates that the question was not included in the questionnaire form to which the column refers.

CITATIONS

- ¹National survey results on drug use from the Monitoring the Future study, 1975-2004, Volume I: Secondary school students (2005). (NIH Pub. No. 05-5727). Vol II: College students and adults ages 19-45 (2005). (NIH Pub. No. 05-5728). L.D. Johnston, P.M. O'Malley, J.G. Bachman, and J.E. Schulenberg, 545 pp. and 267 pp. respectively.
- ²The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- ³O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J.E. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30, 35-54.

FREQUENCIES

8TH GRADE, FORM 3

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

2,868 cases (Range of valid codes: 1-2877)

Data type: numeric
Columns: 1-4

V1	053 YEAR OF ADMINISTRATION
-----------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,868	2005	
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Columns: 5-8

V3	053 FORM ID
-----------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,868	3	
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Columns: 9-10

V4	053 R'S ID - SERIAL #
-----------	------------------------------

2,868 cases (Range of valid codes: 41501-44377)

Data type: numeric
Columns: 11-15

V5	053 SAMPLING WEIGHT
-----------	----------------------------

2,868 cases (Range of valid codes: 0.2498-4.9385)

Data type: numeric
Decimals: 4
Columns: 16-21

V507	053 SCHOOL REGION
-------------	--------------------------

Item Number:

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	19.2	551	1	NE
21.8	21.8	624	2	NCENTRL
37.8	37.8	1,084	3	SOUTH
21.2	21.2	609	4	WEST
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Columns: 22-23

V508	053 SELF-REP=1/NOT=0
-------------	-----------------------------

Item Number:

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

0=Not Self-Representing MSA 1=Self-Representing MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	67.7	1,942	0	NOSLFREP
32.3	32.3	926	1	SELF REP
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Columns: 24-25

V3102 **053A02 VRY HPY THS DAY**

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.1	404	1	NT HAPPY
68.2	67.2	1,928	2	PRTY HPY
17.6	17.3	497	3	VRY HPY
	1.3	39	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 30-31

V3103 **053A03A DALY GO TO MOVIE**

Item Number: 05830

The next questions ask about the kinds of things you might do. How often do you do each of the following? A: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	56	1	NEVER
29.0	28.7	824	2	FEW /YR
49.4	49.0	1,406	3	1-2 /MO
19.1	19.0	544	4	1 /WK
0.5	0.5	15	5	NR DAILY
	0.8	22	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 32-33

V3104

053A03B DALY ROCK CONCRT

Item Number: 05845

How often do you do each of the following? B: Go to rock concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	71.7	2,056	1	NEVER
24.0	23.7	680	2	FEW /YR
2.7	2.7	78	3	1-2 /MO
0.5	0.5	15	4	1 /WK
0.3	0.3	8	5	NR DAILY
	1.1	30	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 34-35

V3105

053A03C DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following? C: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	21.7	624	1	NEVER
16.9	16.7	479	2	FEW /YR
13.0	12.9	369	3	1-2 /MO
18.5	18.3	525	4	1 /WK
29.5	29.2	837	5	NR DAILY
	1.1	33	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 36-37

V3106 053A03D DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following? D: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	34.3	982	1	NEVER
38.0	37.6	1,078	2	FEW /YR
17.7	17.5	502	3	1-2 /MO
7.7	7.6	219	4	1 /WK
1.8	1.8	52	5	NR DAILY
	1.2	35	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 38-39

V3107 053A03E DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following? E: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	198	1	NEVER
10.0	9.9	283	2	FEW /YR
8.6	8.4	242	3	1-2 /MO
19.7	19.4	557	4	1 /WK
54.7	54.0	1,548	5	NR DAILY
	1.4	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 40-41

V3108

053A03F DALY VIS FRDS FR

Item Number: 05920

How often do you do each of the following? F: Get together with friends informally (in your free time)

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	88	1	NEVER
4.7	4.6	132	2	FEW /YR
12.8	12.7	365	3	1-2 /MO
36.5	36.2	1,038	4	1 /WK
42.9	42.6	1,221	5	NR DAILY
	0.8	24	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 42-43

V3109

053A03G DALY GO TO MALL

Item Number: 05930

How often do you do each of the following? G: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	127	1	NEVER
20.3	20.1	575	2	FEW /YR
45.1	44.5	1,275	3	1-2 /MO
26.0	25.6	735	4	1 /WK
4.1	4.1	116	5	NR DAILY
	1.4	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 44-45

V3110 053A03H DALY ALONE LS/FR

Item Number: 05940

How often do you do each of the following? H: Spend at least an hour of leisure time (free time) alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.8	224	1	NEVER
7.1	7.1	202	2	FEW /YR
11.2	11.1	318	3	1-2 /MO
26.4	26.2	751	4	1 /WK
47.4	47.0	1,347	5	NR DAILY
	0.9	25	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 46-47

V3111 053A03I DALY READ MAGZNS

Item Number: 23070

How often do you do each of the following? I: Read magazines

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	12.1	347	1	NEVER
15.4	15.3	438	2	FEW /YR
28.3	28.1	806	3	1-2 /MO
31.1	30.8	883	4	1 /WK
13.0	12.8	368	5	NR DAILY
	0.9	26	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 48-49

V3112	053A03J DALY READ NWSPPR
--------------	---------------------------------

Item Number: 23080

How often do you do each of the following? J: Read newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	26.3	755	1	NEVER
21.7	21.5	615	2	FEW /YR
22.2	21.9	628	3	1-2 /MO
19.6	19.4	557	4	1 /WK
9.9	9.8	281	5	NR DAILY
	1.1	33	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 50-51

V3113	053A03K DALY GO TO PARTY
--------------	---------------------------------

Item Number: 05970

How often do you do each of the following? K: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	181	1	NEVER
24.1	23.8	684	2	FEW /YR
40.5	40.1	1,149	3	1-2 /MO
24.2	23.9	687	4	1 /WK
4.8	4.8	137	5	NR DAILY
	1.0	29	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 52-53

V3114 **053A03L DALY GO VID ARC**

Item Number: 29620

How often do you do each of the following? L: Go to video arcades

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	38.1	1,093	1	NEVER
35.1	34.8	998	2	FEW /YR
17.3	17.2	494	3	1-2 /MO
7.0	7.0	199	4	1 /WK
2.2	2.2	63	5	NR DAILY
	0.7	20	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 54-55

V3115 **053A04A #XUSE RADIO4NEWS**

Item Number: 24780

How often do you use each of the following to get information about news and current events? A: Radio

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.7	335	1	NEVER
7.9	7.8	224	2	FEW /YR
9.5	9.4	270	3	1-2 /MO
18.7	18.5	531	4	1 /WK
52.1	51.6	1,480	5	NR DAILY
	1.0	29	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 56-57

V3116

053A04B #XUSE TV 4 NEWS

Item Number: 24790

How often do you use each of the following to get information about news and current events? B: TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	100	1	NEVER
2.9	2.9	83	2	FEW /YR
4.5	4.5	129	3	1-2 /MO
19.4	19.2	551	4	1 /WK
69.6	68.9	1,976	5	NR DAILY
	1.0	29	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 58-59

V3117

053A04C #X USE PPR 4NEWS

Item Number: 24800

How often do you use each of the following to get information about news and current events? C: Newspaper

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	25.4	729	1	NEVER
19.5	19.2	552	2	FEW /YR
21.8	21.4	614	3	1-2 /MO
22.0	21.7	622	4	1 /WK
10.8	10.6	304	5	NR DAILY
	1.6	46	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 60-61

V3118 **053A04D #X USE MAG 4NEWS**

Item Number: 24810

How often do you use each of the following to get information about news and current events? D: Magazines

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	21.0	602	1	NEVER
16.7	16.4	471	2	FEW /YR
27.9	27.5	789	3	1-2 /MO
24.3	23.9	686	4	1 /WK
9.8	9.7	278	5	NR DAILY
	1.4	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 62-63

V3119 **053A04E #X INTERNET NEWS**

Item Number: 24815

How often do you use each of the following to get information about news and current events? E: The Internet

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.3	296	1	NEVER
7.1	7.0	201	2	FEW /YR
14.9	14.8	424	3	1-2 /MO
24.2	24.0	688	4	1 /WK
43.4	43.0	1,233	5	NR DAILY
	0.9	26	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 64-65

V3120 053A05 # HRS RADIO/DAY

Item Number: 24820

How many hours do you estimate you spend listening to the radio on an average DAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	199	1	NONE
25.3	25.0	716	2	1/2 HOUR
21.5	21.2	609	3	ONE HOUR
16.4	16.2	465	4	2 HOURS
11.5	11.4	326	5	3 HOURS
6.4	6.3	181	6	4 HOURS
11.8	11.7	335	7	5+ HRS
	1.3	36	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 66-67

V3121 053A06 #HRS TV/DAY/5+

Item Number: 10550

How much TV do you estimate you watch on an average WEEKDAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	84	1	NONE
8.9	8.8	252	2	1/2 HOUR
15.9	15.7	451	3	ONE HOUR
26.3	26.1	747	4	2 HOURS
18.1	18.0	515	5	3 HOURS
10.8	10.7	306	6	4 HOURS
17.1	17.0	487	7	5+ HRS
	0.9	24	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 68-69

V3122 **053A07 # HRS TV/WKEND**

Item Number: 24830

How much TV do you estimate you watch on an average WEEKEND
(both Saturday and Sunday combined)?

1="None" 2="Less than 1 hour" 3="1 - 2 hours" 4="3 - 4 hours"
5="5 - 6 hours" 6="7 - 8 hours" 7="9 hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	63	1	NONE
6.5	6.5	186	2	< 1 HR
14.2	14.1	405	3	1-2 HRS
27.7	27.5	790	4	3-4 HRS
21.4	21.2	609	5	5-6 HRS
10.8	10.7	307	6	7-8 HRS
17.1	17.0	488	7	9+ HRS
	0.7	21	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 70-71

V3123 **053A08A LSTYR/ENJOY SCHL**

Item Number: 23090

Now thinking back over the past year in school, how often did
you. . . A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.2	234	1	NEVER
13.9	13.8	395	2	SELDOM
39.3	38.9	1,116	3	SOMETIME
26.5	26.2	752	4	OFTEN
12.1	12.0	345	5	ALWAYS
	0.9	25	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 72-73

V3124 **053A08B LSTYR/HATE SCHL**

Item Number: 23100

Now thinking back over the past year in school, how often did you. . . B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	8.5	243	1	NEVER
21.9	21.6	621	2	SELDOM
35.5	35.1	1,006	3	SOMETIME
20.2	20.0	573	4	OFTEN
13.8	13.7	392	5	ALWAYS
	1.2	33	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 74-75

V3125 **053A08C LSTYR/DO BEST WK**

Item Number: 23110

Now thinking back over the past year in school, how often did you. . . C: Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	30	1	NEVER
3.2	3.2	91	2	SELDOM
16.2	16.1	461	3	SOMETIME
30.8	30.5	875	4	OFTEN
48.7	48.3	1,385	5	ALWAYS
	0.9	26	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 76-77

V3126	053A08D LSTYR/SCH 2 HARD
--------------	---------------------------------

Item Number: 23120

Now thinking back over the past year in school, how often did you. . . D: Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.4	356	1	NEVER
34.8	34.4	988	2	SELDOM
34.9	34.5	990	3	SOMETIME
12.9	12.8	367	4	OFTEN
4.8	4.8	137	5	ALWAYS
	1.0	30	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 78-79

V3127	053A08E LSTYR/WK INTRSTG
--------------	---------------------------------

Item Number: 24840

Now thinking back over the past year in school, how often did you. . . E: Find your school work interesting?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	15.0	431	1	NEVER
27.1	26.7	767	2	SELDOM
36.5	36.0	1,033	3	SOMETIME
17.6	17.4	499	4	OFTEN
3.7	3.7	105	5	ALWAYS
	1.2	34	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 80-81

V3128 **053A08F LSTYR/WK NT DONE**

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	24.5	703	1	NEVER
35.6	35.1	1,007	2	SELDOM
24.3	24.0	689	3	SOMETIME
10.8	10.7	306	4	OFTEN
4.5	4.4	127	5	ALWAYS
	1.3	36	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 82-83

V3129 **053A08G LSTYR/U MISBEHAV**

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .G: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	58.4	1,676	1	NEVER
21.5	21.3	611	2	SELDOM
10.4	10.3	296	3	SOMETIME
5.2	5.2	148	4	OFTEN
3.9	3.8	110	5	ALWAYS
	0.9	27	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 84-85

V3130

053A09A DISAP 1-5CIGS/DA

Item Number: 30740

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people doing each of the following? A. Smoking one to five cigarettes per day.

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.1	404	1	DONT DIS
29.8	29.2	839	2	DISAPPRV
53.3	52.4	1,504	3	STRG DIS
2.6	2.5	72	8	CANT SAY
	1.7	49	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 86-87

V3131

053A09B DISAP 1+PK CIGS

Item Number: 24850

Do YOU disapprove of people doing each of the following? B:
Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	192	1	DONT DIS
18.0	17.7	509	2	DISAPPRV
72.4	71.2	2,042	3	STRG DIS
2.7	2.7	77	8	CANT SAY
	1.6	47	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 88-89

V3132 **053A09C DISAP SMOKELESS**

Item Number: 24860

Do YOU disapprove of people doing each of the following? C:
Using smokeless tobacco regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.3	294	1	DONT DIS
29.9	29.3	839	2	DISAPPRV
53.4	52.3	1,501	3	STRG DIS
6.3	6.2	176	8	CANT SAY
	2.0	57	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 90-91

V3133 **053A09D DISAP MJ 1-2 X**

Item Number: 24870

Do YOU disapprove of people doing each of the following? D:
Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.3	583	1	DONT DIS
22.7	22.2	637	2	DISAPPRV
52.4	51.3	1,473	3	STRG DIS
4.3	4.2	120	8	CANT SAY
	1.9	55	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 92-93

V3134	053A09E DISAP MJ OCCAS
--------------	-------------------------------

Item Number: 24880

Do YOU disapprove of people doing each of the following? E:
Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.5	388	1	DONT DIS
21.1	20.7	593	2	DISAPPRV
60.7	59.5	1,707	3	STRG DIS
4.4	4.3	124	8	CANT SAY
	2.0	56	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 94-95

V3135	053A09F DISAP MJ REG
--------------	-----------------------------

Item Number: 24890

Do YOU disapprove of people doing each of the following? F:
Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.0	287	1	DONT DIS
16.3	16.0	458	2	DISAPPRV
69.0	67.4	1,932	3	STRG DIS
4.5	4.4	125	8	CANT SAY
	2.3	66	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 96-97

V3136	053A09G DISAP ALC 1-2 X
--------------	--------------------------------

Item Number: 24940

Do YOU disapprove of people doing each of the following? G:
 Trying one or two drinks of an alcoholic beverage (beer,
 wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
 8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	44.1	1,266	1	DONT DIS
29.8	29.3	839	2	DISAPPRV
22.6	22.2	637	3	STRG DIS
2.7	2.6	75	8	CANT SAY
	1.8	51	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 98-99

V3137	053A09H DISAP ALC EVRYDA
--------------	---------------------------------

Item Number: 24950

Do YOU disapprove of people doing each of the following? H:
 Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
 8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.7	478	1	DONT DIS
34.1	33.4	959	2	DISAPPRV
46.2	45.3	1,298	3	STRG DIS
2.8	2.7	78	8	CANT SAY
	1.9	55	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 100-101

V3138 **053A09I DISAP 5+ALC WKND**

Item Number: 24960

Do YOU disapprove of people doing each of the following? I:
Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.6	420	1	DONT DIS
23.8	23.3	669	2	DISAPPRV
58.4	57.3	1,644	3	STRG DIS
2.9	2.9	82	8	CANT SAY
	1.8	53	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 102-103

V3139 **053A10A RSK 1-5 CIGS/DAY**

Item Number: 30750

The next questions ask for your opinions on the effects of
using certain drugs and other substances. How much do you
think people risk harming themselves (physically or in other
ways), if they. . .A. Smoke one to five cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	133	1	NO RISK
18.0	17.6	505	2	SLIGHT
38.7	37.9	1,088	3	MOD RISK
36.6	35.9	1,030	4	GRT RISK
1.9	1.9	54	8	CANT SAY
	2.0	58	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 104-105

V3140 **053A10B RSK OF CIG1+PK/D**

Item Number: 12360

How much do you think people risk harming themselves (physically or in other ways), if they . . . B: Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	106	1	NO RISK
3.8	3.7	107	2	SLIGHT
16.3	16.0	458	3	MOD RISK
74.0	72.6	2,082	4	GRT RISK
2.1	2.1	59	8	CANT SAY
	2.0	56	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 106-107

V3141 **053A10C RSK SMKLESS REG**

Item Number: 12365

How much do you think people risk harming themselves (physically or in other ways), if they. . . C: Use smokeless tobacco regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.2	148	1	NO RISK
15.6	15.2	437	2	SLIGHT
30.9	30.1	864	3	MOD RISK
41.9	40.9	1,172	4	GRT RISK
6.2	6.1	175	8	CANT SAY
	2.5	72	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 108-109

V3142	053A10D RSK OF MJ 1-2 X
-------	-------------------------

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . . D: Try
marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.8	367	1	NO RISK
29.4	28.8	826	2	SLIGHT
22.8	22.3	639	3	MOD RISK
32.0	31.4	899	4	GRT RISK
2.8	2.7	78	8	CANT SAY
	2.0	58	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 110-111

V3143	053A10E RSK OF MJ OCSNLY
-------	--------------------------

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . . E: Smoke
marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.3	209	1	NO RISK
11.5	11.3	324	2	SLIGHT
29.1	28.5	818	3	MOD RISK
48.9	48.0	1,378	4	GRT RISK
3.0	3.0	85	8	CANT SAY
	1.8	53	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 112-113

V3144 **053A10F RSK OF MJ REGLY**

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . . F: Smoke
marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	164	1	NO RISK
4.7	4.6	132	2	SLIGHT
11.5	11.2	322	3	MOD RISK
74.8	73.3	2,101	4	GRT RISK
3.2	3.1	90	8	CANT SAY
	2.1	59	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 114-115

V3145 **053A10G RSK OF 1-2 DRINK**

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . . G: Try one or
two drinks of an alcoholic beverage (beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	26.4	758	1	NO RISK
40.3	39.6	1,135	2	SLIGHT
17.0	16.7	479	3	MOD RISK
13.7	13.4	386	4	GRT RISK
2.0	1.9	55	8	CANT SAY
	1.9	55	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 116-117

V3146

053A10H RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . . H: Take one or
two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.6	219	1	NO RISK
22.2	21.7	624	2	SLIGHT
37.7	36.9	1,059	3	MOD RISK
30.4	29.8	856	4	GRT RISK
1.9	1.9	54	8	CANT SAY
	2.0	56	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 118-119

V3147

053A10I RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they . . . I: Have five or
more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	171	1	NO RISK
9.0	8.8	254	2	SLIGHT
22.4	22.0	630	3	MOD RISK
60.1	58.9	1,689	4	GRT RISK
2.4	2.3	67	8	CANT SAY
	2.0	57	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 120-121

V3148

053B01 EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	72.1	2,067	1	NEVER
15.6	15.2	435	2	1-2X
5.1	4.9	141	3	OCCASNLY
3.2	3.1	90	4	REG PAST
2.2	2.1	60	5	REG NOW
	2.6	75	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 122-123

V3149

053B02 #CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6"[includes respondents who marked "Never" on Q. B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	87.7	2,516	1	NONE
5.9	5.7	164	2	<1 CIG/D
2.6	2.5	71	3	1-5/DAY
0.8	0.8	22	4	1/2PK/D
0.4	0.3	10	5	1 PK/DA
0.1	0.1	3	6	1 1/2PK/D
0.2	0.2	5	7	2+ PKS/D
	2.7	78	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric

Missing-data code: -9

Columns: 124-125

V3150	053B03A CIG HOW BUY-FRND
-------	--------------------------

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes . . . A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	4.2	122	1	NONE
20.9	2.0	58	2	1 TIME
15.8	1.5	44	3	2 TIMES
9.3	0.9	26	4	3-5 TIMES
2.9	0.3	8	5	6-9 TIMES
7.5	0.7	21	6	10 OR MORE
	90.3	2,589	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 126-127

V3151	053B03B CIG HOW BUY-VEND
-------	--------------------------

Item Number: 29980

During the last 30 days, about how many times (if any) have you bought cigarettes . . . B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	8.4	241	1	NONE
2.0	0.2	5	2	1 TIME
5.1	0.5	14	3	2 TIMES
3.1	0.3	8	4	3-5 TIMES
1.3	0.1	4	5	6-9 TIMES
0.7	0.1	2	6	10 OR MORE
	90.4	2,594	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 128-129

V3152	053B03C CIG HOW BUY-MAIL
-------	--------------------------

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes. . . C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	9.4	269	1	NONE
0.9	0.1	2	2	1 TIME
0.2	0.0	0	3	2 TIMES
0.0	0.0	0	4	3-5 TIMES
0.4	0.0	1	5	6-9 TIMES
1.0	0.1	3	6	10 OR MORE
	90.4	2,592	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 130-131

V3153

053B03D CIG HOW BUY-PKUP

Item Number: 30000

During the last 30 days, about how many times (if any) have you bought cigarettes. . . D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	8.7	250	1	NONE
4.4	0.4	12	2	1 TIME
2.0	0.2	6	3	2 TIMES
1.3	0.1	4	4	3-5 TIMES
0.2	0.0	1	5	6-9 TIMES
1.2	0.1	3	6	10 OR MORE
	90.4	2,593	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 132-133

V3154 053B03E CIG HOW BUY-CLRK

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes . . . E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	8.5	244	1	NONE
2.2	0.2	6	2	1 TIME
3.6	0.3	10	3	2 TIMES
1.7	0.2	5	4	3-5 TIMES
1.1	0.1	3	5	6-9 TIMES
2.7	0.3	7	6	10 OR MORE
	90.4	2,593	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 134-135

V3155	053B03F CIG HOW BUY-OTHR
-------	--------------------------

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes . . . F. . .bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	4.8	139	1	NONE
16.9	1.6	47	2	1 TIME
12.7	1.2	35	3	2 TIMES
7.0	0.7	19	4	3-5 TIMES
4.0	0.4	11	5	6-9 TIMES
8.8	0.8	24	6	10 OR MORE
	90.4	2,593	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 136-137

V3156	053B04A CIG WHERE-SUPMKT
-------	--------------------------

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use. . . A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	8.9	254	1	NONE
6.1	0.6	17	2	1 TIME
0.7	0.1	2	3	2 TIMES
0.2	0.0	1	4	3-5 TIMES
0.0	0.0	0	5	6-9 TIMES
0.9	0.1	2	6	10 OR MORE
	90.4	2,592	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 138-139

V3157

053B04B CIG WHERE-SMLGRC

Item Number: 30030

During the last 30 days, about how many times (if any) did YOU
buy cigarettes for your own use. . . B: . . . at a small
grocery store

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9
Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	8.2	236	1	NONE
6.9	0.7	19	2	1 TIME
3.5	0.3	10	3	2 TIMES
1.4	0.1	4	4	3-5 TIMES
1.8	0.2	5	5	6-9 TIMES
1.1	0.1	3	6	10 OR MORE
	90.4	2,592	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 140-141

V3158 053B04C CIG WHERE-DRGSTR

Item Number: 30040

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . . C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	8.4	242	1	NONE
3.5	0.3	9	2	1 TIME
3.7	0.4	10	3	2 TIMES
1.9	0.2	5	4	3-5 TIMES
0.2	0.0	0	5	6-9 TIMES
2.2	0.2	6	6	10 OR MORE
	90.5	2,595	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 142-143

V3159

053B04D CIG WHERE-CNVGAS

Item Number: 30050

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . . D: . . . at a convenience store (like a Hop-In or 7-11) or a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	7.1	203	1	NONE
8.9	0.9	24	2	1 TIME
4.2	0.4	12	3	2 TIMES
5.0	0.5	14	4	3-5 TIMES
2.1	0.2	6	5	6-9 TIMES
5.8	0.6	16	6	10 OR MORE
	90.4	2,593	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 144-145

V3160 053B04E CIG WHERE-WEB

Item Number: 31340

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . . E: . . .from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	9.2	264	1	NONE
2.3	0.2	6	2	1 TIME
0.6	0.1	2	3	2 TIMES
0.8	0.1	2	4	3-5 TIMES
0.0	0.0	0	5	6-9 TIMES
0.6	0.1	2	6	10 OR MORE
	90.4	2,592	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 146-147

V3161 053B05 USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
 20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
 24="Other" 25="No usual brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.3	8	1	BASIC
0.0	0.0	0	2	B & H
0.0	0.0	0	3	B & W
0.0	0.0	0	4	CAMBRIDGE
6.0	0.5	14	5	CAMEL
0.0	0.0	0	6	CAPRI
0.0	0.0	0	7	CARLTON
0.9	0.1	2	8	DORAL
0.0	0.0	0	9	GPC
0.0	0.0	0	10	KENT
3.8	0.3	9	11	KOOL
35.9	2.9	83	12	MARLBORO
0.0	0.0	0	13	MERIT
1.1	0.1	3	14	MISTY
0.0	0.0	0	15	MONARCH
0.3	0.0	1	16	MORE
19.3	1.6	45	17	NEWPORT
0.0	0.0	0	18	PALLMALL
0.0	0.0	0	19	PARLIAMENT
0.5	0.0	1	20	SALEM
0.0	0.0	0	21	VANTAGE
1.0	0.1	2	22	VA SLIMS
1.4	0.1	3	23	WINSTON
6.0	0.5	14	24	OTHER
20.3	1.6	47	25	NO USUAL
	91.9	2,635	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 148-150

V3162	053B06 CIG PROOF OF AGE
-------	-------------------------

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age." [arrow to question 6a]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	21.8	626	1	NEVER TRIED
8.1	2.0	59	2	NO AND SOLD
2.0	0.5	15	3	NO AND NOSALE
3.9	1.0	28	4	YES
	74.6	2,140	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 151-152

V3163

053B06A CIG SHOW ID/SELL

Item Number: 30080

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age? A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ID & SOLD
14.2	0.1	4	2	ID & NOSALE
31.4	0.3	9	3	NO ID & SOLD
54.4	0.5	15	4	NO ID & NOSALE
	99.0	2,840	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 153-154

V3164

053B07 CIG STORE BUY<20

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	23.5	673	1	NEVER
6.3	1.6	47	2	YES IN LAST12M
2.5	0.6	18	3	YES NOT LAST12M
	74.3	2,130	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 155-156

V3165 053B08 *TRY STP SMK&FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	3.8	110	1	YES
84.4	20.7	593	2	NO
	75.5	2,164	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 157-158

V3166 053B09 #X TRY STOP SMK

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	14.0	402	1	NONE
23.9	5.7	164	2	ONCE
9.3	2.2	64	3	TWICE
4.7	1.1	32	4	3-5 TIMES
0.9	0.2	6	5	6-9 TIMES
2.6	0.6	18	6	10 OR MORE
	76.0	2,181	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 159-160

V3167	053B10	*WNT STP SMK NW
--------------	---------------	------------------------

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	2.6	74	1	YES
15.1	3.8	108	2	NO
74.6	18.7	536	8	DONT SMK
	75.0	2,150	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 161-162

V3168	053B11	QUIT SMK WRY FAT
--------------	---------------	-------------------------

Item Number: 30100

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	20.6	590	1	NO
7.5	1.8	51	2	A LITTLE
3.6	0.8	24	3	SOME
2.3	0.5	15	4	A LOT
	76.3	2,187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 163-164

V3169	053B12	START SMK LOSEWT
-------	--------	------------------

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	21.9	629	1	NO
5.1	1.2	34	2	A LITTLE
0.7	0.2	5	3	SOME
1.4	0.3	10	4	A LOT
	76.3	2,189	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 165-166

V3170	053B13	START SMK THISYR
-------	--------	------------------

Item Number: 30120

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	17.2	493	1	ALREADY TRIED
0.7	0.7	20	2	DEF WILL
3.7	3.6	103	3	PROB WILL
14.6	14.1	405	4	PROB WONT
63.2	61.1	1,753	5	DEF WONT
	3.3	94	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 167-168

V3171	053B14 NO SMK IN 5 YR
--------------	------------------------------

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	32	1	DEF WILL
9.8	9.6	275	2	PROB WILL
28.0	27.3	783	3	PROB WONT
61.0	59.5	1,706	4	DEF WONT
	2.5	71	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 169-170

V3172	053B15A NEVER CIG ADDICT
--------------	---------------------------------

Item Number: 30130

How much do you agree or disagree with the following statements? A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	19.2	550	1	DISAGREE
7.5	7.2	208	2	MOSTLY DIS
9.7	9.4	270	3	NEITHER
12.3	12.0	344	4	MOSTLY AGREE
50.8	49.4	1,416	5	AGREE
	2.8	80	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 171-172

V3173 **053B15B QUIT CIG WN WANT**

Item Number: 30140

How much do you agree or disagree with the following statements? B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
60.5	58.7	1,682	1	DISAGREE
15.1	14.7	420	2	MOSTLY DIS
10.0	9.7	279	3	NEITHER
4.4	4.2	122	4	MOSTLY AGREE
10.0	9.7	277	5	AGREE
	3.0	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 173-174

V3174 **053B15C SMK -DANGER QUIT**

Item Number: 30150

How much do you agree or disagree with the following statements? C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
75.4	73.1	2,096	1	DISAGREE
12.5	12.1	346	2	MOSTLY DIS
6.1	5.9	169	3	NEITHER
1.8	1.8	50	4	MOSTLY AGREE
4.2	4.1	117	5	AGREE
	3.1	89	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 175-176

V3175	053B16 OWN TOBACCO LOGO
--------------	--------------------------------

Item Number: 30160

Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes"[arrow to Q. 16a]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	80.1	2,298	1	NO
16.4	15.7	449	2	YES
	4.2	121	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 177-178

V3176	053B16Aa CIG LOGO CAMEL
--------------	--------------------------------

Item Number: 30170

What brand name is on it (or on them)? (Mark all that apply.)
 A. Camel

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	11.3	324	0	NOT MARKED
30.7	5.0	144	1	MARKED
	83.7	2,400	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 179-180

V3177 **053B16Ab CIG LOGO KOOL**

Item Number: 30180

What brand name is on it (or on them)? (Mark all that apply.)

B. Kool

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	14.9	429	0	NOT MARKED
8.4	1.4	39	1	MARKED
	83.7	2,400	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 181-182

V3178 **053B16Ac CIG LOGO MARLB**

Item Number: 30190

What brand name is on it (or on them)? (Mark all that apply.)

C. Marlboro

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	6.3	182	0	NOT MARKED
61.1	10.0	286	1	MARKED
	83.7	2,400	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 183-184

V3179	053B16Ad CIG LOGO NEWPT
--------------	--------------------------------

Item Number: 30200

What brand name is on it (or on them)? (Mark all that apply.)

D. Newport

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	14.1	404	0	NOT MARKED
13.7	2.2	64	1	MARKED
	83.7	2,400	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 185-186

V3180	053B16Ae CIG LOGO VASLM
--------------	--------------------------------

Item Number: 30210

What brand name is on it (or on them)? (Mark all that apply.)

E. Virginia Slims

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	15.7	449	0	NOT MARKED
4.0	0.7	19	1	MARKED
	83.7	2,400	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 187-188

V3181 053B16af CIG LOGO OTHER

Item Number: 30220

What brand name is on it (or on them)? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	12.0	345	0	NOT MARKED
26.3	4.3	123	1	MARKED
	83.7	2,400	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 189-190

V3182 053B17 SAVED CIG COUPON

Item Number: 30230

Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

1="No" 2="Yes"[arrow to Q. 17a]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	91.8	2,632	1	NO
5.1	4.9	141	2	YES
	3.3	96	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 191-192

V3183	053B17A SAVE CIG CPN NOW
--------------	---------------------------------

Item Number: 30240

Are you currently saving coupons from cigarettes?

1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	3.1	90	1	NO
43.5	2.4	69	2	YES
	94.5	2,709	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 193-194

V3184	053B18 CO GIVE FREE CIG
--------------	--------------------------------

Item Number: 30250

Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	94.9	2,722	1	NO
1.6	1.6	45	2	YES PAST12MO
1.5	1.5	43	3	YES NOT PAST12MO
	2.0	58	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 195-196

V3185 053B19 EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips . . .

1="No--GO TO QUESTION 23" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	54.5	1,563	1	NO
41.9	39.3	1,128	2	YES
	6.2	177	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 197-198

V3186 053B20A #X DRNK/LIFETIME

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions"[includes respondents who marked "1" on Q. B19]
 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	54.5	1,563	1	0 OCCAS
11.1	10.3	296	2	1-2X
10.5	9.8	282	3	3-5X
6.3	5.9	169	4	6-9X
6.1	5.7	163	5	10-19X
4.2	4.0	113	6	20-39X
3.4	3.1	90	7	40+OCCAS
	6.7	192	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 199-200

V3187 053B20B #X DRNK/LAST12MO

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.0	61.3	1,758	1	0 OCCAS
15.1	14.0	402	2	1-2X
9.1	8.4	241	3	3-5X
4.5	4.2	121	4	6-9X
3.0	2.8	80	5	10-19X
1.4	1.3	37	6	20-39X
0.9	0.9	25	7	40+OCCAS
	7.1	204	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 201-202

V3188	053B20C #X DRNK/LAST30DA
-------	--------------------------

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
82.9	77.1	2,211	1	0 OCCAS
10.4	9.7	277	2	1-2X
3.6	3.4	97	3	3-5X
1.6	1.5	43	4	6-9X
1.0	0.9	27	5	10-19X
0.2	0.2	7	6	20-39X
0.2	0.2	6	7	40+OCCAS
	7.0	201	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 203-204

V3189	053B21	5+DRK ROW/LST 2W
-------	--------	------------------

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who reported nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	83.6	2,397	1	NONE
4.3	4.0	115	2	ONCE
2.9	2.7	77	3	TWICE
2.2	2.1	60	4	3-5X
0.7	0.6	18	5	6-9X
0.5	0.5	14	6	10+ TIME
	6.5	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 205-206

V3190	053B22A #XDRUNK/LIFETIME
-------	--------------------------

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . . in your lifetime?

1="0 Occasions" [includes respondents who reported nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	73.2	2,099	1	0 OCCAS
10.5	9.7	277	2	1-2X
5.1	4.7	134	3	3-5X
1.9	1.7	49	4	6-9X
1.3	1.2	34	5	10-19X
0.4	0.4	12	6	20-39X
1.1	1.0	29	7	40+OCCAS
	8.1	233	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 207-208

V3191

053B22B #XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
84.6	77.3	2,218	1	0 OCCAS
10.0	9.2	263	2	1-2X
2.8	2.5	73	3	3-5X
1.0	0.9	27	4	6-9X
0.6	0.6	17	5	10-19X
0.5	0.5	14	6	20-39X
0.4	0.4	10	7	40+OCCAS
	8.6	246	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric

Missing-data code: -9

Columns: 209-210

V3192 053B22C #XDRUNK/LAST30DA

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.9	85.9	2,463	1	0 OCCAS
4.2	3.8	110	2	1-2X
1.1	1.0	28	3	3-5X
0.3	0.3	9	4	6-9X
0.2	0.2	6	5	10-19X
0.1	0.1	4	6	20-39X
0.1	0.1	4	7	40+OCCAS
	8.6	245	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 211-212

V3193

053B23A #XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	81.0	2,322	1	0 OCCAS
7.0	6.8	195	2	1-2X
2.4	2.4	68	3	3-5X
1.2	1.2	34	4	6-9X
1.4	1.4	40	5	10-19X
1.3	1.3	36	6	20-39X
3.0	2.9	84	7	40+OCCAS
	3.1	89	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 213-214

V3194 053B23B #XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
87.4	84.6	2,425	1	0 OCCAS
6.0	5.9	168	2	1-2X
1.6	1.5	43	3	3-5X
1.2	1.1	33	4	6-9X
1.0	1.0	28	5	10-19X
1.0	1.0	29	6	20-39X
1.8	1.8	50	7	40+OCCAS
	3.2	92	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 215-216

V3195 053B23C #XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.7	90.7	2,600	1	0 OCCAS
2.5	2.4	70	2	1-2X
1.0	1.0	29	3	3-5X
0.6	0.5	16	4	6-9X
0.7	0.7	21	5	10-19X
0.8	0.8	23	6	20-39X
0.6	0.5	16	7	40+OCCAS
	3.3	93	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 217-218

V3196	053B24A #X LSD/LIFETIME
-------	-------------------------

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid"). . .
 A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.8	2,748	1	0 OCCAS
1.0	1.0	28	2	1-2X
0.3	0.3	8	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.7	77	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 219-220

V3197	053B24B #X LSD/LAST 12MO
-------	--------------------------

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . .
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.6	2,771	1	0 OCCAS
0.5	0.4	13	2	1-2X
0.1	0.1	4	3	3-5X
0.1	0.1	2	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.7	77	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 221-222

V3198	053B24C #X LSD/LAST 30DA
-------	--------------------------

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . .
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	97.0	2,782	1	0 OCCAS
0.3	0.3	8	2	1-2X
0.0	0.0	0	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.7	77	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 223-224

V3199

053B25A #X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.0	93.5	2,681	1	0 OCCAS
2.7	2.7	76	2	1-2X
0.4	0.4	12	3	3-5X
0.4	0.4	12	4	6-9X
0.3	0.3	8	5	10-19X
0.1	0.1	2	6	20-39X
0.1	0.1	1	7	40+OCCAS
	2.6	76	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 225-226

V3200	053B25B #X PSYD/LAST12MO
-------	--------------------------

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	95.2	2,730	1	0 OCCAS
1.4	1.4	39	2	1-2X
0.4	0.4	10	3	3-5X
0.3	0.3	7	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.7	77	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 227-228

V3201	053B25C #X PSYD/LAST30DA
-------	--------------------------

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.2	96.5	2,766	1	0 OCCAS
0.6	0.6	16	2	1-2X
0.2	0.2	4	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.7	79	-9	MISSING

100.0	100.0	2,868	cases
-------	-------	-------	-------

Data type: numeric
Missing-data code: -9
Columns: 229-230

V3202	053B26A #X CRACK/LIFETIM
-------	--------------------------

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	95.3	2,734	1	0 OCCAS
1.6	1.5	44	2	1-2X
0.5	0.4	13	3	3-5X
0.2	0.2	5	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	1	6	20-39X
0.2	0.2	5	7	40+OCCAS
	2.3	65	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 231-232

V3203	053B26B #X CRACK/LAST12M
-------	--------------------------

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	96.5	2,768	1	0 OCCAS
0.8	0.7	21	2	1-2X
0.2	0.2	5	3	3-5X
0.1	0.1	4	4	6-9X
0.0	0.0	1	5	10-19X
0.1	0.1	3	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.2	64	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 233-234

V3204 053B26C #X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.6	97.3	2,791	1	0 OCCAS
0.2	0.2	5	2	1-2X
0.0	0.0	1	3	3-5X
0.1	0.1	2	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.3	65	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 235-236

V3205	053B27A #XOTH COKE/LIFE
-------	-------------------------

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	94.5	2,711	1	0 OCCAS
2.5	2.4	70	2	1-2X
0.2	0.2	5	3	3-5X
0.1	0.1	4	4	6-9X
0.2	0.2	5	5	10-19X
0.1	0.1	2	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.4	69	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 237-238

V3206	053B27B #XOTH COKE/12MO
-------	-------------------------

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.6	96.3	2,760	1	0 OCCAS
1.0	1.0	28	2	1-2X
0.1	0.1	3	3	3-5X
0.2	0.2	7	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.4	68	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 239-240

V3207

053B27C #XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form (like cocaine powder). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	97.1	2,784	1	0 OCCAS
0.3	0.3	8	2	1-2X
0.1	0.1	4	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.5	71	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 241-242

V3208 053B28A #X AMPH/LIFETIME

Item Number: 00980

Amphetamines have been prescribed by doctors to help people lose weight or give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs such as over-the-counter diet pills (like Dexatrim(R)), or stay-awake pills (like NO-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	91.4	2,621	1	0 OCCAS
3.1	3.0	86	2	1-2X
1.5	1.4	41	3	3-5X
0.6	0.6	18	4	6-9X
0.2	0.2	6	5	10-19X
0.4	0.4	12	6	20-39X
0.3	0.3	8	7	40+OCCAS
	2.6	76	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 243-244

V3209	053B28B #X AMPH/LAST12MO
-------	--------------------------

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.7	93.3	2,675	1	0 OCCAS
2.5	2.5	71	2	1-2X
0.7	0.7	20	3	3-5X
0.5	0.5	13	4	6-9X
0.1	0.1	2	5	10-19X
0.4	0.4	11	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.6	74	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 245-246

V3210	053B28C #X AMPH/LAST30DA
-------	--------------------------

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	95.6	2,741	1	0 OCCAS
1.3	1.3	37	2	1-2X
0.2	0.2	5	3	3-5X
0.1	0.1	4	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.6	76	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 247-248

V3211

053B29A #X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	89.6	2,570	1	0 OCCAS
4.6	4.5	129	2	1-2X
0.9	0.9	25	3	3-5X
0.6	0.6	17	4	6-9X
0.6	0.5	16	5	10-19X
0.4	0.4	12	6	20-39X
0.5	0.5	13	7	40+OCCAS
	3.0	86	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 249-250

V3212 053B29B #X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.5	92.7	2,658	1	0 OCCAS
2.7	2.6	76	2	1-2X
0.7	0.7	19	3	3-5X
0.4	0.4	11	4	6-9X
0.2	0.2	7	5	10-19X
0.2	0.2	6	6	20-39X
0.2	0.2	7	7	40+OCCAS
	3.0	86	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 251-252

V3213

053B29C #X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them.
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.0	95.1	2,728	1	0 OCCAS
1.1	1.0	30	2	1-2X
0.3	0.3	9	3	3-5X
0.3	0.2	7	4	6-9X
0.1	0.1	3	5	10-19X
0.2	0.2	6	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.9	84	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 253-254

V3214 053B30A #X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-- that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	93.1	2,669	1	0 OCCAS
2.7	2.6	74	2	1-2X
0.6	0.6	17	3	3-5X
0.2	0.2	6	4	6-9X
0.3	0.2	7	5	10-19X
0.2	0.2	6	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.9	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 255-256

V3215	053B30B #X TRQL/LAST12MO
-------	--------------------------

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them.
 . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.5	94.6	2,714	1	0 OCCAS
1.5	1.5	43	2	1-2X
0.3	0.3	7	3	3-5X
0.3	0.3	8	4	6-9X
0.1	0.1	3	5	10-19X
0.3	0.3	7	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.9	83	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 257-258

V3216 053B30C #X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	95.9	2,749	1	0 OCCAS
0.6	0.6	18	2	1-2X
0.4	0.3	10	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.9	83	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 259-260

V3217 053B31A #X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	96.4	2,764	1	0 OCCAS
0.4	0.4	11	2	1-2X
0.3	0.3	7	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.8	81	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 261-262

V3218 053B31B #X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	96.9	2,780	1	0 OCCAS
0.1	0.1	3	2	1-2X
0.1	0.1	2	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.8	80	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 263-264

V3219	053B31C #X H 30D USE NDL
-------	--------------------------

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	97.0	2,781	1	0 OCCAS
0.1	0.1	2	2	1-2X
0.0	0.0	0	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.8	81	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 265-266

V3220 053B32A #X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	96.4	2,764	1	0 OCCAS
0.4	0.4	12	2	1-2X
0.1	0.1	2	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	1	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.0	87	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 267-268

V3221 053B32B #X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.8	96.8	2,777	1	0 OCCAS
0.2	0.2	4	2	1-2X
0.0	0.0	0	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.0	86	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 269-270

V3222	053B32C #X H 30D W/O NDL
-------	--------------------------

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.9	96.9	2,780	1	0 OCCAS
0.0	0.0	1	2	1-2X
0.0	0.0	0	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.0	85	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 271-272

V3223

053B33A #X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	93.1	2,670	1	0 OCCAS
2.3	2.2	64	2	1-2X
0.5	0.5	14	3	3-5X
0.2	0.1	4	4	6-9X
0.1	0.1	3	5	10-19X
0.5	0.5	13	6	20-39X
0.3	0.2	7	7	40+OCCAS
	3.3	94	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 273-274

V3224 053B33B #X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.4	94.3	2,705	1	0 OCCAS
1.4	1.4	39	2	1-2X
0.4	0.4	11	3	3-5X
0.1	0.1	3	4	6-9X
0.3	0.3	8	5	10-19X
0.2	0.2	6	6	20-39X
0.1	0.1	4	7	40+OCCAS
	3.2	92	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 275-276

V3225 053B33C #X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	95.6	2,742	1	0 OCCAS
0.6	0.6	16	2	1-2X
0.3	0.3	8	3	3-5X
0.1	0.1	3	4	6-9X
0.3	0.3	8	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.2	91	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 277-278

V3226 053B34A #X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or
 breathed the contents of aerosol spray cans, or inhaled any
 other gases or sprays in order to get high. . . A: . . . in
 your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
82.0	79.8	2,290	1	0 OCCAS
10.0	9.8	280	2	1-2X
3.7	3.6	103	3	3-5X
1.4	1.3	38	4	6-9X
1.3	1.3	37	5	10-19X
0.2	0.2	7	6	20-39X
1.3	1.3	37	7	40+OCCAS
	2.7	76	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 279-280

V3227

053B34B #X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled any
other gases or sprays in order to get high. . . B: . . .
during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	87.3	2,503	1	0 OCCAS
5.6	5.5	157	2	1-2X
2.1	2.0	58	3	3-5X
1.1	1.1	32	4	6-9X
0.5	0.5	14	5	10-19X
0.3	0.3	8	6	20-39X
0.6	0.6	16	7	40+OCCAS
	2.8	79	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 281-282

V3228 053B34C #X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or
 breathed the contents of aerosol spray cans, or inhaled any
 other gases or sprays in order to get high. . . C: . . .
 during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	92.6	2,656	1	0 OCCAS
3.0	3.0	85	2	1-2X
0.8	0.7	21	3	3-5X
0.3	0.3	8	4	6-9X
0.2	0.2	6	5	10-19X
0.2	0.2	5	6	20-39X
0.2	0.2	5	7	40+OCCAS
	2.9	82	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 283-284

V3229 053B35A #X STRD/LIFETIME

Item Number: 22690

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	95.8	2,748	1	0 OCCAS
1.4	1.3	38	2	1-2X
0.3	0.3	9	3	3-5X
0.2	0.2	6	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.2	64	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 285-286

V3230 053B35B #X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	96.8	2,777	1	0 OCCAS
0.6	0.5	16	2	1-2X
0.2	0.2	6	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.3	66	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 287-288

V3231	053B35C #X STRD/LAST30DA
-------	--------------------------

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	97.5	2,797	1	0 OCCAS
0.1	0.1	3	2	1-2X
0.0	0.0	0	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.3	66	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 289-290

V3232 053B36A #X INJECTOTH/LIFE

Item Number: 29710

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . Do NOT include anything you took under a doctor's orders. A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	96.2	2,759	1	0 OCCAS
0.9	0.8	24	2	1-2X
0.2	0.2	6	3	3-5X
0.2	0.2	6	4	6-9X
0.1	0.1	3	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.3	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 291-292

V3233	053B36B #X INJECTOTH/LST12M
-------	-----------------------------

Item Number: 29720

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	96.9	2,779	1	0 OCCAS
0.3	0.3	7	2	1-2X
0.2	0.2	6	3	3-5X
0.1	0.1	4	4	6-9X
0.0	0.0	0	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.4	69	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 293-294

V3234	053B36C #X INJECTOTH/LST30D
-------	-----------------------------

Item Number: 29730

On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	97.2	2,788	1	0 OCCAS
0.3	0.3	9	2	1-2X
0.1	0.1	2	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.4	69	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 295-296

V3235	053B37A #X MDMA/LIFETIM
-------	-------------------------

Item Number: 22660

On how many occasions (if any) have you used MDMA ("ecstasy").
. . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.9	93.9	2,694	1	0 OCCAS
1.9	1.8	53	2	1-2X
0.7	0.6	18	3	3-5X
0.3	0.3	7	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	3	7	40+OCCAS
	3.1	89	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 297-298

V3236 053B37B #X MDMA/LAST12M

Item Number: 22670

On how many occasions (if any) have you used MDMA ("ecstasy").
 . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.4	2,735	1	0 OCCAS
1.0	0.9	27	2	1-2X
0.4	0.4	11	3	3-5X
0.1	0.1	4	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	3	7	40+OCCAS
	3.0	87	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 299-300

V3237	053B37C #X MDMA/LAST30D
-------	-------------------------

Item Number: 22680

On how many occasions (if any) have you used MDMA ("ecstasy").
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.4	2,765	1	0 OCCAS
0.4	0.4	11	2	1-2X
0.1	0.1	2	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	2	7	40+OCCAS
	3.0	87	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 301-302

V3240	053C03 R'S SEX
-------	----------------

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	48.1	1,379	1	MALE
50.4	48.9	1,403	2	FEMALE
	3.0	86	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 303-304

V3241 **053C04(R R'S RACE B/W/H**

Item Number: 00041

How do you describe yourself? (Select one or more responses.)
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latin; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander

1="Black or African American" 2="White (Caucasian)" 3=Hispanic ("Mexican American or Chicano" or "Cuban American" or "Puerto Rican" or "Other Hispanic or Latin"). [Recoded in this dataset so that all other responses, including respondents who chose more than 1 alternative, were deleted.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	12.6	361	1	BLACK:(1)
70.7	58.9	1,690	2	WHITE:(2)
14.2	11.8	340	3	HISPANIC:(3)
	16.6	477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 305-306

V3243 **053C06 WHERE LIVE NOW**

Item Number: 25110

Where are you living now?

1="On a farm" 2="In the country, not on a farm" 3="In a city or town"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.0	116	1	FARM
14.8	14.4	413	2	COUNTRY
81.0	78.6	2,255	3	CITYTOWN
	2.9	84	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 307-308

V3244	053C07a(R R'S HSHLD FATHER
--------------	-----------------------------------

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) A. Father (or stepfather)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	17.7	506	0	NT MARKD
81.2	76.5	2,193	1	MARKED
	5.9	168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 309-310

V3245	053C07b(R R'S HSHLD MOTHER
--------------	-----------------------------------

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) B. Mother (or stepmother)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.6	132	0	NT MARKD
95.1	89.5	2,567	1	MARKED
	5.9	168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 311-312

V3246 **053C07c(R R'S HSHLD SIBLING**

Item Number:

Component questions: "Which of the following people live in the same household with you? (Mark all that apply.) C. Brothers (or stepbrothers)" and " . . . D. Sisters (or stepsisters)". Responses are combined to indicate living with brothers or sisters.

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	15.6	447	0	NT MARKD
83.4	78.5	2,252	1	MARKED
	5.9	168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 313-314

V3252 **053C08 AFTER SCHL ALONE**

Item Number: 25120

On average, how much time do you spend after school each day at home with no adult present? (Count the hours between the end of school and when you go to bed.)

1="None or almost none" 2="Less than 1 hour" 3="1-2 hours"
 4="2-3 hours" 5="3-5 hours" 6="More than 5 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.1	634	1	NONE
22.5	21.8	626	2	LT 1 HR
21.5	20.8	598	3	1-2HRS
16.5	16.0	459	4	2-3 HRS
9.9	9.6	274	5	4-5 HRS
6.9	6.7	191	6	>5 HRS(6)
	3.0	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 315-316

V3253

053C09 FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	93	1	GRDE SCH
8.9	8.7	249	2	SOME HS
23.7	23.0	661	3	HS GRAD
12.2	11.9	341	4	SOME CLG
21.9	21.3	610	5	CLG GRAD
14.6	14.2	408	6	GRAD SCH
15.4	15.0	429	7	DK
	2.7	78	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 317-318

V3254 **053C10** **MOTHR EDUC LEVEL**

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	70	1	GRDE SCH
8.0	7.8	224	2	SOME HS
21.6	21.0	602	3	HS GRAD
15.5	15.1	432	4	SOME CLG
28.4	27.6	793	5	CLG GRAD
13.8	13.4	385	6	GRAD SCH
10.2	9.9	285	7	DK
	2.7	78	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 319-320

V3255 **053C11** **MOTHER PAID JOB**

Item Number: 25130

Does your mother have a paid job?

1="No" 2="Yes, part-time job" 3="Yes, full-time job"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	18.5	532	1	NO
19.5	18.9	541	2	YES P/T
61.2	59.1	1,695	3	YES F/T
	3.5	100	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 321-322

V3257	053C12B R'ATTND REL SVC
-------	-------------------------

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	11.6	332	1	NEVER
27.5	20.8	596	2	RARELY
17.2	13.0	374	3	1-2X/MO
40.0	30.3	868	4	1/WK OR+
	24.3	697	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 323-324

V3258	053C13 RLGN IMP R'S LF
-------	------------------------

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	11.0	315	1	NOT IMPT
23.0	17.5	501	2	LITL IMP
31.1	23.6	676	3	PRTY IMP
31.4	23.8	683	4	VERY IMP
	24.2	693	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 325-326

V3259 053C14 R HS GRADE/D=1

Item Number: 00470

The next questions ask about your experiences in school.
 Which one of the following best describes your average grade
 in this school year?

9="A (93-100)" 8="A- (90-92) 7="B+ (87-89)" 6="B (83-86)"
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
 1="D (69 or below)"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.4	4.2	121	1	D
5.7	5.5	157	2	C-
6.0	5.7	165	3	C
9.1	8.8	251	4	C+
9.3	8.9	256	5	B-
14.2	13.6	390	6	B
15.3	14.7	421	7	B+
15.7	15.1	433	8	A-
20.3	19.6	561	9	A
	3.9	112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 327-328

V3260	053C15 R'S HS PROGRAM
--------------	------------------------------

Item Number: 00400

Which of the following best describes your present (or expected) high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	32.9	944	1	CLG PREP
18.7	18.0	515	2	GENERAL
5.0	4.8	138	3	VOC-TECH
41.9	40.1	1,150	4	OTH/DK
	4.2	121	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 329-330

V3261	053C16 HRS/WK SPND HMWK
--------------	--------------------------------

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.6	218	1	NONE
50.0	48.8	1,399	2	1-4 HRS
22.1	21.6	618	3	5-9 HRS
10.8	10.5	301	4	10-14HRS
4.0	3.9	111	5	15-19HRS
2.9	2.9	82	6	20-24HRS
2.5	2.4	69	7	25+ HRS
	2.4	69	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 331-332

V3262 **053C17A R WL GRADUATE HS**

Item Number: 00481

How likely is it that you will do each of the following things? A: Graduate from high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	14	1	DEF WONT
1.4	1.4	40	2	PRB WONT
11.3	11.0	315	3	PRB WILL
86.8	84.4	2,420	4	DEF WILL
	2.7	78	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 333-334

V3263 **053C17B R WL DO VOC/TEC**

Item Number: 00480

How likely is it that you will do each of the following things? B: Go to a technical or vocational school after high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	19.6	561	1	DEF WONT
46.2	42.6	1,222	2	PRB WONT
22.8	21.1	605	3	PRB WILL
9.8	9.0	259	4	DEF WILL
	7.7	221	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 335-336

V3264	053C17C R WL GO TO CLG
-------	------------------------

Item Number: 00482

How likely is it that you will do each of the following things? C: Go to college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	68	1	DEF WONT
5.7	5.6	159	2	PRB WONT
24.6	23.8	683	3	PRB WILL
67.3	65.2	1,871	4	DEF WILL
	3.0	86	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 337-338

V3265	053C17D R WL DO 4YR CLG
-------	-------------------------

Item Number: 00510

How likely is it that you will do each of the following things? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.6	105	1	DEF WONT
6.3	6.1	174	2	PRB WONT
27.7	26.9	771	3	PRB WILL
62.2	60.3	1,729	4	DEF WILL
	3.1	89	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 339-340

V3266 **053C17E R WL DO ARMD FC**

Item Number: 00490

How likely is it that you will do each of the following things? E: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	41.5	1,189	1	DEF WONT
37.8	36.5	1,046	2	PRB WONT
13.7	13.2	378	3	PRB WILL
5.5	5.3	151	4	DEF WILL
	3.6	104	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 341-342

V3267 **053C18 THNK FUT BYND SC**

Item Number: 25830

How often do you think about your future beyond high school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	74	1	NEVER
11.7	11.3	325	2	SELDOM
42.5	41.4	1,186	3	SOMETIME
43.2	41.9	1,203	4	OFTEN
	2.8	80	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 343-344

V3268	053C19 PLANS AFTER SCHL
--------------	--------------------------------

Item Number: 25840

Which best describes your plans after high school?

1="I have no idea what I will do." 2="I have a few ideas about what I might do." 3="I know pretty well what I will do." 4="I know exactly what I will do."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.3	208	1	NO IDEA
38.4	37.2	1,066	2	A FEW
36.5	35.3	1,012	3	PRTYWELL
17.6	17.0	489	4	EXACTLY
	3.2	93	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 345-346

V3269	053C20A #DA/4W SC MS ILL
--------------	---------------------------------

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	58.1	1,667	1	NONE
16.9	16.2	464	2	1 DAY
10.0	9.6	274	3	2 DAYS
6.4	6.1	176	4	3 DAYS
3.6	3.4	98	5	4-5 DAYS
2.0	1.9	54	6	6-10 DA
0.5	0.5	13	7	11+ DAYS
	4.2	122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 347-348

V3270 053C20B #DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	84.3	2,418	1	NONE
5.2	4.8	138	2	1 DAY
1.7	1.6	44	3	2 DAYS
1.1	1.0	29	4	3 DAYS
0.8	0.8	22	5	4-5 DAYS
0.4	0.4	10	6	6-10 DA
0.6	0.6	17	7	11+ DAYS
	6.6	189	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 349-350

V3271	053C20C #DA/4W SC MS OTH
-------	--------------------------

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	63.4	1,818	1	NONE
17.3	16.4	471	2	1 DAY
7.4	7.0	200	3	2 DAYS
3.7	3.5	101	4	3 DAYS
2.4	2.3	65	5	4-5 DAYS
1.4	1.3	38	6	6-10 DA
0.9	0.8	23	7	11+ DAYS
	5.3	151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 351-352

V3272 053C21 #DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	85.4	2,449	1	NONE
7.2	7.0	201	2	1-2
2.2	2.1	60	3	3-5
0.3	0.3	7	4	6-10
0.6	0.6	18	5	11-20
1.2	1.2	34	6	21+
	3.5	100	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 353-354

V3273 053C22(R EVER HELD BACK

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"
Categories 2 and 3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	84.8	2,431	0	NO
12.2	11.8	339	1	YES
	3.4	99	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 355-356

V3274**053C23(R NEED SUMMER SCHL**

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers" Categories 2-4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	77.4	2,221	0	NO
19.8	19.1	549	1	YES
	3.4	98	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 357-358

V3275**053C24(R EVER SUSPENDED**

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Categories 2 and 3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	73.5	2,107	0	NO
24.0	23.1	664	1	YES
	3.4	97	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 359-360

V3276 053C25 FRNDS DROP OUT

Item Number: 25850

Have any of your friends dropped out of school?

1="None" 2="A few" 3="Some" 4="Most or all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	76.1	2,181	1	NONE
16.4	15.8	454	2	A FEW
4.1	4.0	114	3	SOME
0.6	0.5	15	4	MOST/ALL
	3.6	102	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 361-362

V3277 053C26 #X OUT W/O PRNT

Item Number: 25170

During a typical week, on how many evenings do you go out for fun and recreation? (Don't count things you do with your parents or other adult relatives.)

1="Less than one evening per week" 2="One evening" 3="Two evenings" 4="Three evenings" 5="Four or five evenings" 6="Six or seven evenings per week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	24.5	702	1	< 1
16.0	15.1	432	2	ONE
19.1	18.1	518	3	TWO
17.5	16.6	475	4	THREE
11.9	11.3	323	5	4-5
9.6	9.0	259	6	6-7
	5.5	159	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 363-364

V3278	053C27 #X DATE 3+/WK
-------	----------------------

Item Number: 00630

On the average, how often (if ever) do you go out with a date?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a
 week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	49.1	1,408	1	NEVER
21.9	20.8	596	2	1/MO OR<
13.1	12.5	358	3	2-3/MO
6.8	6.5	186	4	1/WK
3.3	3.2	91	5	2-3/WK
3.1	3.0	86	6	3+/WK
	5.0	144	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 365-366

V3279	053C28A PRN KNW AFT SCHL
-------	--------------------------

Item Number: 30760

The following questions are about your parents (or stepparents or guardians): A. My parents know where I am after school.

1="Never" 2="Rarely" 3="Sometimes" 4="Most of the time"
 5="Always" Responses from the western region intentionally
 obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.7	48	1	NEVER
2.4	1.8	53	2	RARELY
6.3	4.8	137	3	SOMETIME
23.6	17.8	512	4	MOST TIMES
65.4	49.5	1,419	5	ALWAYS
	24.4	699	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 367-368

V3280 053C28B PRN KNW WHO@NITE

Item Number: 30770

The following questions are about your parents (or stepparents or guardians): B. When I go out at night, my parents know whom I am with.

1="Never" 2="Rarely" 3="Sometimes" 4="Most of the time"
 5="Always" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	2.6	74	1	NEVER
3.0	2.2	64	2	RARELY
7.8	5.9	168	3	SOMETIME
20.6	15.4	442	4	MOST TIMES
65.2	48.9	1,403	5	ALWAYS
	25.0	717	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 369-370

V3281

053C28C PRN KNW WHER@NGT

Item Number: 30780

The following questions are about your parents (or stepparents or guardians): C. When I go out at night, my parents know where I am.

1="Never" 2="Rarely" 3="Sometimes" 4="Most of the time"
5="Always" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.3	65	1	NEVER
2.7	2.0	57	2	RARELY
8.6	6.4	184	3	SOMETIME
21.1	15.8	453	4	MOST TIMES
64.5	48.2	1,383	5	ALWAYS
	25.3	726	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 371-372

V3282 **053C28D R'S WKND CURFEW**

Item Number: 30790

The following questions are about your parents (or stepparents or guardians): D. When I go out on weekend nights I have to be home by a set time.

1="Never" 2="Rarely" 3="Sometimes" 4="Most of the time"
5="Always" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	8.0	231	1	NEVER
12.4	9.2	264	2	RARELY
16.3	12.1	346	3	SOMETIME
21.4	15.8	454	4	MOST TIMES
39.1	29.0	831	5	ALWAYS
	25.9	742	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 373-374

V3283 **053C29 TALK PROB W/PRNT**

Item Number: 25860

If you were having problems in your life, do you think you would talk them over with one or both of your parents?

3="Yes, for most or all problems" 2="Yes, for at least some of my problems" 1="No" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	21.0	602	1	NO
46.5	35.1	1,005	2	YES SOME
25.6	19.3	553	3	YES M/AL
	24.7	708	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 375-376

V3284

053C30 TALK PROB W/ADLT

Item Number: 25870

Other than your parents, is there at least one other adult you would feel able to talk to if you were having problems in your life?

3="Yes, for most or all problems" 2="Yes, for at least some of my problems" 1="No" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	18.0	516	1	NO
44.9	33.8	969	2	YES SOME
31.2	23.4	672	3	YES M/AL
	24.8	710	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 377-378

V3285 053D01 HRS/WK PAID JOB

Item Number: 25150

On the average over the school year, how many hours per week do you work in a paid job?

1="None" 2="5 or less hours per week" 3="6 to 10 hours per week" 4="11 to 15 hours per week" 5="16 to 20 hours per week" 6="21 to 25 hours per week" 7="26 to 30 hours per week" 8="More than 30 hours per week"

PCT VALID	PCT ALL	N	VALUE	LABEL
74.1	70.5	2,022	1	NONE
15.6	14.9	427	2	5 OR <
5.5	5.2	149	3	6-10 HRS
1.8	1.8	50	4	11-15 HR
1.1	1.0	29	5	16-20 HR
0.5	0.5	14	6	21-25 HR
0.7	0.7	20	7	26-30 HR
0.6	0.6	18	8	30+ HRS
	4.8	137	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 379-380

V3286

053D02 # HRS PEF WORK

Item Number: 25800

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours per week " 3="6 - 10" 4="11 - 15"
5="16 - 20" 6="21 - 25" 7="26 - 30" 8="More than 30 hours per
week" 9="Don't know, can't say"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.1	376	1	NONE
20.4	19.3	552	2	5 OR <
24.6	23.2	667	3	6-10
11.2	10.6	303	4	11-15
8.1	7.7	221	5	16-20
3.7	3.5	102	6	21-25
2.7	2.5	72	7	26-30
4.9	4.6	132	8	31+
10.6	10.0	287	9	DK
	5.5	157	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 381-382

V3287	053D03A R\$/AVG WEEK JOB
-------	--------------------------

Item Number: 00600

During an average week, how much money do you get from. . . A:
A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	56.2	1,612	1	NONE
4.2	3.9	111	2	\$1-5
5.4	4.9	140	3	\$6-10
9.7	8.9	255	4	\$11-20
6.3	5.8	165	5	\$21-35
4.6	4.2	121	6	\$36-50
2.9	2.7	76	7	\$51-75
2.4	2.1	62	8	\$76-125
2.9	2.7	77	9	\$126+
	8.6	248	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 383-384

V3288	053D03B R\$/AVG WEEK OTH
-------	--------------------------

Item Number: 00610

During an average week, how much money do you get from. . . B:
Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
24.9	23.2	665	1	NONE
16.0	14.9	428	2	\$1-5
17.4	16.2	464	3	\$6-10
21.8	20.3	583	4	\$11-20
9.1	8.5	244	5	\$21-35
4.3	4.0	115	6	\$36-50
2.1	1.9	56	7	\$51-75
1.7	1.6	45	8	\$76-125
2.7	2.5	73	9	\$126+
	6.8	196	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 385-386

V3289 053D04 DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, motorcycle, or moped?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	70.1	2,010	1	NONE
14.2	13.4	385	2	1-10 MI
6.9	6.5	186	3	11-50
2.7	2.6	74	4	51-100
0.6	0.6	17	5	101-200
1.2	1.1	32	6	> 200
	5.7	164	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 387-388

V3290 053D05 USE SEATBLT-RIDR

Item Number: 22220

When you are riding in the front passenger seat of a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"
 8="Does Not Apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.0	143	1	NEVER
7.2	6.7	193	2	SELDOM
12.5	11.8	338	3	SOMETIME
19.5	18.3	525	4	OFTEN
54.6	51.3	1,470	5	ALWAYS
0.9	0.9	25	8	INAP
	6.0	173	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 389-390

V3291 053D06A #X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . A: When the driver had been drinking alcoholic beverages?

1="None" 2="Once" 3="Twice" 4="3 - 5 times" 5="6 - 9 times"
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	67.8	1,944	1	NONE
8.1	7.6	218	2	ONCE
4.2	3.9	113	3	TWICE
3.9	3.7	105	4	3-5 X
2.6	2.5	71	5	6-9 X
9.3	8.7	251	6	10+ X
	5.8	166	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 391-392

V3292

053D06B #X/2W RIDE+5DRK

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . B: When you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3 - 5 times" 5="6 - 9 times"
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	83.6	2,397	1	NONE
4.0	3.7	107	2	ONCE
2.2	2.1	60	3	TWICE
1.7	1.6	46	4	3-5 X
0.4	0.3	10	5	6-9 X
1.4	1.3	38	6	10+ X
	7.4	211	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 393-394

V3293

053D07 #X ANTISMK TV/RD

Item Number: 30260

The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	13.6	389	1	NOT@ALL
11.4	10.6	304	2	< 1/MO
19.3	18.0	516	3	1-3/MO
23.2	21.6	620	4	1-3/WK
21.7	20.3	581	5	DAILY
9.9	9.2	264	6	GT DAILY
	6.8	195	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric

Missing-data code: -9

Columns: 395-396

V3294 053D08 #X ANTISMK PRINT

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	19.4	555	1	NOT@ALL
22.0	20.5	587	2	< 1/MO
27.0	25.1	720	3	1-3/MO
16.8	15.7	449	4	1-3/WK
9.9	9.2	263	5	DAILY
3.5	3.3	94	6	GT DAILY
	7.0	199	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 397-398

V3295

053D09A ANTISMK ADS<FVRB

Item Number: 30280

To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have . . . A: . . . made you less favorable toward smoking cigarettes?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	24.8	711	1	NOT@ALL
14.9	13.6	391	2	LITL EXTNT
20.9	19.0	546	3	SOME EXTNT
12.6	11.5	330	4	GRT EXTNT
24.4	22.2	637	5	VYGRT EXTNT
	8.8	253	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 399-400

V3296

053D09B ANTISMK ADS<LKLY

Item Number: 30290

To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have . . . B: . . . made you less likely to smoke cigarettes?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	25.0	716	1	NOT@ALL
11.8	10.7	307	2	LITL EXTNT
19.3	17.5	502	3	SOME EXTNT
13.7	12.5	358	4	GRT EXTNT
27.9	25.4	727	5	VYGRT EXTNT
	9.0	258	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 401-402

V3297	053D09C ANTISMK ADS EXAG
-------	--------------------------

Item Number: 30300

To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have . . . C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	31.9	914	1	NOT@ALL
13.4	12.1	346	2	LITL EXTNT
16.8	15.2	435	3	SOME EXTNT
11.8	10.7	307	4	GRT EXTNT
22.7	20.5	588	5	VYGRT EXTNT
	9.7	278	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 403-404

V3298	053D10A CIG SMKRS-ATHLTS
-------	--------------------------

Item Number: 30310

These days, how many people in the following groups would you guess are regular cigarette smokers? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	45.0	1,291	1	0%-10%
20.1	18.5	531	2	11%-30%
10.4	9.6	274	3	31%-50%
4.9	4.5	130	4	51%-70%
2.9	2.7	77	5	71%-90%
1.1	1.0	29	6	91%-100%
11.8	10.9	313	8	NO IDEA
	7.8	223	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 405-406

V3299 053D10B CIG SMKRS-ROCKRS

Item Number: 30320

These days, how many people in the following groups would you guess are regular cigarette smokers? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.6	161	1	0%-10%
10.8	9.9	284	2	11%-30%
17.2	15.8	454	3	31%-50%
20.8	19.1	548	4	51%-70%
21.2	19.5	560	5	71%-90%
14.9	13.7	392	6	91%-100%
9.0	8.3	237	8	NO IDEA
	8.0	230	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 407-408

V3300	053D10C CIG SMKRS-ACTORS
--------------	---------------------------------

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	9.9	284	1	0%-10%
17.9	16.5	473	2	11%-30%
23.3	21.4	615	3	31%-50%
20.0	18.5	529	4	51%-70%
11.6	10.7	307	5	71%-90%
5.0	4.6	133	6	91%-100%
11.4	10.5	301	8	NO IDEA
	7.9	226	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 409-410

V3301 053D10D CIG SMKRS-PEERS

Item Number: 30340

These days, how many people in the following groups would you guess are regular cigarette smokers? D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	30.4	873	1	0%-10%
22.9	21.0	604	2	11%-30%
14.1	12.9	371	3	31%-50%
10.0	9.2	263	4	51%-70%
5.7	5.2	150	5	71%-90%
4.8	4.4	126	6	91%-100%
9.5	8.7	250	8	NO IDEA
	8.1	231	-9	MISSING

 100.0 100.0 2,868 cases

Data type: numeric
 Missing-data code: -9
 Columns: 411-412

V3302	053D11A USE DRUGS-ATHLT
--------------	--------------------------------

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	42.5	1,220	1	0%-10%
19.7	18.0	517	2	11%-30%
9.7	8.9	255	3	31%-50%
4.7	4.3	123	4	51%-70%
2.7	2.5	72	5	71%-90%
1.9	1.7	50	6	91%-100%
15.0	13.7	394	8	NO IDEA
	8.2	236	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 413-414

V3303 053D11B USE DRUGS-ROCK

Item Number: 22390

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	8.5	242	1	0%-10%
14.3	13.0	374	2	11%-30%
15.7	14.4	412	3	31%-50%
16.6	15.1	434	4	51%-70%
16.9	15.5	444	5	71%-90%
14.4	13.2	377	6	91%-100%
12.9	11.8	338	8	NO IDEA
	8.5	245	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 415-416

V3304

053D11C USE DRUGS-ACTOR

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	21.8	626	1	0%-10%
25.1	22.9	658	2	11%-30%
18.2	16.6	477	3	31%-50%
9.6	8.8	251	4	51%-70%
4.9	4.5	129	5	71%-90%
2.5	2.3	66	6	91%-100%
15.9	14.5	417	8	NO IDEA
	8.5	244	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 417-418

V3305 **053D11D USE DRUGS-PEERS**

Item Number: 22405

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	35.1	1,007	1	0%-10%
20.1	18.4	527	2	11%-30%
10.5	9.6	274	3	31%-50%
8.2	7.5	215	4	51%-70%
5.2	4.7	135	5	71%-90%
4.0	3.7	105	6	91%-100%
13.7	12.5	358	8	NO IDEA
	8.6	248	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 419-420

V3306 **053D12 SMKRS MOVIE THTR**

Item Number: 30360

Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	30.2	866	1	NO
46.3	42.8	1,228	2	SOME
7.8	7.2	206	3	A LOT
13.3	12.3	352	4	DONT REMEMBR
	7.6	217	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 421-422

V3307	053D13	SMKRS	MOVIE	HOME
-------	--------	-------	-------	------

Item Number: 30370

Think about the movie that you watched most recently on video or on TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	26.9	770	1	NO
51.5	47.6	1,366	2	SOME
10.9	10.1	289	3	A LOT
8.5	7.8	225	4	DONT REMEMBR
	7.6	217	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 423-424

V3308	053D14A	FRND	DAP	CIG	OCC
-------	---------	------	-----	-----	-----

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? A: Smoking cigarettes occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	17.6	505	1	NOT DISAP
34.2	31.3	897	2	DISAPPROVE
46.6	42.6	1,222	3	STR DISAP
	8.5	244	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 425-426

V3309	053D14B FRND DAP CIG DLY
--------------	---------------------------------

Item Number: 30390

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? B: Smoking cigarettes every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	12.5	360	1	NOT DISAP
21.7	19.8	568	2	DISAPPROVE
64.5	58.9	1,688	3	STR DISAP
	8.8	252	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 427-428

V3310	053D14C FRD DAP CIGS
--------------	-----------------------------

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? C: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	8.8	253	1	NOT DISAP
16.2	14.8	423	2	DISAPPROVE
74.1	67.4	1,934	3	STR DISAP
	9.0	257	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 429-430

V3311	053D14D FRND DAP SMKL OC
--------------	---------------------------------

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? D: Using smokeless tobacco occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	11.9	342	1	NOT DISAP
26.2	23.8	683	2	DISAPPROVE
60.6	55.0	1,578	3	STR DISAP
	9.2	264	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 431-432

V3312	053D14E FRND DAP SMKL DL
--------------	---------------------------------

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? E: Using smokeless tobacco every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	9.9	285	1	NOT DISAP
19.9	18.0	517	2	DISAPPROVE
69.2	62.9	1,804	3	STR DISAP
	9.1	262	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 433-434

V3313 **053D14F FRND DAP SMKL D+**

Item Number: 30420

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? F: Using smokeless tobacco several times per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	9.2	263	1	NOT DISAP
16.5	15.0	431	2	DISAPPROVE
73.4	66.8	1,914	3	STR DISAP
	9.1	260	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 435-436

V3314 **053D15 HAD DRUG EDUCATN**

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 19" 2="No, and I wish I had--GO TO QUESTION 19" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	14.5	416	1	NO
3.1	2.6	76	2	WISH HAD
80.0	68.5	1,965	3	YES
	14.3	412	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 437-438

V3315	053D16 DG ED,>DG INTRST
--------------	-----------------------------------

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . .

1="Made you less interested in trying drugs." 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	50.7	1,455	1	<INTERST
23.1	15.8	453	2	NO CHNGE
2.9	2.0	56	3	>INTERST
	31.5	903	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 439-440

V3316	053D17A DG ED,SPC COURSE
--------------	---------------------------------

Item Number: 07850

How many of the following drug education experiences have you had in school? (Mark all that apply.) A. A special course about drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	37.9	1,087	0	NT MRKED
43.8	29.6	849	1	MARKED
	32.5	932	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 441-442

V3317 **053D17B DG ED,IN REG CRS**

Item Number: 07860

How many of the following drug education experiences have you had in school? (Mark all that apply.) B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	25.8	740	0	NT MRKED
61.8	41.7	1,196	1	MARKED
	32.5	932	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 443-444

V3318 **053D17C DG ED,NT REG CRS**

Item Number: 07870

How many of the following drug education experiences have you had in school? (Mark all that apply.) C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	50.3	1,441	0	NT MRKED
25.5	17.2	494	1	MARKED
	32.5	932	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 445-446

V3319	053D17D DG ED,SPC DISCUS
--------------	---------------------------------

Item Number: 07880

How many of the following drug education experiences have you had in school? (Mark all that apply.) D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	52.4	1,502	0	NT MRKED
22.4	15.1	434	1	MARKED
	32.5	932	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 447-448

V3320	053D18 DG ED,GRT VALUE
--------------	-------------------------------

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"
4="Great value"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	13.1	376	1	NO VALUE
28.2	19.0	545	2	SOME
29.0	19.5	560	3	CNSIDRBL
23.4	15.7	452	4	GT VALUE
	32.6	935	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 449-450

V3321 053D19A EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana (pot, weed)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
23.5	20.8	597	1	PROB IMP
12.7	11.3	323	2	VRY DIFF
13.7	12.1	347	3	FRLY DIF
20.3	18.0	516	4	FRLY EAS
20.7	18.3	525	5	VRY EASY
9.2	8.1	233	8	CANT SAY
	11.4	326	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 451-452

V3322

053D19B EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: LSD

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	26.1	749	1	PROB IMP
17.1	15.1	433	2	VRD DIFF
14.8	13.0	373	3	FRLY DIF
8.7	7.6	219	4	FRLY EAS
4.5	4.0	113	5	VRD EASY
25.3	22.3	640	8	CANT SAY
	11.9	342	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 453-454

V3323	053D19C EASY GT PCP
-------	---------------------

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: PCP (angel dust)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	28.0	804	1	PROB IMP
16.9	14.8	424	2	VRV DIFF
14.0	12.3	352	3	FRLY DIF
7.9	6.9	199	4	FRLY EAS
4.4	3.8	110	5	VRV EASY
24.9	21.8	626	8	CANT SAY
	12.3	353	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 455-456

V3324	053D19D EASY GT MDMA
-------	----------------------

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? D: MDMA ("ecstasy")

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	27.9	799	1	PROB IMP
16.6	14.4	414	2	VRY DIFF
15.5	13.5	386	3	FRLY DIF
10.2	8.9	256	4	FRLY EAS
6.7	5.9	168	5	VRY EASY
19.0	16.6	475	8	CANT SAY
	12.9	369	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 457-458

V3325	053D19E EASY GT AMPHTMNS
-------	--------------------------

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? E: Amphetamines (uppers, pep pills, bennies, speed)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
26.7	23.5	674	1	PROB IMP
16.3	14.3	411	2	VRV DIFF
14.1	12.4	356	3	FRLY DIF
13.9	12.2	350	4	FRLY EAS
9.5	8.3	239	5	VRV EASY
19.6	17.2	493	8	CANT SAY
	12.0	346	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 459-460

V3326	053D19F EASY GT SED/BARB
-------	--------------------------

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? F: Sedatives/barbiturates (downers)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	25.2	724	1	PROB IMP
15.3	13.5	386	2	VRY DIFF
13.6	12.0	343	3	FRLY DIF
11.6	10.2	292	4	FRLY EAS
7.5	6.6	190	5	VRY EASY
23.2	20.4	586	8	CANT SAY
	12.1	346	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 461-462

V3327

053D19G EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? G: Tranquilizers (Librium, Valium, Xanax, etc.)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	27.4	786	1	PROB IMP
17.4	15.3	438	2	VRY DIFF
14.1	12.4	356	3	FRLY DIF
9.4	8.2	236	4	FRLY EAS
6.6	5.8	167	5	VRY EASY
21.2	18.6	534	8	CANT SAY
	12.3	352	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric

Missing-data code: -9

Columns: 463-464

V3328	053D19H EASY GT CRACK
-------	-----------------------

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? H: "Crack" cocaine

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	29.6	848	1	PROB IMP
16.4	14.4	412	2	VRY DIFF
14.1	12.3	354	3	FRLY DIF
14.4	12.6	362	4	FRLY EAS
10.0	8.7	250	5	VRY EASY
11.3	9.9	285	8	CANT SAY
	12.4	356	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 465-466

V3329	053D19I EASY GT COK PWDR
-------	--------------------------

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? I: Cocaine in powder form

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
33.8	29.7	851	1	PROB IMP
16.2	14.3	409	2	VRY DIFF
14.9	13.0	374	3	FRLY DIF
13.1	11.5	329	4	FRLY EAS
9.8	8.6	247	5	VRY EASY
12.2	10.7	306	8	CANT SAY
	12.2	351	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 467-468

V3330	053D19J EASY GT HEROIN
-------	------------------------

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? J: Heroin

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	33.1	948	1	PROB IMP
19.8	17.3	495	2	VRV DIFF
13.7	11.9	342	3	FRLY DIF
8.7	7.6	217	4	FRLY EAS
6.4	5.6	159	5	VRV EASY
13.7	11.9	342	8	CANT SAY
	12.7	363	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 469-470

V3331 053D19K EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? K: Some other narcotic (methadone, opium, codeine, etc.)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
34.2	29.9	858	1	PROB IMP
17.5	15.3	439	2	VRV DIFF
13.2	11.5	331	3	FRLY DIF
7.8	6.9	196	4	FRLY EAS
5.9	5.2	148	5	VRV EASY
21.4	18.7	537	8	CANT SAY
	12.5	358	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 471-472

V3332

053D19L EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? L: Crystal meth ("ice")

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	30.3	868	1	PROB IMP
16.4	14.3	411	2	VRV DIFF
13.1	11.4	327	3	FRLY DIF
8.1	7.1	204	4	FRLY EAS
6.9	6.0	173	5	VRV EASY
20.8	18.1	520	8	CANT SAY
	12.7	365	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 473-474

V3333 053D19M EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? M: Steroids (anabolic steroids)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
33.4	29.2	838	1	PROB IMP
17.6	15.4	440	2	VRY DIFF
14.9	13.1	375	3	FRLY DIF
12.0	10.4	300	4	FRLY EAS
8.5	7.4	212	5	VRY EASY
13.7	12.0	343	8	CANT SAY
	12.6	361	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 475-476

V3334	053D19N EASY GT CIGS
--------------	-----------------------------

Item Number: 06831

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? N: Cigarettes

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	14.3	411	1	PROB IMP
6.4	5.6	160	2	VRY DIFF
10.2	9.0	257	3	FRLY DIF
17.5	15.3	440	4	FRLY EAS
42.3	37.1	1,063	5	VRY EASY
7.3	6.4	184	8	CANT SAY
	12.3	353	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 477-478

V3335 **053D190 EASY GT ALCOHOL**

Item Number: 06832

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? 0: Alcohol

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible"
 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy"
 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	11.0	314	1	PROB IMP
6.1	5.3	152	2	VRD DIFF
9.3	8.2	234	3	FRLY DIF
17.7	15.5	444	4	FRLY EAS
48.2	42.3	1,212	5	VRD EASY
6.3	5.5	158	8	CANT SAY
	12.3	354	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 479-480

V3336 **053D20 #X SMKLESS/EVER**

Item Number: 22230

Have you ever taken or used smokeless tobacco (chewing tobacco, snuff, plug, dipping tobacco)?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"
 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	80.9	2,319	1	NEVER
5.7	5.1	147	2	1-2X
1.7	1.5	43	3	OCCASNLY
1.0	0.9	25	4	REG PAST
0.9	0.8	23	5	REG NOW
	10.8	311	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 481-482

V3337	053D21 #X SMKLESS/30DAY
-------	-------------------------

Item Number: 22240

How often have you taken smokeless tobacco during the past 30 days?

1="Not at all" 2="Once or twice" 3="Once or twice per week"
4="Three to five times per week" 5="About once a day" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	86.7	2,487	1	NOT@ALL
1.4	1.2	35	2	1-2 X
0.3	0.3	8	3	1-2/WK
0.6	0.5	14	4	3-5/WK
0.1	0.1	3	5	1/DAY
0.4	0.3	10	6	>1/DAY
	10.8	310	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 483-484

V3338	053D22A ALL FRD SMK CIGS
-------	--------------------------

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	45.4	1,302	1	NONE
30.7	27.4	784	2	A FEW
11.4	10.2	291	3	SOME
6.0	5.3	152	4	MOST
0.9	0.8	23	5	ALL
	11.0	315	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 485-486

V3339 **053D22B ALL FRD SMKLESS**

Item Number: 25280

How many of your friends would you estimate. . . B: Use smokeless tobacco?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	67.3	1,930	1	NONE
16.5	14.5	416	2	A FEW
5.0	4.4	127	3	SOME
1.5	1.3	38	4	MOST
0.7	0.6	17	5	ALL
	11.8	339	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 487-488

V3340 **053D22C ALL FRD DRK ALCL**

Item Number: 07190

How many of your friends would you estimate . . . C: Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	33.4	959	1	NONE
28.0	24.9	715	2	A FEW
17.5	15.6	446	3	SOME
12.5	11.2	320	4	MOST
4.3	3.9	110	5	ALL
	11.1	317	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 489-490

V3341	053D22D ALL FRD GT DRUNK
--------------	---------------------------------

Item Number: 07200

How many of your friends would you estimate . . . D: Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	54.9	1,573	1	NONE
21.1	18.7	535	2	A FEW
10.2	9.0	259	3	SOME
5.0	4.4	128	4	MOST
1.8	1.6	47	5	ALL
	11.4	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 491-492

V3342	053D22E ALL FRD SMK MARJ
--------------	---------------------------------

Item Number: 07080

How many of your friends would you estimate . . . E: Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	54.2	1,555	1	NONE
21.3	18.8	540	2	A FEW
8.6	7.6	218	3	SOME
6.5	5.8	165	4	MOST
2.5	2.2	63	5	ALL
	11.4	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 493-494

V3343 **053D22F # FRNDS TK CRACK**

Item Number: 07151

How many of your friends would you estimate . . . F: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	73.5	2,108	1	NONE
12.3	10.9	313	2	A FEW
3.2	2.8	81	3	SOME
0.8	0.7	20	4	MOST
0.7	0.7	19	5	ALL
	11.4	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 495-496

V3344 **053D22G # FRNDS TK C PWD**

Item Number: 23990

How many of your friends would you estimate. . . G: Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	74.3	2,131	1	NONE
11.6	10.2	293	2	A FEW
2.8	2.5	71	3	SOME
1.0	0.8	24	4	MOST
0.6	0.5	15	5	ALL
	11.7	334	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 497-498

V3345	053D22H ALL FRD TK HERON
--------------	---------------------------------

Item Number: 07160

How many of your friends would you estimate. . . H: Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	79.7	2,286	1	NONE
7.0	6.2	178	2	A FEW
1.7	1.5	44	3	SOME
0.6	0.5	15	4	MOST
0.4	0.4	11	5	ALL
	11.6	334	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 499-500

V3346	053D22I ALL FRND INHALNT
--------------	---------------------------------

Item Number: 25290

How many of your friends would you estimate. . . I: Sniff glue, gases, or sprays?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	60.9	1,746	1	NONE
19.7	17.3	498	2	A FEW
7.2	6.4	183	3	SOME
3.0	2.7	76	4	MOST
1.0	0.9	26	5	ALL
	11.9	340	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 501-502

V3347 **053D23A PRESR TO SMK CIG**

Item Number: 25300

How much pressure do you feel from your friends and schoolmates to. . . A: Smoke cigarettes?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	74.5	2,136	1	NONE
9.2	8.1	231	2	A LITTLE
3.2	2.8	81	3	SOME
2.3	2.0	58	4	A LOT
	12.6	361	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 503-504

V3348 **053D23B PRESR TO DRK ALC**

Item Number: 25310

How much pressure do you feel from your friends and schoolmates to. . . B: Drink alcoholic beverages?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	67.0	1,920	1	NONE
14.6	12.8	367	2	A LITTLE
5.6	4.9	140	3	SOME
3.3	2.9	84	4	A LOT
	12.4	356	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 505-506

V3349	053D23C PRESR TO USE MJ
--------------	--------------------------------

Item Number: 25320

How much pressure do you feel from your friends and schoolmates to. . . C: Use marijuana?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	73.8	2,117	1	NONE
8.7	7.6	219	2	A LITTLE
3.5	3.1	89	3	SOME
3.4	3.0	87	4	A LOT
	12.4	356	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 507-508

V3350	053D23D PRSR TO OTH DRUG
--------------	---------------------------------

Item Number: 25330

How much pressure do you feel from your friends and schoolmates to. . . D: Use other illegal drugs?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	77.5	2,222	1	NONE
5.7	4.9	142	2	A LITTLE
2.5	2.2	63	3	SOME
3.1	2.7	77	4	A LOT
	12.7	364	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric

Missing-data code: -9

Columns: 509-510

V3351	053D24A GR 1ST SMOK EVR
-------	-------------------------

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 A: Smoke your first cigarette

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	4.4	125	1	GRADE 4
4.3	3.5	102	2	GRADE 5
4.3	3.5	101	3	GRADE 6
7.1	5.9	168	4	GRADE 7
3.4	2.8	80	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
75.8	62.8	1,802	8	NEVER
	17.1	490	-9	MISSING

100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 511-512

V3352 053D24B GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
 . . . B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.2	7	1	GRADE 4
0.9	0.8	23	2	GRADE 5
1.4	1.2	33	3	GRADE 6
2.5	2.1	60	4	GRADE 7
2.2	1.9	54	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
92.7	77.9	2,233	8	NEVER
	16.0	459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 513-514

V3353 053D24C GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
 . . . C: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
5.8	4.4	128	1	GRADE 4
5.8	4.4	127	2	GRADE 5
8.4	6.4	184	3	GRADE 6
13.6	10.4	299	4	GRADE 7
7.0	5.3	153	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
59.5	45.5	1,305	8	NEVER
	23.4	672	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 515-516

V3354	053D24D GR 1ST DRUNK
-------	----------------------

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
. . . D: Drink enough to feel drunk or very high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
(Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.6	18	1	GRADE 4
1.3	1.0	30	2	GRADE 5
3.0	2.4	69	3	GRADE 6
7.6	6.2	178	4	GRADE 7
6.4	5.2	150	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
80.9	65.6	1,881	8	NEVER
	18.9	543	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 517-518

V3355 053D24E GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
 . . . E: Try marijuana or hashish

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.5	16	1	GRADE 4
1.2	1.0	29	2	GRADE 5
2.7	2.2	64	3	GRADE 6
4.5	3.7	106	4	GRADE 7
4.2	3.4	98	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
86.7	71.4	2,048	8	NEVER
	17.7	507	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 519-520

V3356 053D24F GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

. . . F: Try "crack" cocaine

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	5	1	GRADE 4
0.2	0.2	5	2	GRADE 5
0.1	0.1	2	3	GRADE 6
0.9	0.7	21	4	GRADE 7
0.6	0.5	13	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
98.1	82.7	2,371	8	NEVER
	15.7	451	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 521-522

V3357 053D24G GR 1STTRY POWCOK

Item Number: 05663

When (if ever) did you FIRST do each of the following things?
 . . . G: Try cocaine in powder form

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	1	1	GRADE 4
0.0	0.0	1	2	GRADE 5
0.2	0.1	4	3	GRADE 6
1.1	0.9	26	4	GRADE 7
1.2	1.0	29	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
97.5	82.5	2,365	8	NEVER
	15.4	442	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 523-524

V3358	053D24H GR 1ST TRY INHAL
-------	--------------------------

Item Number: 05688

When (if ever) did you FIRST do each of the following things?
. . . H: Sniff glue, gases, or sprays to get high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
(Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.1	60	1	GRADE 4
2.2	1.8	50	2	GRADE 5
2.8	2.3	65	3	GRADE 6
3.8	3.0	86	4	GRADE 7
1.9	1.5	43	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
86.7	69.4	1,989	8	NEVER
	20.0	574	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 525-526

V3359 053D24I GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things?
 . . . I: Try steroids (anabolic steroids)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.0	1	1	GRADE 4
0.1	0.0	1	2	GRADE 5
0.0	0.0	1	3	GRADE 6
0.2	0.2	5	4	GRADE 7
0.4	0.3	9	5	GRADE 8
0.0	0.0	0	6	GRADE 9
0.0	0.0	0	7	GRADE 10
99.2	82.9	2,376	8	NEVER
	16.5	473	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 527-528

V3360**053D25A DIF TRY QUIT CIG**

Item Number: 25890

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? A: Cigarettes

8="Never Used" 1="No" 2="Yes" These data were made consistent with the data for the usage question in Part B.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	12.1	348	1	NO
7.5	6.1	176	2	YES
77.8	64.1	1,839	8	NEVER US
	17.6	505	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 529-530

V3361**053D25B DIF TRY QUIT ALC**

Item Number: 25900

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? B: Alcohol

8="Never Used" 1="No" 2="Yes" These data were made consistent with the data for the usage question in Part B.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	21.8	626	1	NO
7.6	5.9	169	2	YES
64.1	49.6	1,422	8	NEVER US
	22.7	651	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 531-532

V3362 **053D25C DIF TRY QUIT MJ**

Item Number: 25910

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? C: Marijuana

8="Never Used" 1="No" 2="Yes" These data were made consistent with the data for the usage question in Part B.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	8.2	235	1	NO
4.0	3.4	97	2	YES
86.4	73.9	2,119	8	NEVER US
	14.5	416	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 533-534

V3363 **053D25D DIF TRY QUIT COK**

Item Number: 25920

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? D: Cocaine ("crack," powder, etc.)

8="Never Used" 1="No" 2="Yes" These data were made consistent with the data for the usage question in Part B.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.5	43	1	NO
1.2	1.1	30	2	YES
97.0	82.4	2,363	8	NEVER US
	15.1	432	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 535-536

V3364	053D25E DIF TRY QUIT "H"
--------------	---------------------------------

Item Number: 25930

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? E: Heroin

8="Never Used" 1="No" 2="Yes" These data were made consistent with the data for the usage question in Part B.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	9	1	NO
0.6	0.5	15	2	YES
99.0	84.5	2,422	8	NEVER US
	14.7	422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 537-538

V3365	053D25F DIF TRY QUIT OTD
--------------	---------------------------------

Item Number: 25940

For each of the following drugs, was there ever a time in your life when you tried to quit or reduce your use and had difficulty doing so? F: Any other illegal drugs

8="Never Used" 1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.3	122	1	NO
2.1	1.8	51	2	YES
92.9	79.3	2,274	8	NEVER US
	14.7	421	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 539-540

V3366 **053E01A OFTN FEEL LONELY**

Item Number: 12650

Do you agree or disagree with each of the following? A: A lot of times I feel lonely

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	36.7	1,051	1	DISAGREE
18.8	16.2	465	2	MOST DIS
16.0	13.8	395	3	NEITHER
13.5	11.6	334	4	MOST AGR
9.4	8.1	232	5	AGREE
	13.6	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 541-542

V3367 **053E01B ALWYS SM1 HELP R**

Item Number: 12670

Do you agree or disagree with each of the following? B: There is always someone I can turn to if I need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	7.5	214	1	DISAGREE
5.7	4.9	141	2	MOST DIS
7.3	6.3	181	3	NEITHER
26.3	22.7	651	4	MOST AGR
52.0	44.8	1,286	5	AGREE
	13.7	394	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 543-544

V3368**053E01C KICK DO DANGR TH**

Item Number: 07050

Do you agree or disagree with each of the following? C: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	20.5	588	1	DISAGREE
14.8	12.7	364	2	MOST DIS
18.5	15.9	455	3	NEITHER
24.3	20.8	597	4	MOST AGR
18.4	15.8	452	5	AGREE
	14.3	411	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 545-546

V3369**053E01D OFTN FL LEFT OUT**

Item Number: 12690

Do you agree or disagree with each of the following? D: I often feel left out of things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	29.1	835	1	DISAGREE
20.3	17.2	493	2	MOST DIS
16.2	13.7	394	3	NEITHER
17.7	15.0	429	4	MOST AGR
11.4	9.7	278	5	AGREE
	15.3	439	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 547-548

V3370 **053E01E USLY SM1 TALK TO**

Item Number: 12710

Do you agree or disagree with each of the following? E: There is usually someone I can talk to if I need to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	7.5	215	1	DISAGREE
4.6	3.9	113	2	MOST DIS
7.7	6.6	189	3	NEITHER
25.4	21.7	623	4	MOST AGR
53.4	45.6	1,308	5	AGREE
	14.6	419	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 549-550

V3371 **053E01F LIKE RISK SOME X**

Item Number: 07060

Do you agree or disagree with each of the following? F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	23.0	659	1	DISAGREE
14.7	12.5	358	2	MOST DIS
19.2	16.3	467	3	NEITHER
20.5	17.4	500	4	MOST AGR
18.5	15.7	452	5	AGREE
	15.1	433	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 551-552

V3372

053E01G OFT WSH MOR FRND

Item Number: 12730

Do you agree or disagree with each of the following? G: I
often wish I had more good friends

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	31.0	888	1	DISAGREE
12.7	10.8	310	2	MOST DIS
17.3	14.7	422	3	NEITHER
14.8	12.6	361	4	MOST AGR
18.8	16.0	458	5	AGREE
	14.9	428	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 553-554

V3373

053E01H USLY FRDS BE WTH

Item Number: 12760

Do you agree or disagree with each of the following? H: I
usually have a few friends around that I can get together
with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	7.8	225	1	DISAGREE
3.6	3.1	89	2	MOST DIS
6.4	5.5	157	3	NEITHER
24.1	20.5	589	4	MOST AGR
56.6	48.1	1,379	5	AGREE
	15.0	430	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 555-556

V3374 **053E02A SCH ACTV-PBLCTNS**

Item Number: 22170

To what extent have you participated in the following school activities during this school year? A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	64.2	1,841	1	NOT @ALL
9.2	7.7	222	2	SLIGHT
4.5	3.8	108	3	MODERATE
3.8	3.2	92	4	CONSDRBL
6.4	5.4	154	5	GRT EXT
	15.7	451	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 557-558

V3375 **053E02B SCH ACTV-PRF ART**

Item Number: 22180

To what extent have you participated in the following school activities during this school year? B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	42.1	1,207	1	NOT @ALL
9.7	8.2	235	2	SLIGHT
7.8	6.6	189	3	MODERATE
8.3	7.0	201	4	CONSDRBL
24.1	20.3	582	5	GRT EXT
	15.8	454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
Missing-data code: -9
Columns: 559-560

V3376

053E02C SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year? C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	29.2	837	1	NOT @ALL
8.6	7.3	208	2	SLIGHT
9.5	8.0	229	3	MODERATE
8.8	7.5	214	4	CONSDRBL
38.5	32.5	932	5	GRT EXT
	15.6	448	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 561-562

V3377

053E02D SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year? D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	40.3	1,156	1	NOT @ALL
13.0	10.9	313	2	SLIGHT
12.3	10.4	298	3	MODERATE
10.0	8.4	240	4	CONSDRBL
16.7	14.1	404	5	GRT EXT
	15.9	457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 563-564

V3378 053E03 LOT CMPTN GRADE

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	16.7	480	1	NONE
24.7	20.7	594	2	A LITTLE
25.9	21.8	624	3	SOME
21.8	18.3	525	4	QUITEBIT
7.6	6.4	182	5	GRT DEAL
	16.1	462	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 565-566

V3379 053E04 STDTs DSLK CHTG

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"
 3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	4.5	130	1	LIK VMCH
2.8	2.3	67	2	LIKE IT
65.3	54.7	1,569	3	NOT CARE
14.9	12.5	359	4	DISLIKE
11.6	9.7	279	5	DLIK MCH
	16.2	464	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 567-568

V3380	053E05	ST -LK PROV TCH
-------	--------	-----------------

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	10.1	290	1	LIK VMCH
17.7	14.7	423	2	LIKE IT
44.1	36.8	1,054	3	NOT CARE
16.4	13.7	392	4	DISLIKE
9.7	8.1	232	5	DLIK MCH
	16.6	477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 569-570

V3381	053E06	FRD NCG/TCH -LK
-------	--------	-----------------

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	32.9	944	1	NEVER
29.4	24.6	705	2	SELDOM
19.4	16.2	463	3	SOMTIMES
8.4	7.0	201	4	OFTEN
3.4	2.8	81	5	ALWAYS
	16.5	473	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
Missing-data code: -9
Columns: 571-572

V3382 **053E07A STS SCH RT FAMLY**

Item Number: 13580

How important is each of the following for being looked up to or having high status in your school? A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	25.9	743	1	NO IMPRT
17.7	14.5	416	2	LITL IMP
18.3	15.1	432	3	MOD IMPT
11.9	9.8	280	4	GRT IMPT
20.6	16.9	485	5	VGRT IMP
	17.8	511	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 573-574

V3383 **053E07B STS SCH LDS STU**

Item Number: 13590

How important is each of the following for being looked up to or having high status in your school? B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	22.2	636	1	NO IMPRT
18.6	15.3	438	2	LITL IMP
23.1	19.0	544	3	MOD IMPT
13.9	11.4	328	4	GRT IMPT
17.3	14.2	406	5	VGRT IMP
	17.9	515	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 575-576

V3384

053E07C STS SCH NIC CAR

Item Number: 13600

How important is each of the following for being looked up to
or having high status in your school? C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	27.7	794	1	NO IMPRT
18.3	14.9	428	2	LITL IMP
18.7	15.3	439	3	MOD IMPT
11.6	9.5	272	4	GRT IMPT
17.5	14.3	410	5	VGRT IMP
	18.3	524	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 577-578

V3385

053E07D STS SCH HI GRDE

Item Number: 13610

How important is each of the following for being looked up to
or having high status in your school? D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	13.0	374	1	NO IMPRT
16.7	13.7	393	2	LITL IMP
19.4	15.9	456	3	MOD IMPT
15.8	13.0	372	4	GRT IMPT
32.1	26.2	753	5	VGRT IMP
	18.2	521	-9	MISSING

100.0 100.0 2,868 cases

Data type: numeric
Missing-data code: -9
Columns: 579-580

V3386 **053E07E STS SCH GD ATHLT**

Item Number: 13620

How important is each of the following for being looked up to or having high status in your school? E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	13.2	377	1	NO IMPRT
11.2	9.2	262	2	LITL IMP
19.9	16.2	465	3	MOD IMPT
22.9	18.7	536	4	GRT IMPT
29.9	24.4	700	5	VGRT IMP
	18.3	526	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 581-582

V3387 **053E07F STS SCH PLN CLG**

Item Number: 13640

How important is each of the following for being looked up to or having high status in your school? F: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	17.6	505	1	NO IMPRT
16.4	13.4	384	2	LITL IMP
16.3	13.3	381	3	MOD IMPT
12.9	10.5	301	4	GRT IMPT
32.8	26.8	768	5	VGRT IMP
	18.4	529	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 583-584

V3388	053E08A MO SH B W CHL>TM
-------	--------------------------

Item Number: 10530

These next questions ask your opinions about another topic.
 How much do you agree or disagree with each statement below?
 A: Most mothers should spend more time with their children
 than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree" Responses from the western region intentionally
 obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	8.5	245	1	DISAGREE
7.8	5.1	146	2	MOST DIS
24.6	16.0	459	3	NEITHER
27.3	17.7	509	4	MOST AGR
27.1	17.6	505	5	AGREE
	35.0	1,004	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric
 Missing-data code: -9
 Columns: 585-586

V3389

053E08B FTHR>TIME W CHLD

Item Number: 12180

How much do you agree or disagree with each statement below?

B: Most fathers should spend more time with their children than they do now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	7.7	221	1	DISAGREE
5.3	3.4	98	2	MOST DIS
23.7	15.3	440	3	NEITHER
27.3	17.6	506	4	MOST AGR
31.7	20.5	588	5	AGREE
	35.4	1,015	-9	MISSING
-----	-----	-----		
100.0	100.0	2,868		cases

Data type: numeric

Missing-data code: -9

Columns: 587-588

APPENDICES

APPENDIX A: PUBLICATIONS

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at <http://www.monitoringthefuture.org/pubs.html>.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

Grade:	<u>Number of Public Schools</u>		<u>Number of Private Schools</u>		<u>Total Number of Schools</u>		<u>Total Number of Students</u>		<u>Student Response Rate</u>	
	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>
1991	131	107	31	14	162	121	17,844	14,996	90%	87%
1992	133	106	26	19	159	125	19,015	14,997	90	88
1993	126	111	30	17	156	128	18,820	15,516	90	86
1994	116	116	34	14	150	130	17,708	16,080	89	88
1995	118	117	34	22	152	139	17,929	17,285	89	87
1996	122	113	30	20	152	133	18,368	15,873	91	87
1997	125	113	27	18	152	131	19,066	15,778	89	86
1998	122	110	27	19	149	129	18,667	15,419	88	87
1999	120	117	30	23	150	140	17,287	13,885	87	85
2000	125	121	31	24	156	145	17,311	14,576	89	86
2001	125	117	28	20	153	137	16,756	14,286	90	88
2002	115	113	26	20	141	133	15,489	14,683	91	85
2003	117	109	24	20	141	129	17,023	16,244	89	88
2004	120	111	27	20	147	131	17,413	16,839	89	88
2005	119	107	27	20	146	127	17,258	16,711	90	88