

ICPSR 4537

**Monitoring the Future: A
Continuing Study of American
Youth (8th- and 10th-Grade
Surveys), 2005**

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Codebook for 8th-Grade Form 4 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

TABLE OF CONTENTS

INTRODUCTION.....	i
DATA COLLECTION DESCRIPTION	i
DATA COLLECTION PROCEDURES	i
SAMPLING INFORMATION	ii
CONTENT AREAS AND QUESTIONNAIRE DESIGN	iv
MEASUREMENT CONTENT AREAS	v
REPRESENTATIVENESS AND VALIDITY.....	vi
WEIGHTING INFORMATION.....	x
FILE STRUCTURE.....	x
CODEBOOK INFORMATION	xi
PROCESSING INFORMATION	xiii
CITATIONS	xvi
FREQUENCIES.....	17
APPENDICES.....	215
APPENDIX A: PUBLICATIONS	215
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES	216

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF THE LIFESTYLES AND VALUES OF YOUTH, 2005, GRADES 8 AND 10, is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is an unusually comprehensive one in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; results may be compared with those from other age groups also surveyed annually by the project; and the subject matter is very broad, encompassing altogether more than 450 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate description of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the explanation of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from eighth, tenth, and twelfth graders during the spring of each year. Procedures for the twelfth grade data collection are explained in detail elsewhere (1,2); the eighth and tenth grade samples were added in 1991 after 16 years of annual twelfth grade surveys and closely parallel those used for the high school seniors. Approximately 150 schools are sampled for the eighth grade survey, and approximately 17,000 to 19,000 students are surveyed. For the tenth graders, approximately 130 high schools are sampled, and approximately 15,000 to 17,000 students are surveyed.

A major exception to the similarities with the 12th grade surveys is that in the 8th/10th grade surveys only two different questionnaire forms were used in 1991-1996 (this expanded to four forms beginning in 1997) rather than the six used with seniors. Identical forms are used for both eighth and tenth grades, and for the most part, questionnaire content is drawn from the twelfth-grade questionnaires. Thus, key demographic variables and measures of drug use and related attitudes and beliefs are generally identical for all three grades. However, many fewer questions about lifestyles and values are included in the 8th/10th grade forms, in part because the authors believe that many of these attitudes are likely to be more fully formed by twelfth grade and, therefore, are best monitored there.

A limitation to the study design is that two segments of the entire age-cohort are missing: those who are enrolled in school, but are absent on the day of data collection ("absentees"), and those who have dropped out of school ("dropouts").

Dropout rates are relatively low for 8th and 10th graders: dropouts are probably less than 1% in 8th grade, and less than 5% by 10th grade (1). Absentees comprise 10% of eighth graders and about 12% of tenth graders in 2005. Although absentees are likely to be somewhat different from non-absentees on a variety of dimensions, adjusting for their relatively small proportions would have only very modest

effects on population estimates. See the latest annual report for a more extended discussion of this issue (1).

SAMPLING INFORMATION

The procedure for securing nationally representative samples of eighth and tenth graders in public and private schools is a multistage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more schools in each area, and Stage 3 is the selection of students within each school.

Stage 1: Geographic Areas. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

Stage 2: Schools. In the major metropolitan areas more than one school is often included in the sampling design; in most other sampling areas a single school is sampled. In all cases, the selections of schools are made such that the probability of drawing a school is proportionate to the size of its eighth or tenth grade class. The larger the class (according to recent records), the higher the selection probability assigned to the school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

Stage 3: Students. Within each selected school, up to about 350 students may be included in the data collection. In schools with fewer than 350 students, the usual procedure is to include all of them in the data collection. In larger schools, a subset of students is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1991 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one class to the next is observed, it is possible to check whether that shift may be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

School Recruiting Procedures. Early during the fall semester an initial contact is made with each sampled school. First a letter is sent to the principal describing the study and requesting permission to survey students. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek the permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

Advance Contact with Teachers and Students. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to that fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

Questionnaire Administration. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

Procedures for Protecting Confidentiality. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." From 1991 to 1998, the instructions pointed out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The

cover message explained that these are the reasons for asking that name and address be written on a special form which was removed from the questionnaire and handed in separately. The message also pointed out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

The research design originally called for mail-out follow-up surveys of samples of the eighth and tenth graders participating in the study, carried out at two-year intervals similar to the twelfth grade follow-up samples. In 1997, it was decided to discontinue follow-up surveys; consequently, the original "confidential" procedures (in which names and addresses were obtained from all respondents) were changed to anonymous procedures (in which no names or addresses were obtained). To allow an assessment of the potential effect of the different procedures, half the schools (all those participating for a second year) were assigned to the confidential procedure in 1998, and half (all those participating in their first year) to the anonymous condition. Beginning in 1999, all eighth and tenth grade surveys were anonymous. Analyses showed that this change in procedure had no effect on the reporting of sensitive information (i.e. drug use) by tenth graders, and little or no effect on eighth graders (3).

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the 8th/10th grade questionnaires also deal with a wide range of other subject areas, including educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors. These are listed below, along with their associated code letters by which all questions are organized in a cross-time index provided in the User Guide for this collection. The same code letters have been assigned to each area as were used in the twelfth grade content index. Because not all of the areas covered in twelfth grade are included in grades 8/10, some letters in the sequence are missing here.

MEASUREMENT CONTENT AREAS

A.	<i>Drugs. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.</i>
B.	<i>Education. Educational lifestyle, values, experiences, and environments. Media usage.</i>
C.	<i>Work and Leisure. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.</i>
D.	<i>Gender Roles and Family. Values, attitudes, and expectations about marriage, family structure, sex roles, and gender discrimination.</i>
E.	<i>Population Concerns. Values, attitudes, and expectations about personal family plans. Concerns about overpopulation. Educational opportunities offered concerning family planning.</i>
F.	<i>Conservation, Materialism, Equity, etc. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.</i>
G.	<i>Religion. Religious affiliation, practices, and views.</i>
I.	<i>Social Change. Values, attitudes, and expectations about social change.</i>
L.	<i>Military. Personal plans for military service. Views about the armed services and the use of military force.</i>
M.	<i>Interpersonal Relationships. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.</i>
O.	<i>Concern for Others. Radius of concern for others; voluntary and charitable activities.</i>
P.	<i>Happiness. Happiness and life satisfaction, overall and in specific life domains.</i>
Q.	<i>Other Personality Variables. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, optimism, trust in others, importance placed on various life goals.</i>
R.	<i>Background and School. Demographic and family background characteristics, curriculum and grades in school, victimization in school.</i>
S.	<i>Deviant Behavior and Victimization. Delinquent behaviors, seatbelt use, victimization experiences.</i>
T.	<i>Health habits and symptoms.</i>

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into two (1991-1996) to four (1997 on) different questionnaire forms. *In 1997, the third and fourth questionnaire forms were added to allow for new questions to be included in the survey.* The questionnaires are distributed to participants in an ordered sequence. In 1991-1996, this produced two equivalent half-samples. Beginning in 1997, four forms were used: forms 1 and 2 were distributed to a random 33.3% (1/3) of students, and forms 3 and 4 were distributed to a random 16.7% (1/6) of students. Thus, a question could be answered by 1/6, 1/3, 1/2, 2/3, 5/6, or all of the sample, depending on which forms included that question.

About one-third of each questionnaire form consists of key or “core” variables which are common to all forms. All demographic variables and some measures of drug use are included in this “core” set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of eighth and tenth grade students attending private or public schools throughout the 48 contiguous states. It is useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all eighth and tenth graders, and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully accurate. First, some sample schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

School Participation. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. (With very few exceptions, each school which has participated for one data collection has agreed to participate for a second.) When an invited school declines to participate, a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with “drug problems” refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools’ refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel confident that school refusals have not seriously biased the surveys.

Student Participation. Completed questionnaires are obtained from between 85% and 90% of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of the data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be less than one percent.

Validity of Self-Report Data. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history – as scholars of the relevant literature will recognize – though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination.

Accuracy of the Sample. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total samples of both grades have confidence intervals of 2.0% -- sometimes considerably smaller. This means that, had the project been able to invite all schools and all eighth or tenth graders in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 2.0 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project provide information which allows the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes (1).

Consistency and the Measurement of Trends. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9 to 15% percent of each year's sample -- are represented by only 700 respondents per year on any single questionnaire form. After 1996 when two more forms were added, the number of Hispanic or Black respondents available in the dataset drops to about 250. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number

of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small *N*s for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

Differential Representation. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of blacks than white remain in school through the end of the twelfth grade.¹ Therefore, a slightly different segment of the black population than of the white population resides in the target population of high school seniors. It is less clear to what extent there may be differential representation at the 8th and 10th grade levels. It may be that there is very little underrepresentation in 8th grade, because very few students drop out of school before the end of 8th grade; somewhat more, though still relatively few, may drop out by near the end of 10th grade, and that could be differential by race.

Differential Response Tendencies. In examining the full range of variables, racial differences in response tendencies among high school seniors have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among blacks than among whites. For example, blacks tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall “agreement bias” should be self-canceling when the index is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for black respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of blacks as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent’s willingness to answer particular questions. The missing data rate may be an indication of that unwillingness. If a particular question or set of questions has a missing data rate higher than is true for the prior set of questions, then

¹ The Hispanic group has considerably higher dropout rates than either whites or blacks, which means that student samples become increasingly less representative of the entire age group at higher grades.

presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate has been found for black male seniors on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for black males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of black seniors than white seniors reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

Covariance with Other Factors. Some characteristics such as race are highly confounded (correlated) with other variables – variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socioeconomic level or region of the country – that is, once we compare the black respondents with white who come from similar backgrounds – there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of blacks live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of blacks are Baptists, and blacks tend to attribute more importance to religion than do whites.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (8TH-AND 10TH-GRADE SURVEYS), 2005 is available from ICPSR as eight logical record length datasets. Each dataset consists of SAS, SPSS, and Stata data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

<i>Part #</i>	<i>Form</i>	<i>#Variables</i>	<i>Logical record length</i>	<i>Unweighted N</i>
<i>Part 1</i>	8 th Grade, Form 1	288	589	5762
<i>Part 2</i>	8 th Grade, Form 2	291	594	5738
<i>Part 3</i>	8 th Grade, Form 3	288	588	2877
<i>Part 4</i>	8 th Grade, Form 4	279	570	2881
<i>Part 5</i>	10 th Grade, Form 1	289	591	5571
<i>Part 6</i>	10 th Grade, Form 2	292	596	5574
<i>Part 7</i>	10 th Grade, Form 3	289	590	2766
<i>Part 8</i>	10 th Grade, Form 4	280	572	2800

The SAS, SPSS, and Stata data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] **V1134** [2] **991A13** **KIND OF PAID JOB**

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING

----- ----- -----
 [10] [11] [12]
 100.0 100.0 5,745 cases (Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99

-
- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
 - [2] Indicates the abbreviated variable name used to identify the variable for the user.
 - [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases (Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA (This variable is labeled "SELF-REP=1/NOT=0" to be consistent with earlier versions). Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each eighth and tenth grade dataset.

Omitted Variables:

Forms 1 to 4	C01. R'S BIRTH YEAR
Forms 1 to 4	C02 R'S BIRTH MONTH
Forms 1 to 4	C05. FIRST LANGUAGE
Forms 1 to 4	C07e-h. R'S HSHLD (other than mother/father/sibling)
Forms 1 to 4	C12a. R'S RELGS PRFNC
Form 1	A12. CURRENT HEIGHT
Form 1	A13. CURRENT WEIGHT
Form 2	E03. CURRENT HEIGHT
Form 2	E04. CURRENT WEIGHT
Form 2	E07 ZIP CODE (5 DIGIT)
Form 4	E02. CURRENT HEIGHT
Form 4	E03. CURRENT WEIGHT
Form 4	E05 ZIP CODE (5 DIGIT)

The variables that have been retained but altered to insure confidentiality follow.

Forms 1-4 R'S ID - SERIAL #

5 digit code exclusive to each grade; modified to protect respondent confidentiality

Forms 1-4 Sampling Weight

Originally varied by school but modified to protect respondent confidentiality; use for all analyses, results of which will differ slightly from published data tables using original data

AGE <> 16 DICHOTOMY (10th grade only):

1=younger than 16 years old,

2=16 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 16, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 16.

C03. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK, 2=WHITE, 3=HISPANIC -9=All Other Codes and missing data or multiple responses on Q. C03

For 2005, two of the questionnaire forms, Form 1 and Form 3, have a new version of the race question. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected more than one response option, the value for the recoded variable was deleted and defined as missing.

C07a-c. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

Sibling combines responses to originally separate questions about brother and sister, then after these and the remaining "HSHLD" items were deleted, missing data on C07a, b, and new c was redetermined.

C22. EVER HELD BACK

Dichotomized to 0=NO, 1=YES, -9=missing

C23. NEED SUMMER SCHL

Dichotomized to 0=NO, 1=YES, -9=missing

C24. EVER SUSPENDED

Dichotomized to 0=NO, 1=YES, -9=missing

Beginning in 1997, a select group of questions were excluded from some schools in the Western region, rendering those schools potentially identifiable. Thus, these variables were intentionally changed to missing data (coded -9) from all schools in the Western region of the contiguous United States:

Item Reference Number	Question Name	2005 Form 1 Q#	2005 Form 2 Q#	2005 Form 3 Q#	2005 Form 4 Q#
07970	MN=ACHV/WMN=HOME	1A19C	2A15C	x	x
07990	WK MO AS WRM REL	1A19D	2A15D	x	x
00370	R'ATTND REL SVC	1C12B	2C12B	3C12B	4C12B
00380	RLGN IMP R'S LF	1C13	2C13	3C13	4C13
25180	#X PRNT CHK HMWK	1C28A	2C28A	x	x
25190	#X PRNT HLP HMWK	1C28B	2C28B	x	x
25200	#X PRNT GV CHORE	1C28C	2C28C	x	x
25210	#X PRNT LIMIT TV	1C28D	2C28D	x	x
25225	#X PRNT ALW OUT	1C28E	2C28E	x	x
25860	TALK PROB W/PRNT	1C29	2C29	3C29	4C29
25870	TALK PROB W/ADLT	1C30	2C30	3C30	4C30
10530	MO SH B W CHL>TM	1E13A	x	3E08A	x
12180	FTHR>TIME W CHLD	1E13B	x	3E08B	x
30760	PRN KNW AFT SCHL	x	x	3C28A	4C28A
30770	PRN KNW WHO@NITE	x	x	3C28B	4C28B
30780	PRN KNW WHER@NGT	x	x	3C28C	4C28C
30790	R'S WKND CURFEW	x	x	3C28D	4C28D

An x in a column indicates that the question was not included in the questionnaire form to which the column refers.

CITATIONS

- ¹National survey results on drug use from the Monitoring the Future study, 1975-2004, Volume I: Secondary school students (2005). (NIH Pub. No. 05-5727). Vol II: College students and adults ages 19-45 (2005). (NIH Pub. No. 05-5728). L.D. Johnston, P.M. O'Malley, J.G. Bachman, and J.E. Schulenberg, 545 pp. and 267 pp. respectively.
- ²The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- ³O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J.E. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30, 35-54.

FREQUENCIES

8TH GRADE, FORM 4

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

2,914 cases (Range of valid codes: 1-2881)

Data type: numeric

Columns: 1-4

V1	054 YEAR OF ADMINISTRATION
-----------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,914	2005	
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Columns: 5-8

V3	054 FORM ID
-----------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,914	4	
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Columns: 9-10

V4	054 R'S ID - SERIAL #
-----------	------------------------------

2,914 cases (Range of valid codes: 54378-57258)

Data type: numeric

Columns: 11-15

V5	054 SAMPLING WEIGHT
-----------	----------------------------

2,914 cases (Range of valid codes: 0.2488-5.2347)

Data type: numeric

Decimals: 4

Columns: 16-21

V507	054 SCHOOL REGION
-------------	--------------------------

Item Number:

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	18.9	551	1	NE
21.6	21.6	629	2	NCENTRL
38.2	38.2	1,113	3	SOUTH
21.3	21.3	622	4	WEST
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Columns: 22-23

V508	054 SELF-REP=1/NOT=0
-------------	-----------------------------

Item Number:

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

0=Not Self-Representing MSA 1=Self-Representing MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	67.7	1,974	0	NOSLFREP
32.3	32.3	940	1	SELF REP
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Columns: 24-25

V4104

054A03B DALY ROCK CONCRT

Item Number: 05845

How often do you do each of the following? B: Go to rock concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	71.7	2,089	1	NEVER
23.9	23.7	690	2	FEW /YR
2.7	2.6	77	3	1-2 /MO
0.5	0.5	16	4	1 /WK
0.4	0.4	11	5	NR DAILY
	1.1	31	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 34-35

V4105

054A03C DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following? C: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	21.0	612	1	NEVER
18.0	17.8	519	2	FEW /YR
14.1	13.9	405	3	1-2 /MO
20.4	20.1	587	4	1 /WK
26.3	26.0	756	5	NR DAILY
	1.2	34	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 36-37

V4108

054A03F DALY VIS FRDS FR

Item Number: 05920

How often do you do each of the following? F: Get together
with friends informally (in your free time)

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	74	1	NEVER
5.2	5.1	149	2	FEW /YR
13.6	13.5	392	3	1-2 /MO
36.5	36.0	1,050	4	1 /WK
42.1	41.6	1,212	5	NR DAILY
	1.3	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 42-43

V4109

054A03G DALY GO TO MALL

Item Number: 05930

How often do you do each of the following? G: Go to a
shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	137	1	NEVER
19.2	19.0	552	2	FEW /YR
45.5	45.0	1,310	3	1-2 /MO
26.5	26.2	764	4	1 /WK
4.0	3.9	115	5	NR DAILY
	1.2	36	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 44-45

V4112	054A03J DALY READ NWSPPR
--------------	---------------------------------

Item Number: 23080

How often do you do each of the following? J: Read newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	25.3	738	1	NEVER
23.1	22.7	662	2	FEW /YR
21.2	20.9	609	3	1-2 /MO
21.0	20.7	604	4	1 /WK
9.1	8.9	260	5	NR DAILY
	1.4	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 50-51

V4113	054A03K DALY GO TO PARTY
--------------	---------------------------------

Item Number: 05970

How often do you do each of the following? K: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	176	1	NEVER
22.7	22.5	655	2	FEW /YR
40.7	40.3	1,175	3	1-2 /MO
25.6	25.4	739	4	1 /WK
5.0	4.9	143	5	NR DAILY
	0.9	25	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 52-53

V4114 **054A03L DALY GO VID ARC**

Item Number: 29620

How often do you do each of the following? L: Go to video arcades

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	38.6	1,124	1	NEVER
34.4	34.1	995	2	FEW /YR
17.4	17.3	503	3	1-2 /MO
6.9	6.9	201	4	1 /WK
2.4	2.4	70	5	NR DAILY
	0.7	21	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 54-55

V4115 **054A04A #XUSE RADIO4NEWS**

Item Number: 24780

How often do you use each of the following to get information about news and current events? A: Radio

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.4	360	1	NEVER
8.5	8.4	245	2	FEW /YR
9.2	9.1	264	3	1-2 /MO
17.0	16.8	490	4	1 /WK
52.9	52.3	1,525	5	NR DAILY
	1.0	30	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 56-57

V4116 **054A04B #XUSE TV 4 NEWS**

Item Number: 24790

How often do you use each of the following to get information about news and current events? B: TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	75	1	NEVER
2.8	2.8	82	2	FEW /YR
5.6	5.5	160	3	1-2 /MO
18.4	18.2	530	4	1 /WK
70.6	69.8	2,034	5	NR DAILY
	1.2	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 58-59

V4117 **054A04C #X USE PPR 4NEWS**

Item Number: 24800

How often do you use each of the following to get information about news and current events? C: Newspaper

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	24.2	705	1	NEVER
21.0	20.7	603	2	FEW /YR
22.0	21.6	631	3	1-2 /MO
22.0	21.7	631	4	1 /WK
10.5	10.3	300	5	NR DAILY
	1.5	43	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 60-61

V4120	054A05 # HRS RADIO/DAY
-------	------------------------

Item Number: 24820

How many hours do you estimate you spend listening to the radio on an average DAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.6	194	1	NONE
25.3	25.0	727	2	1/2 HOUR
22.5	22.1	645	3	ONE HOUR
15.6	15.4	449	4	2 HOURS
9.3	9.2	268	5	3 HOURS
8.0	7.9	230	6	4 HOURS
12.5	12.3	359	7	5+ HRS
	1.4	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 66-67

V4121	054A06 #HRS TV/DAY/5+
-------	-----------------------

Item Number: 10550

How much TV do you estimate you watch on an average WEEKDAY?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	70	1	NONE
9.4	9.3	270	2	1/2 HOUR
15.9	15.7	457	3	ONE HOUR
22.1	21.8	636	4	2 HOURS
19.3	19.1	555	5	3 HOURS
10.6	10.5	305	6	4 HOURS
20.3	20.0	584	7	5+ HRS
	1.3	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 68-69

V4122	054A07 # HRS TV/WKEND
-------	-----------------------

Item Number: 24830

How much TV do you estimate you watch on an average WEEKEND
(both Saturday and Sunday combined)?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-4 hours"
5="5-6 hours" 6="7-8 hours" 7="9 hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	58	1	NONE
6.2	6.1	177	2	< 1 HR
14.2	14.1	410	3	1-2 HRS
25.1	24.8	722	4	3-4 HRS
21.0	20.8	605	5	5-6 HRS
12.2	12.0	350	6	7-8 HRS
19.4	19.1	558	7	9+ HRS
	1.1	33	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 70-71

V4123	054A08A LSTYR/ENJOY SCHL
-------	--------------------------

Item Number: 23090

Now thinking back over the past year in school, how often did
you. . . A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.4	245	1	NEVER
13.5	13.4	391	2	SELDOM
40.5	40.1	1,169	3	SOMETIME
25.9	25.6	746	4	OFTEN
11.5	11.4	333	5	ALWAYS
	1.0	29	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 72-73

V4124 **054A08B LSTYR/HATE SCHL**

Item Number: 23100

Now thinking back over the past year in school, how often did you. . . B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	235	1	NEVER
22.9	22.7	660	2	SELDOM
33.5	33.1	965	3	SOMETIME
21.3	21.1	615	4	OFTEN
14.2	14.0	409	5	ALWAYS
	1.0	30	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 74-75

V4125 **054A08C LSTYR/DO BEST WK**

Item Number: 23110

Now thinking back over the past year in school, how often did you. . . C: Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	39	1	NEVER
2.9	2.8	83	2	SELDOM
15.3	15.2	442	3	SOMETIME
28.9	28.6	834	4	OFTEN
51.6	51.0	1,487	5	ALWAYS
	1.0	30	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 76-77

V4126	054A08D LSTYR/SCH 2 HARD
--------------	---------------------------------

Item Number: 23120

Now thinking back over the past year in school, how often did you. . . D: Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.2	356	1	NEVER
33.5	33.1	964	2	SELDOM
35.6	35.1	1,024	3	SOMETIME
12.8	12.7	370	4	OFTEN
5.7	5.7	165	5	ALWAYS
	1.2	36	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 78-79

V4127	054A08E LSTYR/WK INTRSTG
--------------	---------------------------------

Item Number: 24840

Now thinking back over the past year in school, how often did you. . . E: Find your school work interesting?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	13.9	406	1	NEVER
24.3	23.9	696	2	SELDOM
39.3	38.7	1,126	3	SOMETIME
17.9	17.6	513	4	OFTEN
4.2	4.2	122	5	ALWAYS
	1.7	50	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 80-81

V4128 **054A08F LSTYR/WK NT DONE**

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.2	705	1	NEVER
34.4	33.9	988	2	SELDOM
26.0	25.6	747	3	SOMETIME
11.5	11.4	331	4	OFTEN
3.5	3.5	102	5	ALWAYS
	1.4	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 82-83

V4129 **054A08G LSTYR/U MISBEHAV**

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .G: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	58.5	1,703	1	NEVER
20.8	20.6	600	2	SELDOM
10.7	10.6	309	3	SOMETIME
5.6	5.5	161	4	OFTEN
3.8	3.7	109	5	ALWAYS
	1.1	32	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 84-85

V4130

054A09A DISAP 1-5CIGS/DA

Item Number: 30740

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people doing each of the following? A. Smoking one to five cigarettes per day.

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.6	426	1	DONT DIS
29.3	28.8	840	2	DISAPPRV
53.2	52.2	1,522	3	STRG DIS
2.6	2.6	75	8	CANT SAY
	1.8	51	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 86-87

V4131

054A09B DISAP 1+PK CIGS

Item Number: 24850

Do YOU disapprove of people doing each of the following? B:
Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.1	206	1	DONT DIS
18.6	18.2	531	2	DISAPPRV
71.3	70.1	2,041	3	STRG DIS
3.0	2.9	85	8	CANT SAY
	1.7	50	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 88-89

V4134	054A09E DISAP MJ OCCAS
--------------	-------------------------------

Item Number: 24880

Do YOU disapprove of people doing each of the following? E:
Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	13.8	401	1	DONT DIS
18.3	17.9	520	2	DISAPPRV
63.3	61.8	1,801	3	STRG DIS
4.2	4.1	121	8	CANT SAY
	2.4	70	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 94-95

V4135	054A09F DISAP MJ REG
--------------	-----------------------------

Item Number: 24890

Do YOU disapprove of people doing each of the following? F:
Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	9.9	288	1	DONT DIS
13.6	13.2	384	2	DISAPPRV
72.2	70.0	2,040	3	STRG DIS
4.0	3.9	114	8	CANT SAY
	3.0	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 96-97

V4138**054A09I DISAP 5+ALC WKND**

Item Number: 24960

Do YOU disapprove of people doing each of the following? I:
Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.4	390	1	DONT DIS
23.1	22.7	661	2	DISAPPRV
60.0	58.8	1,714	3	STRG DIS
3.2	3.2	93	8	CANT SAY
	1.9	56	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 102-103

V4139**054A10A RSK 1-5 CIGS/DAY**

Item Number: 30750

The next questions ask for your opinions on the effects of
using certain drugs and other substances. How much do you
think people risk harming themselves (physically or in other
ways), if they. . .A. Smoke one to five cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	141	1	NO RISK
15.9	15.6	454	2	SLIGHT
38.6	37.9	1,104	3	MOD RISK
38.5	37.8	1,100	4	GRT RISK
2.1	2.1	61	8	CANT SAY
	1.8	53	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 104-105

V4142	054A10D RSK OF MJ 1-2 X
-------	-------------------------

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . . D: Try
marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.1	382	1	NO RISK
28.1	27.6	804	2	SLIGHT
21.2	20.9	608	3	MOD RISK
34.7	34.0	992	4	GRT RISK
2.7	2.6	76	8	CANT SAY
	1.8	52	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 110-111

V4143	054A10E RSK OF MJ OCSNLY
-------	--------------------------

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . . E: Smoke
marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
8="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.2	209	1	NO RISK
11.5	11.3	328	2	SLIGHT
27.2	26.6	776	3	MOD RISK
51.2	50.2	1,462	4	GRT RISK
2.7	2.7	78	8	CANT SAY
	2.1	61	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 112-113

V4148

054B01 EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	72.8	2,121	1	NEVER
14.2	13.8	402	2	1-2X
5.1	5.0	145	3	OCCASNLY
3.2	3.1	91	4	REG PAST
2.7	2.6	77	5	REG NOW
	2.7	78	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 122-123

V4149

054B02 #CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [includes respondents who marked "1" on Q. B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	87.3	2,543	1	NONE
6.4	6.2	180	2	<1 CIG/D
2.5	2.4	70	3	1-5/DAY
0.7	0.6	19	4	1/2PK/D
0.2	0.2	6	5	1 PK/DA
0.3	0.3	10	6	1 1/2PK/D
0.3	0.3	8	7	2+ PKS/D
	2.7	78	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric

Missing-data code: -9

Columns: 124-125

V4150 054B03A CIG HOW BUY-FRND

Item Number: 29970

During the last 30 days, about how many times have you bought
cigarettes . . . A: . . . by having a friend or relative
buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9
Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	4.3	124	1	NONE
23.3	2.4	70	2	1 TIME
14.3	1.5	43	3	2 TIMES
10.8	1.1	33	4	3-5 TIMES
4.9	0.5	15	5	6-9 TIMES
5.5	0.6	17	6	10 OR MORE
	89.7	2,612	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 126-127

V4151	054B03B CIG HOW BUY-VEND
-------	--------------------------

Item Number: 29980

During the last 30 days, about how many times have you bought cigarettes . . . B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	9.2	267	1	NONE
5.9	0.6	18	2	1 TIME
2.4	0.2	7	3	2 TIMES
1.6	0.2	5	4	3-5 TIMES
0.2	0.0	1	5	6-9 TIMES
0.9	0.1	3	6	10 OR MORE
	89.7	2,614	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 128-129

V4153	054B03D CIG HOW BUY-PKUP
-------	--------------------------

Item Number: 30000

During the last 30 days, about how many times have you bought cigarettes. . . D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	8.3	241	1	NONE
7.8	0.8	23	2	1 TIME
5.9	0.6	18	3	2 TIMES
0.5	0.1	2	4	3-5 TIMES
0.8	0.1	2	5	6-9 TIMES
4.2	0.4	12	6	10 OR MORE
	89.8	2,615	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 132-133

V4155

054B03F CIG HOW BUY-OTHR

Item Number: 31330

During the last 30 days, about how many times have you bought
cigarettes. . . F: . . .bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9
Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	5.4	158	1	NONE
18.9	1.9	56	2	1 TIME
9.5	1.0	28	3	2 TIMES
8.6	0.9	26	4	3-5 TIMES
2.8	0.3	8	5	6-9 TIMES
7.5	0.8	22	6	10 OR MORE
	89.8	2,615	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 136-137

V4156	054B04A CIG WHERE-SUPMKT
-------	--------------------------

Item Number: 30020

During the last 30 days, about how many times did YOU buy cigarettes for your own use. . . A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	9.1	264	1	NONE
6.9	0.7	20	2	1 TIME
1.9	0.2	6	3	2 TIMES
0.4	0.0	1	4	3-5 TIMES
0.2	0.0	1	5	6-9 TIMES
1.6	0.2	5	6	10 OR MORE
	89.8	2,617	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 138-139

V4157	054B04B CIG WHERE-SMLGRC
-------	--------------------------

Item Number: 30030

During the last 30 days, about how many times did YOU buy cigarettes for your own use. . . B: . . . at a small grocery store

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	8.1	235	1	NONE
9.8	1.0	29	2	1 TIME
3.6	0.4	11	3	2 TIMES
2.6	0.3	8	4	3-5 TIMES
1.0	0.1	3	5	6-9 TIMES
4.0	0.4	12	6	10 OR MORE
	89.8	2,616	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 140-141

V4159	054B04D CIG WHERE-CNVGAS
-------	--------------------------

Item Number: 30050

During the last 30 days, about how many times did YOU buy cigarettes for your own use . . . D: . . . at a convenience store (like a Hop-In or 7-11) or a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.9	7.2	210	1	NONE
9.7	1.0	29	2	1 TIME
5.4	0.6	16	3	2 TIMES
4.3	0.4	13	4	3-5 TIMES
2.3	0.2	7	5	6-9 TIMES
7.5	0.8	22	6	10 OR MORE
	89.8	2,618	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 144-145

V4160	054B04E CIG WHERE-WEB
-------	-----------------------

Item Number: 31340

During the last 30 days, about how many times did YOU buy
cigarettes for your own use . . . E: . . .from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 - 5 Times" 5="6 - 9
Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	9.7	283	1	NONE
1.4	0.1	4	2	1 TIME
0.7	0.1	2	3	2 TIMES
1.1	0.1	3	4	3-5 TIMES
0.0	0.0	0	5	6-9 TIMES
0.6	0.1	2	6	10 OR MORE
	89.9	2,620	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 146-147

V4161 054B05 USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

- 1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
 20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
 24="Other" 25="No usual brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.2	7	1	BASIC
0.0	0.0	0	2	B & H
2.4	0.2	6	3	B & W
0.3	0.0	1	4	CAMBRIDGE
7.4	0.7	19	5	CAMEL
0.3	0.0	1	6	CAPRI
0.0	0.0	0	7	CARLTON
0.7	0.1	2	8	DORAL
2.0	0.2	5	9	GPC
0.0	0.0	0	10	KENT
4.0	0.4	10	11	KOOL
39.9	3.5	103	12	MARLBORO
0.0	0.0	0	13	MERIT
0.7	0.1	2	14	MISTY
0.0	0.0	0	15	MONARCH
0.0	0.0	0	16	MORE
13.7	1.2	35	17	NEWPORT
1.3	0.1	3	18	PALLMALL
1.3	0.1	3	19	PARLIAMENT
1.9	0.2	5	20	SALEM
0.0	0.0	0	21	VANTAGE
0.5	0.0	1	22	VA SLIMS
1.9	0.2	5	23	WINSTON
3.9	0.3	10	24	OTHER
14.9	1.3	39	25	NO USUAL
	91.1	2,655	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 148-150

V4164	054B07 CIG STORE BUY<20
--------------	-----------------------------------

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	21.7	633	1	NEVER
6.3	1.5	45	2	YES IN LAST12M
4.5	1.1	32	3	YES NOT LAST12M
	75.6	2,204	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 155-156

V4165	054B08 *TRY STP SMK&FL
--------------	-----------------------------------

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	3.7	109	1	YES
84.3	20.0	584	2	NO
	76.2	2,221	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 157-158

V4166 054B09 #X TRY STOP SMK

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	13.6	396	1	NONE
25.8	6.0	176	2	ONCE
9.2	2.1	62	3	TWICE
4.7	1.1	32	4	3-5 TIMES
1.3	0.3	9	5	6-9 TIMES
1.0	0.2	7	6	10 OR MORE
	76.6	2,232	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 159-160

V4167 054B10 *WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	2.7	79	1	YES
18.2	4.4	128	2	NO
70.5	16.9	494	8	DONT SMK
	76.0	2,214	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 161-162

V4168	054B11 QUIT SMK WRY FAT
--------------	--------------------------------

Item Number: 30100

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	19.7	574	1	NO
8.7	2.0	59	2	A LITTLE
3.7	0.9	25	3	SOME
3.3	0.8	23	4	A LOT
	76.6	2,233	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 163-164

V4169	054B12 START SMK LOSEWT
--------------	--------------------------------

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	21.5	626	1	NO
6.0	1.4	41	2	A LITTLE
1.7	0.4	11	3	SOME
1.1	0.3	7	4	A LOT
	76.4	2,228	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 165-166

V4172

054B15A NEVER CIG ADDICT

Item Number: 30130

How much do you agree or disagree with the following statements? A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.3	563	1	DISAGREE
7.3	7.1	206	2	MOSTLY DIS
8.3	8.1	236	3	NEITHER
12.5	12.1	354	4	MOSTLY AGREE
52.0	50.4	1,469	5	AGREE
	2.9	86	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 171-172

V4173

054B15B QUIT CIG WN WANT

Item Number: 30140

How much do you agree or disagree with the following statements? B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	57.7	1,682	1	DISAGREE
16.7	16.1	470	2	MOSTLY DIS
9.1	8.8	257	3	NEITHER
5.2	5.1	147	4	MOSTLY AGREE
9.1	8.8	256	5	AGREE
	3.5	102	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 173-174

V4174 **054B15C SMK -DANGER QUIT**

Item Number: 30150

How much do you agree or disagree with the following statements? C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	71.7	2,089	1	DISAGREE
12.2	11.8	343	2	MOSTLY DIS
6.7	6.5	189	3	NEITHER
2.0	1.9	56	4	MOSTLY AGREE
4.7	4.5	131	5	AGREE
	3.6	105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 175-176

V4175 **054B16 OWN TOBACCO LOGO**

Item Number: 30160

Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes"[arrow to Q. 16a]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	79.9	2,329	1	NO
16.3	15.6	455	2	YES
	4.5	130	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 177-178

V4176 **054B16Aa CIG LOGO CAMEL**

Item Number: 30170

What brand name is on it (or on them)? (Mark all that apply.)

A. Camel

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	11.9	347	0	NOT MARKED
25.8	4.1	121	1	MARKED
	83.9	2,446	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Missing-data code: -9

Columns: 179-180

V4177 **054B16Ab CIG LOGO KOOL**

Item Number: 30180

What brand name is on it (or on them)? (Mark all that apply.)

B. Koool

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	14.6	427	0	NOT MARKED
8.8	1.4	41	1	MARKED
	83.9	2,446	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Missing-data code: -9

Columns: 181-182

V4180	054B16Ae CIG LOGO VASLM
--------------	--------------------------------

Item Number: 30210

What brand name is on it (or on them)? (Mark all that apply.)

E. Virginia Slims

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	15.6	454	0	NOT MARKED
3.0	0.5	14	1	MARKED
	83.9	2,446	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Missing-data code: -9

Columns: 187-188

V4181	054B16Af CIG LOGO OTHER
--------------	--------------------------------

Item Number: 30220

What brand name is on it (or on them)? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	12.0	348	0	NOT MARKED
25.6	4.1	120	1	MARKED
	83.9	2,446	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Missing-data code: -9

Columns: 189-190

V4184	054B18 CO GIVE FREE CIG
--------------	--------------------------------

Item Number: 30250

Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	94.2	2,744	1	NO
1.8	1.8	52	2	YES PAST12MO
1.7	1.7	50	3	YES NOT PAST12MO
	2.3	68	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 195-196

V4185	054B19 EVER DRINK
--------------	--------------------------

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO QUESTION 23" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	55.0	1,603	1	NO
40.8	38.0	1,106	2	YES
	7.0	204	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 197-198

V4186 054B20A #X DRNK/LIFETIME

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions" [includes respondents who marked "1" on Q. B19] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
59.5	55.0	1,604	1	0 OCCAS
11.5	10.7	311	2	1-2X
9.7	8.9	261	3	3-5X
6.6	6.1	179	4	6-9X
4.9	4.5	132	5	10-19X
3.4	3.2	93	6	20-39X
4.3	4.0	115	7	40+OCCAS
	7.5	219	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 199-200

V4187 054B20B #X DRNK/LAST12MO

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.4	61.3	1,785	1	0 OCCAS
15.7	14.5	421	2	1-2X
8.4	7.8	226	3	3-5X
4.1	3.8	111	4	6-9X
3.0	2.8	81	5	10-19X
1.6	1.5	43	6	20-39X
0.8	0.8	23	7	40+OCCAS
	7.7	225	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 201-202

V4188	054B20C #X DRNK/LAST30DA
-------	--------------------------

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
82.9	76.5	2,229	1	0 OCCAS
11.0	10.1	295	2	1-2X
3.2	2.9	85	3	3-5X
1.6	1.5	44	4	6-9X
0.8	0.8	23	5	10-19X
0.2	0.2	5	6	20-39X
0.3	0.3	8	7	40+OCCAS
	7.7	225	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 203-204

V4189

054B21 5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.)

1="None" [includes respondents who reported nonuse above]
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	83.0	2,419	1	NONE
4.8	4.5	130	2	ONCE
3.0	2.8	82	3	TWICE
1.5	1.4	40	4	3-5X
0.5	0.4	12	5	6-9X
0.6	0.6	17	6	10+ TIME
	7.3	213	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 205-206

V4190	054B22A #XDRUNK/LIFETIME
-------	--------------------------

Item Number: 25020

On how many occasions have you been drunk or very high from drinking alcoholic beverages? A: . . . in your lifetime?

1="0 Occasions"[includes respondents who reported nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	73.9	2,153	1	0 OCCAS
9.8	8.9	260	2	1-2X
4.1	3.7	108	3	3-5X
1.8	1.7	49	4	6-9X
1.5	1.4	40	5	10-19X
1.3	1.2	34	6	20-39X
0.6	0.6	17	7	40+OCCAS
	8.7	253	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 207-208

V4191	054B22B #XDRUNK/LAST12MO
-------	--------------------------

Item Number: 25030

On how many occasions have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
86.0	77.7	2,265	1	0 OCCAS
9.0	8.2	238	2	1-2X
2.5	2.3	67	3	3-5X
1.0	0.9	25	4	6-9X
1.1	1.0	29	5	10-19X
0.2	0.2	5	6	20-39X
0.2	0.2	6	7	40+OCCAS
	9.6	280	-9	MISSING

```
-----
```

100.0	100.0	2,914	cases
-------	-------	-------	-------

Data type: numeric
Missing-data code: -9
Columns: 209-210

V4193 054B23A #XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	80.9	2,357	1	0 OCCAS
5.7	5.6	162	2	1-2X
2.8	2.7	80	3	3-5X
1.6	1.5	44	4	6-9X
1.3	1.2	36	5	10-19X
1.8	1.7	50	6	20-39X
3.5	3.4	100	7	40+OCCAS
	2.9	84	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 213-214

V4194 054B23B #XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions have you used marijuana (weed, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	85.0	2,478	1	0 OCCAS
5.0	4.8	141	2	1-2X
1.9	1.8	52	3	3-5X
1.2	1.2	35	4	6-9X
1.8	1.7	50	5	10-19X
1.3	1.2	36	6	20-39X
1.2	1.2	35	7	40+OCCAS
	3.0	86	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 215-216

V4195	054B23C #XMJ+HS/LAST30DA
-------	--------------------------

Item Number: 00880

On how many occasions have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.3	90.3	2,630	1	0 OCCAS
2.4	2.3	68	2	1-2X
1.4	1.3	39	3	3-5X
1.3	1.3	38	4	6-9X
0.9	0.8	24	5	10-19X
0.2	0.2	5	6	20-39X
0.6	0.5	16	7	40+OCCAS
	3.2	93	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 217-218

V4197	054B24B #X LSD/LAST 12MO
-------	--------------------------

Item Number: 00900

On how many occasions have you used LSD ("acid"). . . B: . . .
. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	95.5	2,783	1	0 OCCAS
0.8	0.8	24	2	1-2X
0.3	0.3	7	3	3-5X
0.1	0.0	1	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.2	92	-9	MISSING

100.0	100.0	2,914	cases
-------	-------	-------	-------

Data type: numeric
Missing-data code: -9
Columns: 221-222

V4198	054B24C #X LSD/LAST 30DA
-------	--------------------------

Item Number: 00910

On how many occasions have you used LSD ("acid"). . . C: . . .
 . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.3	2,806	1	0 OCCAS
0.3	0.3	9	2	1-2X
0.0	0.0	1	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.2	94	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 223-224

V4199 054B25A #X PSYD/LIFETIME

Item Number: 00920

On how many occasions have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin).
 . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.3	93.2	2,717	1	0 OCCAS
2.4	2.3	68	2	1-2X
0.4	0.4	11	3	3-5X
0.2	0.2	7	4	6-9X
0.2	0.2	6	5	10-19X
0.2	0.2	6	6	20-39X
0.2	0.2	7	7	40+OCCAS
	3.1	91	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 225-226

V4200	054B25B #X PSYD/LAST12MO
-------	--------------------------

Item Number: 00930

On how many occasions have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	94.6	2,755	1	0 OCCAS
1.6	1.5	44	2	1-2X
0.3	0.3	8	3	3-5X
0.2	0.2	7	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	2	7	40+OCCAS
	3.2	93	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 227-228

V4201

054B25C #X PSYD/LAST30DA

Item Number: 00940

On how many occasions have you used hallucinogens other than LSD (like PCP, mescaline, peyote, "shrooms" or psilocybin). .
 . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	95.9	2,794	1	0 OCCAS
0.7	0.7	20	2	1-2X
0.2	0.2	4	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.2	92	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 229-230

V4202	054B26A #X CRACK/LIFETIM
-------	--------------------------

Item Number: 22260

On how many occasions have you used "crack" (cocaine in chunk or rock form) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.5	93.8	2,734	1	0 OCCAS
2.3	2.2	64	2	1-2X
0.5	0.5	15	3	3-5X
0.1	0.1	2	4	6-9X
0.2	0.2	5	5	10-19X
0.1	0.1	3	6	20-39X
0.3	0.3	8	7	40+OCCAS
	2.8	81	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 231-232

V4203	054B26B #X CRACK/LAST12M
-------	--------------------------

Item Number: 22270

On how many occasions have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	95.5	2,783	1	0 OCCAS
1.2	1.2	34	2	1-2X
0.2	0.2	4	3	3-5X
0.2	0.2	5	4	6-9X
0.0	0.0	1	5	10-19X
0.1	0.1	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.9	84	-9	MISSING

```

-----
100.0 100.0 2,914 cases

```

Data type: numeric
Missing-data code: -9
Columns: 233-234

V4204	054B26C #X CRACK/LAST30D
-------	--------------------------

Item Number: 22280

On how many occasions have you used "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.4	2,810	1	0 OCCAS
0.5	0.5	14	2	1-2X
0.1	0.1	3	3	3-5X
0.1	0.1	2	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.9	84	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 235-236

V4205	054B27A #XOTH COKE/LIFE
-------	-------------------------

Item Number: 22320

On how many occasions have you used cocaine in any other form (like cocaine powder). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	93.7	2,731	1	0 OCCAS
2.7	2.6	75	2	1-2X
0.2	0.2	6	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	3	5	10-19X
0.1	0.1	2	6	20-39X
0.3	0.3	9	7	40+OCCAS
	2.9	84	-9	MISSING

100.0	100.0	2,914	cases
-------	-------	-------	-------

Data type: numeric
Missing-data code: -9
Columns: 237-238

V4206 054B27B #XOTH COKE/12MO

Item Number: 22330

On how many occasions have you used cocaine in any other form (like cocaine powder). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	95.3	2,777	1	0 OCCAS
1.3	1.3	36	2	1-2X
0.2	0.2	5	3	3-5X
0.1	0.1	2	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.0	88	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 239-240

V4207 054B27C #XOTH COKE/30DA

Item Number: 22340

On how many occasions have you used cocaine in any other form (like cocaine powder). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	96.1	2,801	1	0 OCCAS
0.9	0.9	27	2	1-2X
0.1	0.1	2	3	3-5X
0.0	0.0	0	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.8	82	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 241-242

V4208 054B28A #X AMPH/LIFETIME

Item Number: 00980

Amphetamines have been prescribed by doctors to help people lose weight or give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs such as over-the-counter diet pills (like Dexatrim(R)), or stay-awake pills (like NO-Doz(R)), or any mail-order drugs. On how many occasions have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	89.4	2,605	1	0 OCCAS
4.7	4.5	132	2	1-2X
1.4	1.4	41	3	3-5X
0.7	0.7	20	4	6-9X
0.5	0.4	13	5	10-19X
0.3	0.3	8	6	20-39X
0.3	0.3	8	7	40+OCCAS
	3.0	87	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 243-244

V4209	054B28B #X AMPH/LAST12MO
-------	--------------------------

Item Number: 00990

On how many occasions have you taken amphetamines on your own-
 -that is, without a doctor telling you to take them . . . B:
 . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.5	92.6	2,698	1	0 OCCAS
2.6	2.5	74	2	1-2X
0.9	0.9	25	3	3-5X
0.6	0.5	16	4	6-9X
0.3	0.3	8	5	10-19X
0.1	0.1	2	6	20-39X
0.1	0.1	2	7	40+OCCAS
	3.1	90	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 245-246

V4210 054B28C #X AMPH/LAST30DA

Item Number: 01000

On how many occasions have you taken amphetamines on your own-
 -that is, without a doctor telling you to take them . . . C:
 . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	94.7	2,760	1	0 OCCAS
1.3	1.2	35	2	1-2X
0.7	0.6	19	3	3-5X
0.3	0.3	7	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.1	90	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 247-248

V4211

054B29A #X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	88.5	2,578	1	0 OCCAS
4.7	4.6	133	2	1-2X
1.4	1.3	39	3	3-5X
0.7	0.7	19	4	6-9X
0.4	0.4	12	5	10-19X
0.5	0.4	13	6	20-39X
0.6	0.5	16	7	40+OCCAS
	3.5	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 249-250

V4212 054B29B #X SED/BARB/12MO

Item Number: 01052

On how many occasions have you taken sedatives on your own--
that is, without a doctor telling you to take them . . . B:
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.1	91.7	2,671	1	0 OCCAS
2.9	2.8	82	2	1-2X
0.8	0.8	23	3	3-5X
0.5	0.5	15	4	6-9X
0.3	0.3	10	5	10-19X
0.2	0.1	4	6	20-39X
0.2	0.1	4	7	40+OCCAS
	3.6	104	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 251-252

V4213

054B29C #X SED/BARB/30DA

Item Number: 01062

On how many occasions have you taken sedatives on your own--
that is, without a doctor telling you to take them. . . C:
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	93.9	2,736	1	0 OCCAS
1.9	1.9	54	2	1-2X
0.3	0.3	9	3	3-5X
0.1	0.1	3	4	6-9X
0.2	0.2	5	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	4	7	40+OCCAS
	3.5	103	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 253-254

V4214	054B30A #X TRQL/LIFETIME
-------	--------------------------

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	92.5	2,696	1	0 OCCAS
2.5	2.4	71	2	1-2X
0.8	0.8	22	3	3-5X
0.2	0.2	6	4	6-9X
0.2	0.2	6	5	10-19X
0.3	0.3	8	6	20-39X
0.5	0.5	13	7	40+OCCAS
	3.1	91	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 255-256

V4215	054B30B #X TRQL/LAST12MO
-------	--------------------------

Item Number: 01080

On how many occasions have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . .
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.8	93.7	2,729	1	0 OCCAS
2.0	2.0	58	2	1-2X
0.5	0.5	15	3	3-5X
0.2	0.2	6	4	6-9X
0.2	0.2	7	5	10-19X
0.0	0.0	0	6	20-39X
0.2	0.2	5	7	40+OCCAS
	3.2	93	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 257-258

V4216 054B30C #X TRQL/LAST30DA

Item Number: 01090

On how many occasions have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.1	95.0	2,768	1	0 OCCAS
1.7	1.6	47	2	1-2X
0.1	0.1	3	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	3	7	40+OCCAS
	3.2	92	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 259-260

V4217	054B31A #X H LIF USE NDL
-------	--------------------------

Item Number: 29630

On how many occasions have you taken heroin using a needle . .
 . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	95.5	2,782	1	0 OCCAS
0.9	0.9	25	2	1-2X
0.1	0.1	4	3	3-5X
0.1	0.1	4	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.3	0.3	8	7	40+OCCAS
	3.1	90	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 261-262

V4218	054B31B #X H 12M USE NDL
-------	--------------------------

Item Number: 29640

On how many occasions have you taken heroin using a needle . .
 . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	96.1	2,800	1	0 OCCAS
0.6	0.6	16	2	1-2X
0.2	0.1	4	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.1	91	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 263-264

V4219	054B31C #X H 30D USE NDL
-------	--------------------------

Item Number: 29650

On how many occasions have you taken heroin using a needle . .
. C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.4	2,808	1	0 OCCAS
0.5	0.4	13	2	1-2X
0.0	0.0	1	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.1	91	-9	MISSING

```

-----
100.0 100.0 2,914 cases

```

Data type: numeric
Missing-data code: -9
Columns: 265-266

V4221	054B32B #X H 12M W/O NDL
-------	--------------------------

Item Number: 29670

On how many occasions have you taken heroin WITHOUT using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	96.3	2,807	1	0 OCCAS
0.3	0.3	8	2	1-2X
0.1	0.1	2	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.3	96	-9	MISSING

-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 269-270

V4222	054B32C #X H 30D W/O NDL
-------	--------------------------

Item Number: 29680

On how many occasions have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.6	96.4	2,809	1	0 OCCAS
0.2	0.2	6	2	1-2X
0.0	0.0	1	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.1	0.1	3	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.2	95	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 271-272

V4223 054B33A #X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	92.0	2,680	1	0 OCCAS
2.4	2.3	68	2	1-2X
0.6	0.6	17	3	3-5X
0.4	0.4	10	4	6-9X
0.5	0.4	13	5	10-19X
0.3	0.3	9	6	20-39X
0.3	0.3	9	7	40+OCCAS
	3.7	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 273-274

V4224	054B33B #X NARC/LAST12MO
-------	--------------------------

Item Number: 01140

On how many occasions have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	93.4	2,721	1	0 OCCAS
1.5	1.5	43	2	1-2X
0.5	0.5	14	3	3-5X
0.6	0.6	17	4	6-9X
0.3	0.2	7	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	2	7	40+OCCAS
	3.7	109	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 275-276

V4225

054B33C #X NARC/LAST30DA

Item Number: 01150

On how many occasions have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	94.8	2,763	1	0 OCCAS
1.0	1.0	28	2	1-2X
0.1	0.1	3	3	3-5X
0.3	0.3	8	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.7	109	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 277-278

V4226 054B34A #X INHL/LIFETIME

Item Number: 01160

On how many occasions have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
81.7	79.4	2,314	1	0 OCCAS
9.5	9.2	269	2	1-2X
3.5	3.4	100	3	3-5X
1.8	1.7	50	4	6-9X
1.5	1.4	42	5	10-19X
0.9	0.9	25	6	20-39X
1.2	1.2	34	7	40+OCCAS
	2.8	81	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 279-280

V4227

054B34B #X INHL/LAST12MO

Item Number: 01170

On how many occasions have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	87.1	2,538	1	0 OCCAS
5.8	5.7	165	2	1-2X
2.0	2.0	57	3	3-5X
1.1	1.0	30	4	6-9X
0.7	0.7	20	5	10-19X
0.2	0.2	6	6	20-39X
0.4	0.4	13	7	40+OCCAS
	2.9	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 281-282

V4228 054B34C #X INHL/LAST30DA

Item Number: 01180

On how many occasions have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	92.3	2,688	1	0 OCCAS
2.5	2.4	71	2	1-2X
1.4	1.3	39	3	3-5X
0.6	0.6	17	4	6-9X
0.1	0.1	1	5	10-19X
0.1	0.1	2	6	20-39X
0.2	0.2	6	7	40+OCCAS
	3.1	90	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 283-284

V4229

054B35A #X STRD/LIFETIME

Item Number: 22690

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	95.4	2,780	1	0 OCCAS
1.1	1.1	31	2	1-2X
0.3	0.3	8	3	3-5X
0.2	0.2	7	4	6-9X
0.0	0.0	1	5	10-19X
0.1	0.1	3	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.7	80	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 285-286

V4230	054B35B #X STRD/LAST12MO
-------	--------------------------

Item Number: 22700

On how many occasions have you taken steroids on your own-- that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.8	96.0	2,797	1	0 OCCAS
0.7	0.7	19	2	1-2X
0.4	0.4	10	3	3-5X
0.0	0.0	1	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.8	82	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 287-288

V4231	054B35C #X STRD/LAST30DA
-------	--------------------------

Item Number: 22710

On how many occasions have you taken steroids on your own-- that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	96.7	2,817	1	0 OCCAS
0.2	0.2	7	2	1-2X
0.2	0.2	6	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.8	82	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 289-290

V4232 054B36A #X INJECTOTH/LIF

Item Number: 29710

On how many occasions have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . Do NOT include anything you took under a doctor's orders. A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	95.3	2,778	1	0 OCCAS
1.1	1.0	30	2	1-2X
0.3	0.3	9	3	3-5X
0.2	0.2	5	4	6-9X
0.0	0.0	1	5	10-19X
0.1	0.1	2	6	20-39X
0.4	0.4	10	7	40+OCCAS
	2.7	78	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 291-292

V4233	054B36B #X INJECTOTH/12M
-------	--------------------------

Item Number: 29720

On how many occasions have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	96.1	2,800	1	0 OCCAS
0.7	0.7	20	2	1-2X
0.2	0.2	5	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.8	81	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 293-294

V4234 054B36C #X INJECTOTH/30D

Item Number: 29730

On how many occasions have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.6	2,816	1	0 OCCAS
0.2	0.2	7	2	1-2X
0.3	0.3	8	3	3-5X
0.1	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.8	81	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 295-296

V4235 054B37A #X ROHYPNOL/LIF

Item Number: 29770

On how many occasions have you used Rohypnol ("rophies," "roofies") . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	95.3	2,776	1	0 OCCAS
0.3	0.3	9	2	1-2X
0.4	0.4	12	3	3-5X
0.1	0.1	2	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	1	6	20-39X
0.2	0.2	4	7	40+OCCAS
	3.7	107	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 297-298

V4236	054B37B #X ROHYPNOL/12M
-------	-------------------------

Item Number: 29780

On how many occasions have you used Rohypnol ("rophies," "roofies") . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	95.6	2,787	1	0 OCCAS
0.3	0.3	9	2	1-2X
0.3	0.3	7	3	3-5X
0.1	0.1	2	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.7	108	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 299-300

V4237 054B37C #X ROHYPNOL/30D

Item Number: 29790

On how many occasions have you used Rohypnol ("rophies," "roofies") . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	96.0	2,798	1	0 OCCAS
0.1	0.1	2	2	1-2X
0.1	0.1	3	3	3-5X
0.1	0.1	2	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.7	109	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 301-302

V4240 054C03 R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	47.0	1,371	1	MALE
51.0	49.0	1,429	2	FEMALE
	3.9	114	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 303-304

V4241 **054C04(R R'S RACE B/W/H**

Item Number: 00040

How do you describe yourself?

2="Black or African American" 3="Mexican American or Chicano"
 4="Cuban American" 8="Puerto Rican" 9="Other Latin American"
 5="Asian American" 6="White (Caucasian)" 1="American Indian
 (Native American Indian)" 7="Other". Recoded in this dataset
 so that "Black or African American" = 1 , "White (Caucasian)"
 = 2, and Hispanic = 3 (combined codes [3] Mexican...", [4]
 "Cuban...", [8] "Puerto Rican", and [9] "Other Latin...").
 All other codes are deleted.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	12.4	361	1	BLACK:(1)
70.5	57.5	1,677	2	WHITE:(2)
14.3	11.7	340	3	HISPANIC:(3)
	18.4	536	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 305-306

V4243 **054C06 WHERE LIVE NOW**

Item Number: 25110

Where are you living now?

1="On a farm" 2="In the country, not on a farm" 3="In a city
 or town"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.3	126	1	FARM
14.8	14.3	417	2	COUNTRY
80.8	78.4	2,283	3	CITYTOWN
	3.0	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 307-308

V4244	054C07A(R R'S HSHLD FATHER
--------------	-----------------------------------

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) A. Father (or stepfather)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	18.4	536	0	NT MARKD
80.3	74.9	2,183	1	MARKED
	6.7	195	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 309-310

V4245	054C07B(R R'S HSHLD MOTHER
--------------	-----------------------------------

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) B. Mother (or stepmother)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.8	139	0	NT MARKD
94.9	88.5	2,579	1	MARKED
	6.7	195	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 311-312

V4246 **054C07C(R R'S HSHLD SIBLING**

Item Number:

Component questions: "Which of the following people live in the same household with you? (Mark all that apply.) C. Brothers (or stepbrothers)" and " . . . D. Sisters (or stepsisters)". Responses are combined to indicate living with brothers or sisters.

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	16.4	478	0	NT MARKD
82.4	76.9	2,241	1	MARKED
	6.7	195	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 313-314

V4252 **054C08 AFTER SCHL ALONE**

Item Number: 25120

On average, how much time do you spend after school each day at home with no adult present? (Count the hours between the end of school and when you go to bed.)

1="None or almost none" 2="Less than 1 hour" 3="1-2 hours"
 4="2-3 hours" 5="3-5 hours" 6="More than 5 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	23.0	669	1	NONE
22.4	21.7	633	2	LT 1 HR
23.8	23.0	671	3	1-2HRS
14.5	14.1	410	4	2-3 HRS
9.1	8.8	255	5	4-5 HRS
6.5	6.3	183	6	>5 HRS(6)
	3.2	93	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 315-316

V4253

054C09 FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	98	1	GRDE SCH
9.2	8.9	261	2	SOME HS
23.9	23.2	675	3	HS GRAD
11.5	11.1	323	4	SOME CLG
21.6	20.9	609	5	CLG GRAD
14.3	13.8	403	6	GRAD SCH
16.0	15.4	450	7	DK
	3.2	94	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 317-318

V4254 **054C10** **MOTHR EDUC LEVEL**

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	77	1	GRDE SCH
7.9	7.7	224	2	SOME HS
22.4	21.7	632	3	HS GRAD
15.6	15.2	442	4	SOME CLG
26.6	25.7	750	5	CLG GRAD
14.1	13.7	399	6	GRAD SCH
10.6	10.3	300	7	DK
	3.0	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 319-320

V4255 **054C11** **MOTHER PAID JOB**

Item Number: 25130

Does your mother have a paid job?

1="No" 2="Yes, part-time job" 3="Yes, full-time job"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.5	598	1	NO
18.6	17.9	521	2	YES P/T
60.1	57.9	1,688	3	YES F/T
	3.6	106	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 321-322

V4257

054C12B R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	10.6	310	1	NEVER
25.3	19.1	556	2	RARELY
16.5	12.5	364	3	1-2X/MO
44.1	33.4	972	4	1/WK OR+
	24.4	711	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 323-324

V4258

054C13 RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	9.7	283	1	NOT IMPT
22.4	16.9	494	2	LITL IMP
31.4	23.8	694	3	PRTY IMP
33.3	25.2	736	4	VERY IMP
	24.3	707	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 325-326

V4259 054C14 R HS GRADE/D=1

Item Number: 00470

The next questions are about your experiences in school.
 Which one of the following best describes your average grade
 in this school year?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
 1="D (69 or below)"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.1	3.9	114	1	D
5.2	4.9	143	2	C-
6.8	6.5	190	3	C
10.2	9.8	285	4	C+
9.2	8.8	256	5	B-
13.5	12.9	376	6	B
13.9	13.3	387	7	B+
15.1	14.4	419	8	A-
22.0	21.0	611	9	A
	4.6	133	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 327-328

V4260	054C15 R'S HS PROGRAM
--------------	------------------------------

Item Number: 00400

Which of the following best describes your present (or expected) high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	33.4	973	1	CLG PREP
17.3	16.5	482	2	GENERAL
5.1	4.8	141	3	VOC-TECH
42.5	40.5	1,181	4	OTH/DK
	4.7	137	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 329-330

V4261	054C16 HRS/WK SPND HMWK
--------------	--------------------------------

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.7	195	1	NONE
50.7	49.1	1,431	2	1-4 HRS
21.2	20.5	598	3	5-9 HRS
10.6	10.3	299	4	10-14HRS
3.5	3.4	99	5	15-19HRS
3.4	3.3	95	6	20-24HRS
3.7	3.6	104	7	25+ HRS
	3.2	92	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 331-332

V4262 **054C17A R WL GRADUATE HS**

Item Number: 00481

How likely is it that you will do each of the following things? A: Graduate from high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	13	1	DEF WONT
1.4	1.4	40	2	PRB WONT
10.4	10.0	292	3	PRB WILL
87.7	84.6	2,466	4	DEF WILL
	3.5	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 333-334

V4263 **054C17B R WL DO VOC/TEC**

Item Number: 00480

How likely is it that you will do each of the following things? B: Go to a technical or vocational school after high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	16.5	480	1	DEF WONT
47.0	42.7	1,245	2	PRB WONT
24.2	22.0	642	3	PRB WILL
10.6	9.7	281	4	DEF WILL
	9.1	266	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 335-336

V4264	054C17C R WL GO TO CLG
--------------	-------------------------------

Item Number: 00482

How likely is it that you will do each of the following things? C: Go to college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	63	1	DEF WONT
4.9	4.7	137	2	PRB WONT
23.3	22.3	650	3	PRB WILL
69.6	66.8	1,945	4	DEF WILL
	4.1	119	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 337-338

V4265	054C17D R WL DO 4YR CLG
--------------	--------------------------------

Item Number: 00510

How likely is it that you will do each of the following things? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	75	1	DEF WONT
6.4	6.2	179	2	PRB WONT
27.9	26.9	782	3	PRB WILL
63.0	60.5	1,763	4	DEF WILL
	3.9	114	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 339-340

V4266 **054C17E R WL DO ARMD FC**

Item Number: 00490

How likely is it that you will do each of the following things? E: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	40.3	1,175	1	DEF WONT
39.2	37.4	1,089	2	PRB WONT
13.1	12.5	363	3	PRB WILL
5.5	5.2	152	4	DEF WILL
	4.6	135	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 341-342

V4267 **054C18 THNK FUT BYND SC**

Item Number: 25830

How often do you think about your future beyond high school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	95	1	NEVER
10.0	9.6	281	2	SELDOM
41.8	40.4	1,176	3	SOMETIME
44.8	43.2	1,260	4	OFTEN
	3.5	102	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 343-344

V4268	054C19 PLANS AFTER SCHL
--------------	--------------------------------

Item Number: 25840

Which best describes your plans after high school?

1="I have no idea what I will do." 2="I have a few ideas about what I might do." 3="I know pretty well what I will do." 4="I know exactly what I will do."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	7.7	226	1	NO IDEA
39.3	37.9	1,104	2	A FEW
35.4	34.1	994	3	PRTYWELL
17.2	16.5	482	4	EXACTLY
	3.7	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 345-346

V4269	054C20A #DA/4W SC MS ILL
--------------	---------------------------------

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	58.6	1,706	1	NONE
17.2	16.3	476	2	1 DAY
9.2	8.7	254	3	2 DAYS
5.3	5.0	147	4	3 DAYS
4.4	4.1	121	5	4-5 DAYS
1.4	1.3	39	6	6-10 DA
0.8	0.7	21	7	11+ DAYS
	5.2	151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 347-348

V4270 054C20B #DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	83.3	2,427	1	NONE
5.0	4.6	134	2	1 DAY
2.2	2.0	59	3	2 DAYS
0.9	0.8	25	4	3 DAYS
0.8	0.8	23	5	4-5 DAYS
0.3	0.3	8	6	6-10 DA
0.5	0.5	14	7	11+ DAYS
	7.7	225	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 349-350

V4271	054C20C #DA/4W SC MS OTH
-------	--------------------------

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	62.1	1,810	1	NONE
16.4	15.3	445	2	1 DAY
7.2	6.7	195	3	2 DAYS
4.0	3.8	110	4	3 DAYS
3.4	3.2	92	5	4-5 DAYS
1.5	1.4	40	6	6-10 DA
1.0	0.9	28	7	11+ DAYS
	6.6	194	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 351-352

V4272 **054C21 #DA/4W SKP CLASS**

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	85.9	2,503	1	NONE
7.0	6.7	195	2	1-2
1.3	1.2	35	3	3-5
0.6	0.5	16	4	6-10
0.5	0.5	14	5	11-20
1.2	1.1	32	6	21+
	4.0	118	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 353-354

V4273 **054C22(R EVER HELD BACK**

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2 and 3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	84.5	2,463	0	NO
11.9	11.4	332	1	YES
	4.1	118	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 355-356

V4274**054C23(R NEED SUMMER SCHL**

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers" Codes 2-4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	77.7	2,264	0	NO
19.2	18.4	537	1	YES
	3.9	113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 357-358

V4275**054C24(R EVER SUSPENDED**

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2 and 3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	72.8	2,123	0	NO
24.3	23.3	680	1	YES
	3.8	112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 359-360

V4276 **054C25** **FRNDS DROP OUT**

Item Number: 25850

Have any of your friends dropped out of school?

1="None" 2="A few" 3="Some" 4="Most or all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	76.8	2,237	1	NONE
16.1	15.4	449	2	A FEW
3.2	3.1	90	3	SOME
0.6	0.6	16	4	MOST/ALL
	4.2	123	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 361-362

V4277 **054C26** **#X OUT W/O PRNT**

Item Number: 25170

During a typical week, on how many evenings do you go out for fun and recreation? (Don't count things you do with your parents or other adult relatives.)

1="Less than one evening per week" 2="One evening" 3="Two evenings" 4="Three evenings" 5="Four or five evenings" 6="Six or seven evenings per week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	25.4	740	1	< 1
14.0	13.1	381	2	ONE
20.1	18.9	549	3	TWO
16.0	15.0	437	4	THREE
12.7	11.9	346	5	4-5
10.2	9.6	279	6	6-7
	6.2	182	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 363-364

V4278	054C27	#X DATE 3+/WK
-------	--------	---------------

Item Number: 00630

On the average, how often (if ever) do you go out with a date?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	48.7	1,419	1	NEVER
20.9	19.7	574	2	1/MO OR<
12.4	11.7	342	3	2-3/MO
7.8	7.4	215	4	1/WK
3.4	3.2	94	5	2-3/WK
3.7	3.5	101	6	3+/WK
	5.8	169	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 365-366

V4279	054C28A	PRN KNW AFT SCHL
-------	---------	------------------

Item Number: 30760

The following questions are about your parents (or stepparents or guardians): A. My parents know where I am after school

1="Never" 2="Rarely" 3="Sometimes" 4="Most of the time"
 5="Always" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.5	45	1	NEVER
1.9	1.4	41	2	RARELY
5.7	4.2	123	3	SOMETIME
21.7	16.2	472	4	MOST TIMES
68.6	51.1	1,489	5	ALWAYS
	25.5	744	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 367-368

V4280 054C28B PRN KNW WHO@NITE

Item Number: 30770

The following questions are about your parents (or stepparents or guardians): B. When I go out at night, my parents know whom I am with

1="Never" 2="Rarely" 3="Sometimes" 4="Most of the time"
5="Always" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.0	59	1	NEVER
2.6	1.9	56	2	RARELY
7.5	5.6	162	3	SOMETIME
20.0	14.8	431	4	MOST TIMES
67.1	49.6	1,444	5	ALWAYS
	26.1	761	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 369-370

V4281

054C28C PRN KNW WHER@NGT

Item Number: 30780

The following questions are about your parents (or stepparents or guardians): C. When I go out at night, my parents know where I am

1="Never" 2="Rarely" 3="Sometimes" 4="Most of the time"
5="Always" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	1.7	48	1	NEVER
2.6	2.0	57	2	RARELY
7.5	5.5	162	3	SOMETIME
20.7	15.3	445	4	MOST TIMES
66.9	49.3	1,436	5	ALWAYS
	26.3	766	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 371-372

V4284	054C30 TALK PROB W/ADLT
-------	-------------------------

Item Number: 25870

Other than your parents, is there at least one other adult you would feel able to talk to if you were having problems in your life?

3="Yes, for most or all of problems" 2="Yes, for at least some of my problems" 1="No" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	18.7	546	1	NO
43.4	32.2	937	2	YES SOME
31.2	23.1	674	3	YES M/AL
	26.0	758	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 377-378

V4285	054D01 HRS/WK PAID JOB
-------	------------------------

Item Number: 25150

On the average over the school year, how many hours per week do you work in a paid job?

1="None" 2="5 or less hours per week" 3="6 to 10 hours per week" 4="11 to 15 hours per week" 5="16 to 20 hours per week" 6="21 to 25 hours per week" 7="26 to 30 hours per week" 8="More than 30 hours per week"

PCT VALID	PCT ALL	N	VALUE	LABEL
75.6	71.4	2,080	1	NONE
14.1	13.3	387	2	5 OR <
5.2	4.9	144	3	6-10 HRS
2.0	1.9	54	4	11-15 HR
1.1	1.0	30	5	16-20 HR
0.7	0.7	20	6	21-25 HR
0.4	0.3	10	7	26-30 HR
1.0	0.9	27	8	30+ HRS
	5.6	163	-9	MISSING

100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 379-380

V4286

054D02 # HRS PEF WORK

Item Number: 25800

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours per week" 3="6 - 10" 4="11 - 15"
5="16 - 20" 6="21 - 25" 7="26 - 30" 8="More than 30 hours per week"
9="Don't know, can't say"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	12.6	368	1	NONE
19.7	18.5	539	2	5 OR <
23.8	22.4	652	3	6-10
10.9	10.2	298	4	11-15
8.3	7.8	227	5	16-20
5.3	5.0	146	6	21-25
2.9	2.7	79	7	26-30
4.3	4.0	117	8	31+
11.4	10.7	311	9	DK
	6.1	177	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 381-382

V4287 054D03A R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from. . .

A: A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	57.1	1,664	1	NONE
4.5	4.1	121	2	\$1-5
5.7	5.2	152	3	\$6-10
8.5	7.8	227	4	\$11-20
6.6	6.0	174	5	\$21-35
4.0	3.7	107	6	\$36-50
2.9	2.6	76	7	\$51-75
2.4	2.2	65	8	\$76-125
2.7	2.5	73	9	\$126+
	8.7	253	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 383-384

V4288	054D03B R\$/AVG WEEK OTH
-------	--------------------------

Item Number: 00610

During an average week, how much money did you get from. . .
 B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	27.3	795	1	NONE
14.9	13.8	401	2	\$1-5
17.8	16.5	482	3	\$6-10
18.0	16.7	487	4	\$11-20
8.9	8.3	240	5	\$21-35
5.2	4.8	140	6	\$36-50
2.0	1.8	53	7	\$51-75
1.7	1.6	47	8	\$76-125
2.1	1.9	56	9	\$126+
	7.3	212	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 385-386

V4289 054D04 #X SEE DRUG SPTS

Item Number: 22460

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	7.7	225	1	NOT@ALL
8.7	8.2	238	2	< 1/MO
16.5	15.5	451	3	1-3/MO
24.2	22.8	663	4	1-3/WK
25.6	24.0	700	5	DAILY
16.8	15.7	459	6	GT DAILY
	6.1	178	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 387-388

V4290

054D05A ADS-YOU <FAVORBL

Item Number: 22480

To what extent do you think such commercials have . . . A:
 Made you less favorable toward drugs

1="Not at all" 2="To a little extent" 3="To some extent" 4="To
 a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	23.0	669	1	NOT@ALL
13.9	12.8	373	2	LTL EXTNT
22.3	20.6	600	3	SOME EXTNT
14.4	13.3	387	4	GRT EXTNT
24.6	22.7	663	5	VYGRT EXTNT
	7.7	223	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 389-390

V4291

054D05B ADS-YOU <TRY DRG

Item Number: 22490

To what extent do you think such commercials have . . . B:
 Made you less likely to use drugs

1="Not at all" 2="To a little extent" 3="To some extent" 4="To
 a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	22.4	652	1	NOT@ALL
12.0	11.1	322	2	LITL EXTNT
18.2	16.8	489	3	SOME EXTNT
15.6	14.4	420	4	GRT EXTNT
29.9	27.6	803	5	VYGRT EXTNT
	7.8	227	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 391-392

V4293

054D06 #X ANTISMK TV/RD

Item Number: 30260

The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	12.9	377	1	NOT@ALL
9.4	8.6	252	2	< 1/MO
18.6	17.1	498	3	1-3/MO
23.9	22.0	641	4	1-3/WK
19.6	18.0	525	5	DAILY
14.4	13.2	386	6	GT DAILY
	8.1	235	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric

Missing-data code: -9

Columns: 395-396

V4294 054D07 #X ANTISMK PRINT

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	18.2	530	1	NOT@ALL
19.0	17.5	509	2	< 1/MO
26.7	24.6	718	3	1-3/MO
19.4	17.8	520	4	1-3/WK
9.8	9.0	262	5	DAILY
5.4	5.0	145	6	GT DAILY
	7.9	230	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 397-398

V4295

054D08A ANTISMK ADS<FVRB

Item Number: 30280

To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have . . . A: . . . made you less favorable toward smoking cigarettes?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	21.2	619	1	NOT@ALL
14.7	13.4	390	2	LTL EXTNT
18.1	16.5	480	3	SOME EXTNT
15.1	13.7	400	4	GRT EXTNT
28.7	26.1	761	5	VYGRT EXTNT
	9.1	264	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 399-400

V4296

054D08B ANTISMK ADS<LKLY

Item Number: 30290

To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have . . . B: . . . made you less likely to smoke cigarettes?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	21.5	626	1	NOT@ALL
12.8	11.6	338	2	LTL EXTNT
16.7	15.1	441	3	SOME EXTNT
15.1	13.7	399	4	GRT EXTNT
31.7	28.7	836	5	VYGRT EXTNT
	9.4	274	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 401-402

V4298

054D09A CIG SMKRS-ATHLTS

Item Number: 30310

These days, how many people in the following groups would you guess are regular cigarette smokers? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	44.8	1,307	1	0%-10%
20.7	18.9	550	2	11%-30%
10.1	9.2	269	3	31%-50%
5.1	4.7	136	4	51%-70%
2.7	2.5	72	5	71%-90%
1.1	1.0	29	6	91%-100%
11.2	10.2	297	8	NO IDEA
	8.7	254	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric

Missing-data code: -9

Columns: 405-406

V4299 054D09B CIG SMKRS-ROCKRS

Item Number: 30320

These days, how many people in the following groups would you guess are regular cigarette smokers? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.3	155	1	0%-10%
11.1	10.2	296	2	11%-30%
18.0	16.4	479	3	31%-50%
19.6	18.0	523	4	51%-70%
20.3	18.6	541	5	71%-90%
16.1	14.7	429	6	91%-100%
9.0	8.2	240	8	NO IDEA
	8.6	251	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 407-408

V4300

054D09C CIG SMKRS-ACTORS

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.4	303	1	0%-10%
20.5	18.7	545	2	11%-30%
23.6	21.6	628	3	31%-50%
18.1	16.5	480	4	51%-70%
10.9	9.9	290	5	71%-90%
4.8	4.4	127	6	91%-100%
10.8	9.8	287	8	NO IDEA
	8.7	254	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 409-410

V4302	054D10A USE DRUGS-ATHLT
--------------	--------------------------------

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	44.0	1,282	1	0%-10%
18.6	17.0	494	2	11%-30%
8.6	7.9	230	3	31%-50%
5.7	5.2	151	4	51%-70%
2.6	2.3	68	5	71%-90%
1.8	1.6	47	6	91%-100%
14.7	13.4	391	8	NO IDEA
	8.6	250	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 413-414

V4303 054D10B USE DRUGS-ROCK

Item Number: 22390

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.3	241	1	0%-10%
15.1	13.8	401	2	11%-30%
15.0	13.7	399	3	31%-50%
16.3	14.8	432	4	51%-70%
16.5	15.0	438	5	71%-90%
15.3	13.9	406	6	91%-100%
12.7	11.5	337	8	NO IDEA
	8.9	259	-9	MISSING

 100.0 100.0 2,914 cases

Data type: numeric
 Missing-data code: -9
 Columns: 415-416

V4304	054D10C USE DRUGS-ACTOR
--------------	--------------------------------

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	22.4	653	1	0%-10%
23.9	21.7	632	2	11%-30%
17.6	16.0	467	3	31%-50%
10.6	9.6	280	4	51%-70%
5.2	4.7	137	5	71%-90%
2.5	2.2	65	6	91%-100%
15.6	14.2	414	8	NO IDEA
	9.1	264	-9	MISSING

100.0 100.0 2,914 cases

Data type: numeric
Missing-data code: -9
Columns: 417-418

V4305 **054D10D USE DRUGS-PEERS**

Item Number: 22405

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	34.6	1,007	1	0%-10%
20.5	18.7	545	2	11%-30%
11.1	10.1	294	3	31%-50%
7.6	7.0	203	4	51%-70%
5.1	4.6	135	5	71%-90%
5.2	4.7	137	6	91%-100%
12.6	11.5	334	8	NO IDEA
	8.9	258	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 419-420

V4306 **054D11 SMKRS MOVIE THTR**

Item Number: 30360

Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	30.8	898	1	NO
45.7	41.8	1,219	2	SOME
9.0	8.2	240	3	A LOT
11.6	10.6	309	4	DONT REMEMBR
	8.5	247	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 421-422

V4307	054D12	SMKRS MOVIE HOME
--------------	---------------	-------------------------

Item Number: 30370

Think about the movie that you watched most recently on video or on TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	25.7	747	1	NO
51.4	47.0	1,369	2	SOME
10.4	9.5	277	3	A LOT
10.1	9.2	268	4	DONT REMEMBR
	8.7	252	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 423-424

V4308	054D13A	FRND DAP CIG OCC
--------------	----------------	-------------------------

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? A: Smoking cigarettes occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	17.3	504	1	NOT DISAP
32.0	29.1	849	2	DISAPPROVE
48.9	44.5	1,296	3	STR DISAP
	9.1	265	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 425-426

V4311	054D13D FRND DAP SMKL OC
--------------	---------------------------------

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? D: Using smokeless tobacco occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	11.5	335	1	NOT DISAP
25.0	22.5	654	2	DISAPPROVE
62.3	56.0	1,631	3	STR DISAP
	10.1	294	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 431-432

V4312	054D13E FRND DAP SMKL DL
--------------	---------------------------------

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? E: Using smokeless tobacco every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	9.4	274	1	NOT DISAP
18.8	17.0	496	2	DISAPPROVE
70.8	63.9	1,863	3	STR DISAP
	9.6	281	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 433-434

V4315	054D14B EASY GT LSD
-------	---------------------

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: LSD

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	27.3	796	1	PROB IMP
18.1	16.3	474	2	VRV DIFF
15.6	14.0	408	3	FRLY DIF
7.3	6.6	191	4	FRLY EAS
4.5	4.1	119	5	VRV EASY
24.0	21.6	629	8	CANT SAY
	10.2	297	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
Missing-data code: -9
Columns: 439-440

V4316	054D14C EASY GT AMPHTMNS
-------	--------------------------

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Amphetamines (uppers, pep pills, bennies, speed)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	26.5	771	1	PROB IMP
17.1	15.4	450	2	VRV DIFF
15.4	13.9	406	3	FRLY DIF
11.5	10.4	303	4	FRLY EAS
7.8	7.1	206	5	VRV EASY
18.8	17.0	496	8	CANT SAY
	9.7	282	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 441-442

V4317

054D14D EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? D: Sedatives/barbiturates (downers)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	26.3	767	1	PROB IMP
16.4	14.8	431	2	VRV DIFF
16.1	14.5	423	3	FRLY DIF
10.0	9.1	264	4	FRLY EAS
6.6	6.0	175	5	VRV EASY
21.8	19.7	574	8	CANT SAY
	9.6	279	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 443-444

V4318	054D14E EASY GT TRANQLIZ
-------	--------------------------

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? E: Tranquilizers (Librium, Valium, Xanax, etc.)

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
32.7	29.4	857	1	PROB IMP
18.3	16.5	480	2	VRV DIFF
15.2	13.7	398	3	FRLY DIF
8.3	7.5	219	4	FRLY EAS
6.3	5.7	165	5	VRV EASY
19.2	17.3	504	8	CANT SAY
	9.9	290	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 445-446

V4319

054D14F EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? F: "Crack" cocaine

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	30.5	888	1	PROB IMP
19.0	17.1	499	2	VRY DIFF
14.3	12.9	375	3	FRLY DIF
12.8	11.5	336	4	FRLY EAS
9.7	8.7	254	5	VRY EASY
10.6	9.6	279	8	CANT SAY
	9.7	282	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 447-448

V4320	054D14G EASY GT COK PWDR
-------	--------------------------

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? G: Cocaine in powder form

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
34.3	30.9	900	1	PROB IMP
17.5	15.8	459	2	VRV DIFF
15.3	13.8	402	3	FRLY DIF
12.0	10.8	316	4	FRLY EAS
9.5	8.5	249	5	VRV EASY
11.5	10.4	302	8	CANT SAY
	9.8	287	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 449-450

V4321

054D14H EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? H: Heroin

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	35.3	1,029	1	PROB IMP
19.3	17.3	504	2	VRD DIFF
14.8	13.3	387	3	FRLY DIF
7.2	6.4	187	4	FRLY EAS
5.0	4.5	131	5	VRD EASY
14.3	12.8	373	8	CANT SAY
	10.3	301	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric

Missing-data code: -9

Columns: 451-452

V4323

054D14J EASY GT CIGS

Item Number: 06831

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? J: Cigarettes

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	15.6	453	1	PROB IMP
7.7	6.9	200	2	VRY DIFF
10.1	9.0	262	3	FRLY DIF
18.3	16.3	476	4	FRLY EAS
39.7	35.4	1,032	5	VRY EASY
6.8	6.1	178	8	CANT SAY
	10.7	312	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 455-456

V4324 054D14K EASY GT ALCOHOL

Item Number: 06832

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? K: Alcohol

8="Can't Say, Drug Unfamiliar" 1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	12.7	369	1	PROB IMP
6.6	5.9	173	2	VRD DIFF
9.7	8.7	252	3	FRLY DIF
17.1	15.3	444	4	FRLY EAS
46.0	41.2	1,199	5	VRD EASY
6.4	5.7	167	8	CANT SAY
	10.6	308	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 457-458

V4325

054D15A GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 A: Smoke your first cigarette

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
5.0	4.3	124	1	GR 4 OR <
4.1	3.5	101	2	GR 5
5.7	4.9	142	3	GR 6
6.1	5.2	151	4	GR 7
3.0	2.5	74	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
76.0	64.5	1,879	8	NEVER
	15.2	443	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 459-460

V4326 054D15B GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.5	14	1	GR 4 OR <
0.7	0.6	19	2	GR 5
1.6	1.4	40	3	GR 6
3.1	2.6	77	4	GR 7
1.7	1.5	44	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
92.3	79.7	2,321	8	NEVER
	13.7	399	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 461-462

V4327

054D15C GR 1ST SMOKELESS

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"

4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
(Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.5	43	1	GR 4 OR <
0.9	0.8	24	2	GR 5
1.6	1.4	40	3	GR 6
2.6	2.3	68	4	GR 7
2.2	1.9	56	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
91.1	81.0	2,361	8	NEVER
	11.0	322	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric

Missing-data code: -9

Columns: 463-464

V4328	054D15D GR 1ST TRY ALC
-------	------------------------

Item Number: 05580

When (if ever) did you FIRST do each of the following things?

D: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
6.8	5.5	160	1	GR 4 OR <
4.7	3.8	110	2	GR 5
9.0	7.3	212	3	GR 6
12.7	10.3	299	4	GR 7
8.0	6.5	188	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
58.7	47.2	1,377	8	NEVER
	19.5	569	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 465-466

V4329

054D15E GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?

E: Drink enough to feel drunk or very high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.9	26	1	GR 4 OR <
0.8	0.7	20	2	GR 5
3.3	2.8	81	3	GR 6
7.4	6.2	182	4	GR 7
7.4	6.3	182	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
80.0	67.6	1,970	8	NEVER
	15.5	453	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric

Missing-data code: -9

Columns: 467-468

V4330 054D15F GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?

F: Try marijuana or hashish

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.9	26	1	GR 4 OR <
1.4	1.2	35	2	GR 5
2.8	2.4	70	3	GR 6
5.2	4.4	129	4	GR 7
3.5	3.0	87	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
86.0	73.1	2,130	8	NEVER
	15.0	437	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 469-470

V4331	054D15G GR 1ST TRY LSD
-------	------------------------

Item Number: 05600

When (if ever) did you FIRST do each of the following things?

G: Try LSD

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.2	7	1	GR 4 OR <
0.2	0.2	5	2	GR 5
0.3	0.2	7	3	GR 6
0.5	0.4	13	4	GR 7
0.7	0.6	17	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
98.1	85.4	2,489	8	NEVER
	12.9	377	-9	MISSING

100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 471-472

V4332 054D15H GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?

H: Try any hallucinogen other than LSD (PCP, mescaline, "shrooms" or psilocybin, etc.)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	2	1	GR 4 OR <
0.4	0.3	9	2	GR 5
0.3	0.2	7	3	GR 6
0.8	0.7	21	4	GR 7
0.8	0.7	20	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
97.7	84.7	2,468	8	NEVER
	13.3	387	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 473-474

V4333	054D15I GR 1ST TRY AMP
-------	------------------------

Item Number: 05620

When (if ever) did you FIRST do each of the following things?

I: Try amphetamines (uppers, pep pills, bennies, speed)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.0	1	1	GR 4 OR <
0.5	0.4	13	2	GR 5
0.3	0.2	7	3	GR 6
1.1	0.9	26	4	GR 7
0.8	0.7	20	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
97.2	80.1	2,335	8	NEVER
	17.6	511	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 475-476

V4334 054D15J GR 1ST TRY SED/B

Item Number: 05645

When (if ever) did you FIRST do each of the following things?

J: Try sedatives/barbiturates (downers)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	5	1	GR 4 OR <
0.5	0.4	13	2	GR 5
0.2	0.2	5	3	GR 6
1.2	1.0	29	4	GR 7
1.1	0.9	26	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
96.8	80.0	2,331	8	NEVER
	17.3	505	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 477-478

V4335	054D15K GR 1ST TRY TRN
-------	------------------------

Item Number: 05650

When (if ever) did you FIRST do each of the following things?

K: Try tranquilizers (Valium, Librium, Xanax, etc.)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GR 4 OR <
0.3	0.2	7	2	GR 5
0.4	0.3	9	3	GR 6
0.7	0.6	17	4	GR 7
0.9	0.8	23	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
97.6	82.9	2,416	8	NEVER
	15.1	439	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 479-480

V4336 054D15L GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

L: Try "crack" cocaine

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.2	7	1	GR 4 OR <
0.3	0.3	9	2	GR 5
0.4	0.4	11	3	GR 6
1.0	0.9	25	4	GR 7
0.8	0.7	20	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
97.1	85.1	2,480	8	NEVER
	12.4	361	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 481-482

V4337 054D15M GR 1STTRY POWCOK

Item Number: 05663

When (if ever) did you FIRST do each of the following things?

M: Try cocaine in powder form

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	3	1	GR 4 OR <
0.2	0.2	5	2	GR 5
0.5	0.5	13	3	GR 6
0.8	0.7	20	4	GR 7
1.1	1.0	28	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
97.3	85.0	2,477	8	NEVER
	12.6	368	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 483-484

V4338 054D15N GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?

N: Try heroin

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.1	4	1	GR 4 OR <
0.2	0.2	4	2	GR 5
0.3	0.2	7	3	GR 6
0.3	0.3	9	4	GR 7
0.5	0.5	13	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
98.5	86.0	2,507	8	NEVER
	12.7	369	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 485-486

V4339

054D150 GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?

0: Try any narcotic other than heroin (methadone, opium, codeine, Vicodin, OxyContin, Percocet, etc.)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"

4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	5	1	GR 4 OR <
0.3	0.3	8	2	GR 5
0.3	0.3	9	3	GR 6
0.9	0.8	23	4	GR 7
1.1	1.0	29	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
97.1	83.6	2,436	8	NEVER
	13.9	404	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric

Missing-data code: -9

Columns: 487-488

V4340 054D15P GR 1ST TRY INHAL

Item Number: 05688

When (if ever) did you FIRST do each of the following things?

P: Sniff glue, gases, or sprays to get high

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.0	59	1	GR 4 OR <
2.3	1.9	55	2	GR 5
3.5	2.9	85	3	GR 6
3.7	3.0	88	4	GR 7
2.8	2.3	67	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
85.2	70.5	2,053	8	NEVER
	17.3	505	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 489-490

V4341 054D15Q GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

Q: Try steroids (anabolic steroids)

8="Never" 1="Grade 4 or below" 2="Grade 5" 3="Grade 6"
 4="Grade 7" 5="Grade 8" 6="Grade 9 (Freshman)" 7="Grade 10
 (Sophomore)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	1	1	GR 4 OR <
0.1	0.1	2	2	GR 5
0.2	0.2	5	3	GR 6
0.2	0.1	4	4	GR 7
0.6	0.5	16	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
98.9	85.8	2,501	8	NEVER
	13.2	386	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 491-492

V4342 **054D16A ALL FRD SMK CIGS**

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	44.0	1,281	1	NONE
31.9	28.5	829	2	A FEW
11.9	10.6	309	3	SOME
5.5	4.9	143	4	MOST
1.4	1.2	36	5	ALL
	10.8	315	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 493-494

V4343 **054D16B ALL FRD SMKLESS**

Item Number: 25280

How many of your friends would you estimate. . . B: Use smokeless tobacco?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	69.3	2,019	1	NONE
14.3	12.6	368	2	A FEW
5.2	4.6	133	3	SOME
1.3	1.1	33	4	MOST
1.0	0.9	26	5	ALL
	11.5	335	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 495-496

V4344	054D16C ALL FRD DRK ALCL
--------------	---------------------------------

Item Number: 07190

How many of your friends would you estimate . . . C: Drink
alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	33.1	964	1	NONE
26.9	23.9	697	2	A FEW
19.5	17.3	505	3	SOME
12.3	10.9	318	4	MOST
4.2	3.7	108	5	ALL
	11.0	321	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 497-498

V4345	054D16D ALL FRD GT DRUNK
--------------	---------------------------------

Item Number: 07200

How many of your friends would you estimate . . . D: Get
drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	54.9	1,601	1	NONE
22.1	19.6	570	2	A FEW
10.0	8.8	258	3	SOME
3.9	3.4	99	4	MOST
1.9	1.7	49	5	ALL
	11.5	336	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 499-500

V4346 **054D16E ALL FRD SMK MARJ**

Item Number: 07080

How many of your friends would you estimate . . . E: Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	54.8	1,596	1	NONE
20.5	18.1	528	2	A FEW
8.8	7.8	227	3	SOME
6.3	5.6	163	4	MOST
2.3	2.0	59	5	ALL
	11.7	341	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 501-502

V4347 **054D16F # FRNDS TK CRACK**

Item Number: 07151

How many of your friends would you estimate . . . F: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	73.9	2,154	1	NONE
11.3	10.0	292	2	A FEW
3.2	2.8	83	3	SOME
1.0	0.9	25	4	MOST
1.0	0.9	25	5	ALL
	11.5	335	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 503-504

V4348	054D16G # FRNDS TK C PWD
--------------	---------------------------------

Item Number: 23990

How many of your friends would you estimate. . . G: Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	75.3	2,194	1	NONE
10.0	8.8	257	2	A FEW
3.3	2.9	85	3	SOME
0.7	0.6	19	4	MOST
1.0	0.9	26	5	ALL
	11.5	334	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 505-506

V4349	054D16H ALL FRD TK HERON
--------------	---------------------------------

Item Number: 07160

How many of your friends would you estimate. . . H: Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	79.0	2,301	1	NONE
7.3	6.5	188	2	A FEW
2.0	1.8	52	3	SOME
0.4	0.4	11	4	MOST
0.9	0.8	23	5	ALL
	11.6	339	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 507-508

V4350 **054D16I ALL FRND INHALNT**

Item Number: 25290

How many of your friends would you estimate. . . I: Sniff
glue, gases, or sprays?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	62.6	1,825	1	NONE
17.9	15.8	461	2	A FEW
6.1	5.4	157	3	SOME
2.7	2.4	70	4	MOST
2.1	1.9	55	5	ALL
	11.8	345	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 509-510

V4351 **054D17A PRESR TO SMK CIG**

Item Number: 25300

How much pressure do you feel from your friends and
schoolmates to. . . A: Smoke cigarettes?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	74.8	2,180	1	NONE
8.7	7.7	224	2	A LITTLE
3.1	2.7	80	3	SOME
3.2	2.8	82	4	A LOT
	12.0	348	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 511-512

V4352	054D17B PRESR TO DRK ALC
--------------	---------------------------------

Item Number: 25310

How much pressure do you feel from your friends and schoolmates to. . . B: Drink alcoholic beverages?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	69.3	2,018	1	NONE
13.2	11.6	338	2	A LITTLE
4.9	4.3	127	3	SOME
3.4	3.0	86	4	A LOT
	11.8	345	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Missing-data code: -9

Columns: 513-514

V4353	054D17C PRESR TO USE MJ
--------------	--------------------------------

Item Number: 25320

How much pressure do you feel from your friends and schoolmates to. . . C: Use marijuana?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	74.9	2,183	1	NONE
8.3	7.3	212	2	A LITTLE
2.3	2.1	60	3	SOME
4.1	3.6	106	4	A LOT
	12.1	352	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric

Missing-data code: -9

Columns: 515-516

V4354 **054D17D PRSR TO OTH DRUG**

Item Number: 25330

How much pressure do you feel from your friends and schoolmates to. . . D: Use other illegal drugs?

1="None" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	78.4	2,284	1	NONE
5.2	4.6	133	2	A LITTLE
1.8	1.6	46	3	SOME
3.4	3.0	87	4	A LOT
	12.5	364	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 517-518

V4355 **054D18 GT HELP FR DRUGS**

Item Number: 22365

Have you ever received any professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	85.0	2,476	1	NEVER
1.6	1.4	42	2	NOT PST12MO
1.4	1.2	36	3	IN PAST12MO
	12.4	360	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 519-520

V4356	054D19 ILL DRG SOLD@SCH
--------------	--------------------------------

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	14.3	418	1	YES
83.7	73.5	2,141	2	NO
	12.2	355	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 521-522

V4357	054D20A SMKRS ENJOY LIFE
--------------	---------------------------------

Item Number: 21000

Do you agree or disagree . . . A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	68.2	1,988	1	DISAGREE
7.1	6.2	180	2	MOST DIS
9.6	8.4	244	3	NEITHER
1.6	1.4	40	4	MOST AGR
3.6	3.1	92	5	AGREE
	12.7	369	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 523-524

V4358 **054D20B PRFR DATE N-SMKR**

Item Number: 21010

Do you agree or disagree . . . B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	9.5	276	1	DISAGREE
1.9	1.6	48	2	MOST DIS
6.9	6.0	175	3	NEITHER
9.6	8.4	245	4	MOST AGR
70.8	61.9	1,802	5	AGREE
	12.6	368	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 525-526

V4359 **054D20C HARMFUL CIG EXAG**

Item Number: 21020

Do you agree or disagree . . . C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	47.9	1,395	1	DISAGREE
11.3	9.7	284	2	MOST DIS
13.4	11.5	336	3	NEITHER
7.8	6.7	196	4	MOST AGR
11.7	10.0	292	5	AGREE
	14.1	411	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 527-528

V4360

054D20D SMKR POOR JDMNT

Item Number: 21030

Do you agree or disagree . . . D: I think that becoming a
smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	13.0	378	1	DISAGREE
6.3	5.4	157	2	MOST DIS
14.2	12.3	358	3	NEITHER
13.5	11.7	340	4	MOST AGR
50.9	43.9	1,279	5	AGREE
	13.8	402	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 529-530

V4361

054D20E DONT MIND SMOKNG

Item Number: 21040

Do you agree or disagree . . . E: I personally don't mind
being around people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	42.4	1,237	1	DISAGREE
13.3	11.5	335	2	MOST DIS
12.6	10.9	317	3	NEITHER
10.6	9.2	267	4	MOST AGR
14.5	12.5	365	5	AGREE
	13.5	394	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 531-532

V4362 **054D20F SMKG DIRTY HABIT**

Item Number: 21050

Do you agree or disagree . . . F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	11.4	333	1	DISAGREE
4.8	4.2	122	2	MOST DIS
10.6	9.2	269	3	NEITHER
11.6	10.1	293	4	MOST AGR
59.7	51.8	1,509	5	AGREE
	13.3	388	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 533-534

V4363 **054D20G DTEST NEAR SMKRS**

Item Number: 21055

Do you agree or disagree . . . G: I strongly dislike being
near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	17.5	509	1	DISAGREE
9.1	7.9	231	2	MOST DIS
14.9	12.9	375	3	NEITHER
12.1	10.5	305	4	MOST AGR
43.7	37.9	1,104	5	AGREE
	13.4	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 535-536

V4364**054E01A POS ATT TWD SELF**

Item Number: 12550

How much do you agree or disagree with each of the following statements? A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	6.4	186	1	DISAGREE
4.7	4.1	119	2	MOST DIS
7.9	6.9	202	3	NEITHER
28.6	25.1	731	4	MOST AGR
51.5	45.1	1,314	5	AGREE
	12.5	363	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 537-538

V4365**054E01B LIFE MEANINGLESS**

Item Number: 23700

How much do you agree or disagree with each of the following statements? B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	36.1	1,053	1	DISAGREE
20.5	17.9	520	2	MOST DIS
15.0	13.1	381	3	NEITHER
11.6	10.1	295	4	MOST AGR
11.5	10.1	293	5	AGREE
	12.7	371	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 539-540

V4366 **054E01C -MUCH TO B PROUD**

Item Number: 12660

How much do you agree or disagree with each of the following statements? C: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	43.7	1,274	1	DISAGREE
18.3	15.9	464	2	MOST DIS
10.4	9.0	262	3	NEITHER
10.7	9.3	272	4	MOST AGR
10.2	8.9	258	5	AGREE
	13.2	383	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 541-542

V4367 **054E01D AM PRSN OF WORTH**

Item Number: 12570

How much do you agree or disagree with each of the following statements? D: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	7.9	231	1	DISAGREE
6.1	5.3	154	2	MOST DIS
13.9	12.0	350	3	NEITHER
23.1	19.9	580	4	MOST AGR
47.6	41.0	1,194	5	AGREE
	13.9	406	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 543-544

V4368**054E01E I ENJOY LIFE**

Item Number: 23710

How much do you agree or disagree with each of the following statements? E: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.4	186	1	DISAGREE
5.8	5.0	146	2	MOST DIS
10.5	9.1	265	3	NEITHER
22.1	19.2	558	4	MOST AGR
54.2	46.9	1,366	5	AGREE
	13.4	392	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 545-546

V4369**054E01F KICK DO DANGR TH**

Item Number: 07050

How much do you agree or disagree with each of the following statements? F: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	16.9	493	1	DISAGREE
12.2	10.6	309	2	MOST DIS
16.6	14.3	418	3	NEITHER
25.2	21.8	635	4	MOST AGR
26.5	22.9	667	5	AGREE
	13.5	392	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 547-548

V4370 **054E01G I AM NO GOOD**

Item Number: 12680

How much do you agree or disagree with each of the following statements? G: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	37.7	1,098	1	DISAGREE
17.4	15.1	440	2	MOST DIS
14.3	12.4	360	3	NEITHER
11.9	10.3	301	4	MOST AGR
12.9	11.2	326	5	AGREE
	13.4	389	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 549-550

V4371 **054E01H DO WELL AS OTHRS**

Item Number: 12580

How much do you agree or disagree with each of the following statements? H: I am able to do things as well as most people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.0	175	1	DISAGREE
5.0	4.3	125	2	MOST DIS
9.1	7.9	229	3	NEITHER
29.7	25.7	749	4	MOST AGR
49.3	42.7	1,244	5	AGREE
	13.5	392	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 551-552

V4372**054E01I FUTURE HOPELESS**

Item Number: 23720

How much do you agree or disagree with each of the following statements? I: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	47.0	1,370	1	DISAGREE
17.5	15.0	438	2	MOST DIS
11.6	9.9	290	3	NEITHER
7.3	6.3	183	4	MOST AGR
8.9	7.7	223	5	AGREE
	14.0	409	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 553-554

V4373**054E01J LIKE RISK SOME X**

Item Number: 07060

How much do you agree or disagree with each of the following statements? J: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	20.1	586	1	DISAGREE
12.1	10.4	304	2	MOST DIS
16.9	14.5	424	3	NEITHER
22.4	19.2	561	4	MOST AGR
25.2	21.7	633	5	AGREE
	13.9	406	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 555-556

V4374 **054E01K I DO WRONG THING**

Item Number: 12720

How much do you agree or disagree with each of the following statements? K: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	41.6	1,212	1	DISAGREE
17.8	15.3	446	2	MOST DIS
13.0	11.2	326	3	NEITHER
10.5	9.0	263	4	MOST AGR
10.2	8.7	255	5	AGREE
	14.1	412	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 557-558

V4375 **054E01L SATISFD W MYSELF**

Item Number: 12620

How much do you agree or disagree with each of the following statements? L: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	6.9	201	1	DISAGREE
6.4	5.4	159	2	MOST DIS
11.2	9.6	279	3	NEITHER
22.9	19.6	570	4	MOST AGR
51.5	44.1	1,286	5	AGREE
	14.4	419	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 559-560

V4376**054E01M MY LIFE NT USEFL**

Item Number: 12750

How much do you agree or disagree with each of the following statements? M: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	47.6	1,388	1	DISAGREE
17.9	15.3	445	2	MOST DIS
11.0	9.4	274	3	NEITHER
7.3	6.2	181	4	MOST AGR
8.0	6.9	200	5	AGREE
	14.6	426	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 561-562

V4377**054E01N GOOD TO BE ALIVE**

Item Number: 23730

How much do you agree or disagree with each of the following statements? N: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	5.3	155	1	DISAGREE
3.6	3.1	89	2	MOST DIS
8.2	7.0	205	3	NEITHER
14.4	12.3	359	4	MOST AGR
67.6	57.9	1,686	5	AGREE
	14.4	419	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 563-564

V4380 054E04A FRQ STEAL <\$50

Item Number: 06580

The next questions deal with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you. .
 . A: Taken something not belonging to you worth under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	65.7	1,914	1	NOT@ALL
11.8	10.1	294	2	ONCE
5.6	4.8	139	3	TWICE
2.7	2.3	66	4	3-4 TIMES
3.1	2.7	78	5	5 OR MORE
	14.5	422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914		cases

Data type: numeric
 Missing-data code: -9
 Columns: 565-566

V4381	054E04B FRQ STEAL >\$50
--------------	-----------------------------------

Item Number: 06590

During the LAST 12 MONTHS, how often have you. . . B: Taken something not belonging to you worth over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	78.4	2,283	1	NOT@ALL
3.7	3.2	92	2	ONCE
1.8	1.6	46	3	TWICE
0.8	0.7	20	4	3-4 TIMES
1.4	1.2	36	5	5 OR MORE
	15.0	437	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 567-568

V4382	054E04C FRQ DMG SCH PPTY
--------------	---------------------------------

Item Number: 06650

During the LAST 12 MONTHS, how often have you. . . C: Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	68.2	1,987	1	NOT@ALL
10.4	8.8	257	2	ONCE
4.2	3.5	103	3	TWICE
1.9	1.6	47	4	3-4 TIMES
3.2	2.7	80	5	5 OR MORE
	15.1	440	-9	MISSING
-----	-----	-----		
100.0	100.0	2,914	cases	

Data type: numeric
Missing-data code: -9
Columns: 569-570

APPENDICES

APPENDIX A: PUBLICATIONS

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at <http://www.monitoringthefuture.org/pubs.html>.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

Grade:	<u>Number of Public Schools</u>		<u>Number of Private Schools</u>		<u>Total Number of Schools</u>		<u>Total Number of Students</u>		<u>Student Response Rate</u>	
	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>	<u>8th</u>	<u>10th</u>
1991	131	107	31	14	162	121	17,844	14,996	90%	87%
1992	133	106	26	19	159	125	19,015	14,997	90	88
1993	126	111	30	17	156	128	18,820	15,516	90	86
1994	116	116	34	14	150	130	17,708	16,080	89	88
1995	118	117	34	22	152	139	17,929	17,285	89	87
1996	122	113	30	20	152	133	18,368	15,873	91	87
1997	125	113	27	18	152	131	19,066	15,778	89	86
1998	122	110	27	19	149	129	18,667	15,419	88	87
1999	120	117	30	23	150	140	17,287	13,885	87	85
2000	125	121	31	24	156	145	17,311	14,576	89	86
2001	125	117	28	20	153	137	16,756	14,286	90	88
2002	115	113	26	20	141	133	15,489	14,683	91	85
2003	117	109	24	20	141	129	17,023	16,244	89	88
2004	120	111	27	20	147	131	17,413	16,839	89	88
2005	119	107	27	20	146	127	17,258	16,711	90	88